



**HITT** MARKING  
DEVICES

**Rowmark**

# COLOR CHART

Laser | Rotary | Print

Product Material Selection



# LASER & ROTARY ENGRAVING MATERIALS





































## LASERMAX® NEW



 Crimson/ White LM912-6022-ply 1/32" LM922-6022-ply 1/16" LM942-6022-ply 1/8" LM943-6022-ply 1/8"	 Crimson/ Yellow LM922-6072-ply 1/16"	 Claret/ White LM922-6222-ply 1/16"	 Ribbon Pink/ White LM922-6622-ply 1/16"	 Ribbon Pink/ Black LM922-6642-ply 1/16"	 Tangerine/ White LM922-6122-ply 1/16"	 Canary/ Black LM912-7042-ply 1/32" LM922-7042-ply 1/16" LM942-7042-ply 1/8" LM943-7042-ply 1/8"
 Kelley Green/ White LM912-9322-ply 1/32" LM922-9322-ply 1/16" LM942-9322-ply 1/8"	 Celadon Green/ White LM922-9722-ply 1/16"	 Evergreen/ White LM912-9122-ply 1/32" LM922-9122-ply 1/16" LM942-9122-ply 1/8"	 Sky Blue/ White LM912-5122-ply 1/32" LM922-5122-ply 1/16" LM942-5122-ply 1/8" LM943-5122-ply 1/8"	 Sky Blue/ Yellow LM922-5172-ply 1/16"	 Sapphire/ White LM922-5022-ply 1/16"	 Light Blue/ White LM922-5622-ply 1/16"
 Patriot Blue/ White LM922-5522-ply 1/16"	 China Blue/ White LM922-3822-ply 1/16"	 Purple/ White LM922-5822-ply 1/16"	 White/ Crimson LM922-2062-ply 1/16"	 White/ Burgundy LM922-2262-ply 1/16"	 White/ Sky Blue LM922-2052-ply 1/16"	 White/ Bright Green LM922-2092-ply 1/16"
 White/ Pine Green LM922-2662-ply 1/16"	 White/ Black LM912-2042-ply 1/32" LM922-2042-ply 1/16" LM942-2042-ply 1/8" LM943-2042-ply 1/8"	 Ivory/ Dark Brown LM922-2282-ply 1/16"	 Almond/ Black LM922-8542-ply 1/16"	 Light Grey/ Burgundy LM922-3262-ply 1/16"	 Light Grey/ Marine Blue LM922-3252-ply 1/16"	 Light Grey/ Black LM922-3242-ply 1/16"
 Smoke Grey/ White LM922-3122-ply 1/16"	 Med. Brown/ White LM922-8222-ply 1/16"	 Dark Brown/ White LM922-8422-ply 1/16"	 Black/ White LM912-4022-ply 1/32" LM922-4022-ply 1/16" LM942-4022-ply 1/8" LM943-4022-ply 1/8"	 Gloss Black/ White LM922-4222-ply 1/16"	 Black/ Yellow LM922-4072-ply 1/16"	 Black/ Gold LM922-4172-ply 1/16"
 Gloss Black/ Gold LM922-4272-ply 1/16"	 Black/ Silver LM922-4132-ply 1/16"	 Celestial Blue/ Gold LM922-5772-ply 1/16"	 Harbor Grey/ White LM922-3622-ply 1/16"	 Port Wine/ Gold LM922-6772-ply 1/16"	 Verde/ Gold LM922-9372-ply 1/16"	 Deep Bronze/ Black LM922-8842-ply 1/16"
 Brushed Bronze/Black LM922-8742-ply 1/16"	 Brushed Bronze/White LM922-8722-ply 1/16"	 Brushed Gold/ Black LM912-7342-ply 1/32" LM922-7342-ply 1/16" LM942-7342-ply 1/8"	 European Gold/ Black LM912-7542-ply 1/32" LM922-7542-ply 1/16" LM942-7542-ply 1/8"	 Smooth Gold/ Black LM912-7142-ply 1/32" LM922-7142-ply 1/16" LM942-7142-ply 1/8"	 Br. Aluminum/ Black LM912-3542-ply 1/32" LM922-3542-ply 1/16" LM942-3542-ply 1/8"	 Brushed Silver/Black LM912-3342-ply 1/32" LM922-3342-ply 1/16" LM942-3342-ply 1/8"
 Smooth Silver/ Black LM912-3442-ply 1/32" LM922-3442-ply 1/16" LM942-3442-ply 1/8"	 Digicam Sid Issue/White LM922-9822-ply 1/16"	 Digicam Green/ White LM922-9222-ply 1/16"	 Digicam Desert Storm/Black LM922-8442-ply 1/16"	 Digicam Pink/ Black LM922-6942-ply 1/16"	 Digicam Air Force Blue/ White LM922-5322-ply 1/16"	 Digicam Navy/ White LM922-5922-ply 1/16"
 Digicam Special Ops/ White LM922-3722-ply 1/16"	 Cashew/ Dark Brown LM922-1882-ply 1/16"	 Cashew/ Taupe LM922-1382-ply 1/16"	 Cashew/ Black LM922-1342-ply 1/16"	 Cinnamon Stick/Ash LM922-0222-ply 1/16"	 Cinnamon Stick/White LM922-2222-ply 1/16"	 Kona/ Ash LM922-0822-ply 1/16"

# ULTRAGRAVE™ MATTE



 Red/ White UG662-602-ply .010" UG602-602-ply .020" UG922-602-ply 1/16"	 Red/ Black UG922-602-ply 1/16"	 Red/ Gold UG922-632-ply 1/16"	 Torrid/ White UG922-862 2-ply 1/16"	 Exotica/ White UG922-882-ply 1/16"	 Burgundy/ White UG922-622-ply 1/16"	 Burgundy/ Gold UG922-622-ply 1/16"
 Orange/ White UG922-612-ply 1/16"	 Orange/ Black UG922-612-ply 1/16"	 Yellow/ Black UG662-704-ply .010" UG602-704-ply .020" UG922-704-ply 1/16"	 Apple Green/ White UG602-932-ply .020" UG922-932-ply 1/16"	 Pine Green/ White UG922-912-ply 1/16"	 Forest Green/ White UG922-992-ply 1/16"	 Forest Green/ Eggshell UG922-992-ply 1/16"
 Forest Green/ Gold UG922-992-ply 1/16"	 Turbulent/ White UG922-942-ply 1/16"	 Blue/ White UG662-512-ply .010" UG602-512-ply .020" UG922-512-ply 1/16"	 Air Force Blue/White UG922-532-ply 1/16"	 Royal Blue/ White UG922-592-ply 1/16"	 Royal Blue/ Gold UG602-592-ply .020" UG922-592-ply 1/16"	 Navy Blue/ White UG922-552-ply 1/16"
 Navy Blue/ Gold UG922-552-ply 1/16"	 Taupe/ White UG922-802-ply 1/16"	 Almond/ Black UG922-852-ply 1/16"	 Craftsmen/ White UG922-832-ply 1/16"	 White/ Black UG662-202-ply .010" UG602-202-ply .020" UG922-202-ply 1/16"	 White/ Clear* UG602-202-ply .020" UG922-202-ply 1/16"	 White/ Red UG922-202-ply 1/16"
 White/ Blue UG922-202-ply 1/16"	 White/ Taupe UG922-202-ply 1/16"	 Brown/ White UG922-822-ply 1/16"	 Chocolate Brown/White UG922-842-ply 1/16"	 Light Gray/ Black UG922-302-ply 1/16"	 Black/ White UG662-402-ply .010" UG602-402-ply .020" UG922-402-ply 1/16"	 Black/ Clear* UG602-402-ply .020" UG922-402-ply 1/16"
 Black/ Silver Gray UG922-422-ply 1/16"	 Matte Black/ Gold UG922-412-ply 1/16"	 Glossy Black/ Gold UG602-422-ply .020"				

# ULTRAGRAVE™ SATIN



 Red/ White UG122-602-ply 1/16"	 Red/ Black UG122-602-ply 1/16"	 Torrid/ White UG122-862-ply 1/16"	 Exotica/ White UG122-882-ply 1/16"	 Burgundy/ White UG122-622-ply 1/16"	 Orange/ White UG122-612-ply 1/16"	 Orange/ Black UG122-612-ply 1/16"
 Yellow/ Black UG122-702-ply 1/16"	 Apple Green/ White UG122-932-ply 1/16"	 Pine Green/ White UG122-912-ply 1/16"	 Forest Green/ White UG122-992-ply 1/16"	 Forest Green/ Eggshell UG122-992-ply 1/16"	 Turbulent/ White UG122-942-ply 1/16"	 Blue/ White UG122-512-ply 1/16"
 Air Force Blue/White UG122-532-ply 1/16"	 Royal Blue/ White UG122-592-ply 1/16"	 Navy Blue/ White UG122-552-ply 1/16"	 Taupe/ White UG122-802-ply 1/16"	 Almond/ Black UG122-852-ply 1/16"	 Craftsmen/ White UG122-832-ply 1/16"	 White/ Black UG122-202-ply 1/16"

# LASERMARK<sup>®</sup>



 Red/White 922-6022-ply .052"	 Red/Yellow 922-6072-ply .052"	 Yellow/Black 922-704 2-ply .052"	 Bright Green/White 922-932 2-ply .052"	 Pine Green/White 922-912 2-ply .052"	 Sapphire/White 922-5022-ply .052"	 Blue/White 922-512 2-ply .052"
 Blue/Yellow 922-517 2-ply .052"	 Navy/White 922-552 2-ply .052"	 Ivory/Brown 922-228 2-ply .052"	 Med. Brown/White 922-8222-ply .052"	 Dark Brown/White 922-842 2-ply .052"	 White/Red 922-206 2-ply .052"	 White/Blue 922-205 2-ply .052"
 White/Black 922-2042-ply .052"	 Light Grey/White 922-3222-ply .052"	 Grey/White 922-312 2-ply .052"	 Black/White 922-4022-ply .052"	 Gloss Black/White 922-422 2-ply .052"	 Black/Yellow 922-4072-ply .052"	 Black/Gold 922-417 2-ply .052"
 Gloss Black/Gold 922-4272-ply .052"	 Port Wine/Gold 922-6772-ply .052"	 Verde/Gold 922-9372-ply .052"	 Celestial Blue/Gold 922-5772-ply .052"	 Cherry/White 922-152 2-ply .052"	 Black Walnut/White 922-0022-ply .052"	 Walnut/White 922-172 2-ply .052"
 English Walnut/White 922-192 2-ply .052"	 Smooth Gold/Black* 922-714 2-ply .052"	 Brushed Gold/Black* 922-734 2-ply .052"	 European Gold/Black* 922-754 2-ply .052"	 Br. Aluminum/Black* 922-3542-ply .052"	 Brushed Silver/Black* 922-3342-ply .052"	 Smooth Silver/Black* 922-3442-ply .052"

## TECHNICAL SPECIFICATIONS

\* LaserMark metals are available with NoMark<sup>®</sup> Plus finish by adding "0+" to the end of the item code.

<b>Material</b> Microsurfaced impact acrylic	<b>Sheet Size</b> 24-1/8" x 49" // 613mm x 1245mm Port Wine* 23-1/2" x 49" // 597mm x 1245mm	<b>Usage</b> Interior signage Personal identification Trophies, awards & plaques	<b>Capabilities</b> Scores Laser Vector Cuts Screen Prints Fine Detail	Saws Bevels Hot Stamps Shears	Drills Heat Bendable Bonds
<b>Finish</b> Matte non-glare Brushed metal Patterned Gloss ■	<b>Engraving Depth</b> .003" // 0.08mm	◆ Not recommended for harsh or high humidity indoor or outdoor applications.			

# FLEXIBRASS<sup>®</sup> & FLEXICOLOR<sup>®</sup>



 Port Wine/Brass 602-6772-ply .020"	 Port Wine/White 602-6722-ply .020"	 Verde/Brass 602-937 2-ply .020"	 Celestial Blue/Brass 602-5772-ply .020"	 Celestial Blue/White 602-5722-ply .020"	 Harbor Grey/Silver 602-3632-ply .020"	 Harbor Grey/White 602-3622-ply .020"
 Brushed Gold/Blue 602-7352-ply .020"	 Brushed Bronze/Black 602-8742-ply .020"	 Deep Bronze/Black 602-8842-ply .020"	 Brushed Gold/Black 602-734 2-ply .020"	 European Gold/Black 602-7542-ply .020"	 Trophy Gold/Black 602-7942-ply .020"	 Smooth Gold/Black 602-714 2-ply .020"
 Yellow/Black 602-744 2-ply .020"	 Blue/White 602-5122-ply .020"	 White/Black 602-2042-ply .020"	 Black/White 602-402 2-ply .020"	 Matte Black/Brass 602-4172-ply .020"	 Gloss Black/Brass 602-4272-ply .020"	 Matte Black/Silver 602-413 2-ply .020"
 Red/White 602-602 2-ply .020"	 Gloss Black/Silver 602-4232-ply .020"	 Br. Aluminum/Black 602-3542-ply .020"	 Brushed Silver/Black 602-3342-ply .020"	 Smooth Silver/Black 602-344 2-ply .020"	 Trophy Silver/Black 602-3942-ply .020"	

# ADA ALTERNATIVE<sup>®</sup> Substrate & Appliqué



<b>Red</b> 311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	<b>Burgundy</b> 311-602 1-ply 1/32" 321-602 1-ply 1/16" 341-602 1-ply 1/8"	<b>Bordeaux</b> 311-671 1-ply 1/32" 321-671 1-ply 1/16" 341-671 1-ply 1/8"	<b>Passion Pink</b> 311-661 1-ply 1/32" 321-661 1-ply 1/16" 341-661 1-ply 1/8"	<b>Canyon</b> 311-823 1-ply 1/32" 321-823 1-ply 1/16" 341-823 1-ply 1/8"	<b>Orange</b> 311-603 1-ply 1/32" 321-603 1-ply 1/16" 341-603 1-ply 1/8"	<b>Yellow</b> 311-701 1-ply 1/32" 321-701 1-ply 1/16" 341-701 1-ply 1/8"	
<b>Grass Green</b> 311-905 1-ply 1/32" 321-905 1-ply 1/16" 341-905 1-ply 1/8"	<b>Bright Green</b> 311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"	<b>Pine Green</b> 311-902 1-ply 1/32" 321-902 1-ply 1/16" 341-902 1-ply 1/8"	<b>Teal</b> 311-921 1-ply 1/32" 321-921 1-ply 1/16" 341-921 1-ply 1/8"	<b>Black Forest Green</b> 311-903 1-ply 1/32" 321-903 1-ply 1/16" 341-903 1-ply 1/8"	<b>Bahama Blue</b> 311-509 1-ply 1/32" 321-509 1-ply 1/16" 341-509 1-ply 1/8"	<b>Maui Blue</b> 311-507 1-ply 1/32" 321-507 1-ply 1/16" 341-507 1-ply 1/8"	
<b>China Blue</b> 311-302 1-ply 1/32" 321-302 1-ply 1/16" 341-302 1-ply 1/8"	<b>Blue</b> 311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	<b>Air Force Blue</b> 311-504 1-ply 1/32" 321-504 1-ply 1/16" 341-504 1-ply 1/8"	<b>Marine Blue</b> 311-502 1-ply 1/32" 321-502 1-ply 1/16" 341-502 1-ply 1/8"	<b>Antique Ivory</b> 311-801 1-ply 1/32" 321-801 1-ply 1/16" 341-801 1-ply 1/8"	<b>Sand</b> 311-808 1-ply 1/32" 321-808 1-ply 1/16" 341-808 1-ply 1/8"	<b>Ash</b> 311-214 1-ply 1/32" 321-214 1-ply 1/16" 341-214 1-ply 1/8"	
<b>Parchment</b> 311-811 1-ply 1/32" 321-811 1-ply 1/16" 341-811 1-ply 1/8"	<b>Sandalwood</b> 311-218 1-ply 1/32" 321-218 1-ply 1/16" 341-218 1-ply 1/8"	<b>White</b> 311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8" 391-201 1-ply 1mm	<b>Bright White</b> 311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8" 391-204 1-ply 1mm	<b>Light Grey</b> 311-305 1-ply 1/32" 321-305 1-ply 1/16" 341-305 1-ply 1/8"	<b>Pearl Grey</b> 311-306 1-ply 1/32" 321-306 1-ply 1/16" 341-306 1-ply 1/8"	<b>Driftwood</b> 311-595 1-ply 1/32" 321-595 1-ply 1/16" 341-595 1-ply 1/8"	
<b>Grey</b> 311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	<b>Silver Grey</b> 311-308 1-ply 1/32" 321-308 1-ply 1/16" 341-308 1-ply 1/8"	<b>Charcoal Grey</b> 311-307 1-ply 1/32" 321-307 1-ply 1/16" 341-307 1-ply 1/8"	<b>Cinder</b> 311-413 1-ply 1/32" 321-413 1-ply 1/16" 341-413 1-ply 1/8"	<b>Beige</b> 311-831 1-ply 1/32" 321-831 1-ply 1/16" 341-831 1-ply 1/8"	<b>Candlewick</b> 311-805 1-ply 1/32" 321-805 1-ply 1/16" 341-805 1-ply 1/8"	<b>Taupe</b> 311-802 1-ply 1/32" 321-802 1-ply 1/16" 341-802 1-ply 1/8"	
<b>Dark Brown</b> 311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	<b>Med. Brown</b> 311-821 1-ply 1/32" 321-821 1-ply 1/16" 341-821 1-ply 1/8"	<b>Black</b> 311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8" 391-401 1-ply 1mm	<b>Copper</b> 311-891 1-ply 1/32" 321-891 1-ply 1/16" 341-891 1-ply 1/8"	<b>Deep Bronze</b> 311-871 1-ply 1/32" 321-871 1-ply 1/16" 341-871 1-ply 1/8"	<b>Gold</b> 311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	<b>Silver</b> 311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"	
<b>Graphite</b> 311-398 1-ply 1/32" 321-398 1-ply 1/16" 341-398 1-ply 1/8"	<b>Clear</b> 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"						

TECHNICAL SPECIFICATIONS			Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.		
<b>Material</b> Single-ply modified acrylic	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Interior signage Exterior signage Tactile signage Appliqué	<b>Capabilities</b> Scores Shears Heat Bendable Bonds Thermal Prints	<b>Saws</b> Laser Vector Cuts Screen Prints UV Stable	<b>Drills</b> Bevels Hot Stamps Braille-engrivable
<b>Finish</b> Matte non-glare	<b>Cutting 1/32" Tactile Letters</b> 1/4" round & .020" tip at 20°- 25° angle				



TECHNICAL SPECIFICATIONS		*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.	*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.	
<b>Material</b> Microsurfaced impact acrylic	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm Port Wine* 23-1/2" x 48-3/4" // 597mm x 1238mm Kona/Ash & Kona/White* 23-5/8" x 48-3/4" // 600mm x 1238mm	<b>Usage</b> Interior signage Exterior signage Personal Identification Trophies, awards & plaques	<b>Capabilities</b> Scores Shears Heat Bendable Bonds	Saws Laser Vector Cuts Screen Prints Fine Detail  Drills Bevels Hot Stamps UV Stable
<b>Finish</b> Matte non-glare Brushed metal Patterned Gloss ■	<b>Engraving Depth</b> .003" // 0.08mm	◆ Not recommended for harsh or high humidity indoor or outdoor applications.		

## METALGRAPH PLUS®



<b>Br. Stainless Steel/Black</b>  MP912-3142-ply 1/32" MP922-3142-ply 1/16" MP942-3142-ply 1/8"	<b>Br. Copper Penny/Black</b>  MP912-8642-ply 1/32" MP922-8642-ply 1/16" MP942-8642-ply 1/8"	<b>Br. Antique Gold/Black</b>  MP912-7642-ply 1/32" MP922-7642-ply 1/16" MP942-7642-ply 1/8"	<b>Br. Bright Nickel/Black</b>  MP912-3642-ply 1/32" MP922-3642-ply 1/16" MP942-3642-ply 1/8"	<b>Br. Stainless Steel/Red</b>  MP912-3162-ply 1/32" MP922-3162-ply 1/16" MP942-3162-ply 1/8"	<b>Br. Stainless Steel/Blue</b>  MP912-3152-ply 1/32" MP922-3152-ply 1/16" MP942-3152-ply 1/8"	<b>Br. Antique Gold/Red</b>  MP912-7662-ply 1/32" MP922-7662-ply 1/16" MP942-7662-ply 1/8"
<b>Br. Antique Gold/Blue</b>  MP912-7652-ply 1/32" MP922-7652-ply 1/16" MP942-7652-ply 1/8"	<b>Br. Antique Gold/Gold</b>  MP922-7672-ply 1/16" MP942-7672-ply 1/8"	<b>Br. Stainless Steel/Silver</b>  MP922-3132-ply 1/16" MP942-3132-ply 1/8"	<b>Textured Copper/Black</b>  MP822-8642-ply 1/16"	<b>Textured Gold/Black</b>  MP822-7642-ply 1/16"	<b>Textured Gold/Gold</b>  MP822-7672-ply 1/16"	<b>Textured Nickel/Black</b>  MP822-3642-ply 1/16"
<b>Textured Stainless Steel/Silver</b>  MP822-3132-ply 1/16"						


TECHNICAL SPECIFICATIONS				
<b>Material</b> Microsurfaced impact acrylic	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Interior signage Exterior signage Personal Identification Trophies, awards & plaques	<b>Capabilities</b> Scores Shears Heat Bendable Bonds Thermal Prints	Saws Laser Vector Cuts Screen Prints Fine Detail  Drills Bevels Hot Stamps UV Stable
<b>Finish</b> Brushed metal Textured	<b>Engraving Depth</b> .003" // 0.08mm	◆ Not recommended for harsh or high humidity indoor or outdoor applications.		

## LASERMAG




<b>Brushed Silver/Black</b>  LM63-1224 12"x24"sheet	<b>Black/Gold</b>  LM65-1224 12"x24"sheet	<b>Brushed Gold/Black</b>  LM64-1224 12"x24"sheet
---	---	---


TECHNICAL SPECIFICATIONS				
<b>Material</b> Microsurfaced flexible magnetic material	<b>Sheet Size</b> 10 pack: 12"x24" sheets	<b>Usage</b> Promotional magnets Repositionable nameplates	<b>Capabilities</b> Scores Fine Detail Sandblasts	Shears Laser Vector Cuts UV Stable Thermal Prints
<b>Finish</b> Brushed metal Gloss ■	<b>Engraving Depth</b> 0.004" // 0.10mm Not recommended for rotary engraving	◆ Not recommended for harsh or high humidity indoor or outdoor applications.		
	<b>Gauge</b> .020" // .5mm			




UG122-206 2-ply 1/16"




UG122-2052-ply 1/16"



UG122-822 2-ply 1/16"



UG122-8422-ply 1/16"



UG122-402 2-ply 1/16"



UG122-423 2-ply 1/16"

## TECHNICAL SPECIFICATIONS

### Material

High impact modified acrylic blends

### Finish

Matte non-glare  
Satin grain  
Gloss ■

### Sheet Size

24-1/8" x 48-3/4" //  
613mm x 1238mm

### Engraving Depth

.005" // .13mm

### Usage

Interior signage  
Exterior signage  
Personal identification  
Trophies, awards & plaques  
Safety & Industrial signage

### Capabilities

Scores	Saws	Drills
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Back-lighting*
Sandblasts		

## TEXTURES

822-6422-ply 1/16"  
842-642 2-ply 1/8"

822-6222-ply 1/16"



822-6622-ply 1/16"




822-6522-ply 1/16"



822-774 2-ply 1/16"



822-7782-ply 1/16"



822-9622-ply 1/16"




822-5222-ply 1/16"




822-9922-ply 1/16"

822-5922-ply 1/16"  
842-5922-ply 1/8"


822-5032-ply 1/16"



822-2582-ply 1/16"



822-8542-ply 1/16"




822-8922-ply 1/16"




822-2462-ply 1/16"



822-205 2-ply 1/16"

822-244 2-ply 1/16"  
842-244 2-ply 1/8"

822-3022-ply 1/16"



822-374 2-ply 1/16"

822-4222-ply 1/16"  
842-422 2-ply 1/8"

## TECHNICAL SPECIFICATIONS

### Material

Co-extruded impact acrylic

### Finish

Textured

### Sheet Size

24-1/8" x 48-3/4" // 613mm x  
1238mm

### Engraving Depth

.007" // 0.18mm  
Acid Yellow & Pimento  
.010" // 0.25mm











### Usage

Interior signage  
Exterior signage  
Personal identification  
Industrial tags  
Industrial signage

### Capabilities

Saws	Drills	Laser Vector Cuts
Bevels	Heat Bendable	Shears
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	

## COLORCAST ACRYLICS™

CC342-600M-ply 1/8"  
CC342-600Q-ply 1/8"  
CC352-600M-ply 1/4"  
CC352-600Q-ply 1/4"CC342-620M-ply 1/8"  
CC342-620Q-ply 1/8"  
CC352-620M-ply 1/4"  
CC352-620Q-ply 1/4"CC342-500M-ply 1/8"  
CC342-500Q-ply 1/8"  
CC352-500M-ply 1/4"  
CC352-500Q-ply 1/4"CC342-550M-ply 1/8"  
CC342-550Q-ply 1/8"  
CC352-550M-ply 1/4"  
CC352-550Q-ply 1/4"CC342-850M-ply 1/8"  
CC342-850Q-ply 1/8"  
CC352-850M-ply 1/4"  
CC352-850Q-ply 1/4"CC342-200M-ply 1/8"  
CC342-200Q-ply 1/8"  
CC352-200M-ply 1/4"  
CC352-200Q-ply 1/4"CC342-300M-ply 1/8"  
CC342-300Q-ply 1/8"  
CC352-300M-ply 1/4"  
CC352-300Q-ply 1/4"CC342-400M-ply 1/8"  
CC342-400Q-ply 1/8"  
CC352-400M-ply 1/4"  
CC352-400Q-ply 1/4"CC342-710M-ply 1/8"  
CC342-710Q-ply 1/8"  
CC352-710M-ply 1/4"  
CC352-710Q-ply 1/4"CC342-330M-ply 1/8"  
CC342-330Q-ply 1/8"  
CC352-330M-ply 1/4"  
CC352-330Q-ply 1/4"CC342-100M-ply 1/8"  
CC342-100Q-ply 1/8"  
CC352-100M-ply 1/4"  
CC352-100Q-ply 1/4"

## TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures. Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.

### Material

Microsurfaced cell cast acrylic for reverse engraving

### Finish

Matte (M)  
Gloss (G)

### Sheet Size

24" x 48" +0, -.125" //  
610mm x 1219mm

### Engraving Depth

.003" // 0.08mm

### Usage

Interior signage  
Exterior signage  
Personal identification  
Trophies, awards & plaques  
Tactile signage (matte only)

### Capabilities

Saws	Laser Vector Cuts	Screen Prints
Hot Stamps	Bonds	Fine Detail
UV Stable	Paintfill	Back-lighting
Braille-engrivable	Thermal Prints	

## TECHNICAL SPECIFICATIONS

**Material**  
Microsurfaced impact acrylic

**Sheet Size**  
24-1/8" x 48-3/4" // 613mm x 1238mm  
Port Wine\*\*  
23-1/2" x 48-3/4" // 597mm x 1245mm

**Usage**  
Interior signage  
Trophies, awards & plaques

**Capabilities**

Scores  
Bevels  
Screen Prints  
Thermal Prints

Drills  
Heat Bendable  
Hot Stamps


Shears  
Laser Vector Cuts  
Fine Detail

**Finish**  
Matte non-glare  
Brushed metal  
Patterned  
Gloss ■

**Engraving Depth**  
.003" // 0.08mm

◆ Not recommended for harsh or high humidity indoor or outdoor applications.


## LASERLIGHTS



S68-12242"x24"sheet



S61-12242"x 24"sheet



S62-12242"x24"sheet  
S62-12032"x50" rolls




S63-122412"x24"sheet  
S63-12032"x50" rolls



S65-12242"x24"sheet  
S65-12032"x50" rolls




S69-122412"x24"sheet




S73-12242"x24"sheet




S75-122412"x24"sheet  
S75-12032"x50" rolls



S26-122412"x24"sheet



S74-122412"x24"sheet



S64-122412"x24"sheet  
S64-12032"x50" rolls

## TECHNICAL SPECIFICATIONS

**Material**  
Microsurfaced pre-adhesive plastic  
(Backed with a .001" (0.03mm) acrylic pressure sensitive adhesive)

**Sheet Size**  
10 pack: 12" x 24" sheets  
12" x 50" rolls

**Usage**  
Interior signage  
Exterior signage  
Personal identification  
Industrial  
Automotive & electronic labeling  
Recreational applications

**Capabilities**

Scores  
Laser Vector Cuts  
UV Stable

Drills  
Bonds  
Thermal Prints

Shears  
Fine Detail  
Sandblasts


**Finish**  
Brushed metal  
Gloss ■

**Engraving Depth**  
0.002" // 0.05mm


**Gauge**  
.004" // .10mm

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

## REVERSE LASERMARK® NEW



922-6012-ply 1/16"




922-6212-ply 1/16"



922-661 2-ply 1/16"



922-701 2-ply 1/16"



922-9312-ply 1/16"




922-511 2-ply 1/16"




922-5512-ply 1/16"



922-2012-ply 1/16"




922-2212-ply 1/16"




922-8412-ply 1/16"



922-401 2-ply 1/16"



922-711 2-ply 1/16"  
942-711 2-ply 1/8"



922-710 2-ply 1/16"  
942-710 2-ply 1/8"



922-341 2-ply 1/16"  
942-341 2-ply 1/8"



922-340 2-ply 1/16"  
942-340 2-ply 1/8"



311-101 1-ply 1/32"  
322-101 1-ply 1/16"  
342-101 1-ply 1/8"



411-100 1-ply 1/32"  
422-100 1-ply 1/16"  
442-100 1-ply 1/8"



922-361 2-ply 1/16"



922-881 2-ply 1/16"



922-861 2-ply 1/16"



922-761 2-ply 1/16"

## TECHNICAL SPECIFICATIONS

Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.

**Material**  
Microsurfaced impact acrylic for reverse engraving

**Sheet Size**  
24-1/8" x 48-3/4" // 613mm x 1238mm

**Usage**  
Interior signage  
Exterior signage  
Personal identification  
Tactile signage

**Capabilities**

Scores  
Laser Vector Cuts  
Screen Prints  
Fine Detail  
Back-lighting

Saws  
Bevels  
Hot Stamps  
UV Stable  
Shears

Drills  
Heat Bendable  
Bonds  
Paintfill  
Thermal Prints

**Finish**  
Matte non-glare  
Gloss ■

**Engraving Depth**  
.003" // 0.08mm



# THE VARSITY COLLECTION



## TECHNICAL SPECIFICATIONS

\*These items are not available as standard products in the LaserMax® product line, and are handled as custom orders, which require a "2" sheet minimum.

**Material**  
Microsurfaced impact acrylic

**Sheet Size**  
24-1/8" x 48-3/4" //  
613mm x 1238mm

**Usage**  
Interior signage  
Exterior signage  
Personal identification  
Trophies, awards & plaques

**Capabilities**  
Scores  
Laser Vector Cuts  
Screen Prints  
Fine Detail  
Saws  
Bevels  
Hot Stamps  
UV Stable  
Drills  
Heat Bendable  
Bonds  
Shears

**Finish**  
Matte non-glare

**Engraving Depth**  
.003" // 0.08mm

# LASERGLOW®



## TECHNICAL SPECIFICATIONS

\*For best results, it is recommended to rotary engrave these select products.

**Material**  
Modified impact acrylic for appliqué, tactile signage, front or reverse engraving

**Sheet Size**  
24-1/8" x 48-3/4" //  
613mm x 1238mm

**Usage**  
Interior signage  
Exterior signage  
Safety signage  
Tactile/Appliqué signage  
Exit/Egress signage  
Industrial tags  
MEA certified MEA# 203-08-M

**Capabilities**  
Saws  
Laser Vector Cuts  
Screen Prints  
UV Stable  
Braille-engravable  
Drills  
Bevels  
Hot Stamps  
Paintfill  
Thermal Prints  
Shears  
Heat Bendable  
Bonds  
Back-lighting

**Finish**  
Matte non-glare

**Engraving Depth**  
.022" // 0.56mm (Reverse only)  
.025" // 0.64mm



Rowmark recommends the products identified for UV-LED Printing.

Rowmark recommends using an adhesion promoter for best results when UV-LED printing select products. Rowmark does not recommend an adhesion promoter for the Hardwood Collection. ColorHuesEFX is not recommended for UV/Print applications.



Rowmark recommends the products identified for ADA/Tactile projects.

ColorHuesEFX is not recommended for ADA/Tactile. Matte product lines are specifically designed by Rowmark to comply with the Americans with Disabilities Act (ADA) Federal regulations for tactile signage.

# HWOOD COLLECTION <sup>TM</sup> **NEW**



**Cherry**  
 RW1224-125CHE1/8"  
 RW1824-125CHE1/8"  
 RW1224-250CHE1/4"  
 RW1824-250CHE1/4"  
**Maple**  
 RW1224-125MAPI/8"  
 RW1824-125MAPI/8"  
 RW1224-250MAPI/4"  
 RW1824-250MAPI/4"  
**Red Oak**  
 RW1224-125OAK1/8"  
 RW1824-125OAK1/8"  
 RW1224-250OAK1/4"  
 RW1824-250OAK1/4"  
**Walnut**  
 RW1224-125WAL1/8"  
 RW1824-125WAL1/8"  
 RW1224-250WAL1/4"  
 RW1824-250WAL1/4"  
**Mahogany**  
 RW1224-125MAHI/8"  
 RW1824-125MAHI/8"  
 RW1224-250MAHI/4"  
 RW1824-250MAHI/4"

## TECHNICAL SPECIFICATIONS

<b>Material</b> Hardwood Layered Veneers  <b>Finish</b> Natural/Unfinished	<b>Sheet Size</b> 12" x 24" // 305mm x 610mm 18" x 24" // 457mm x 610mm  <b>Engraving Depth</b> N/A (Single ply)	<b>Usage</b> Interior signage Craft and artistry projects Signage component or substrate	<b>Capabilities</b> Saws Hot Stamps Sandblasts  Drills Bonds  Screen Prints Colorfill
--	---	---	--

# REFLEXIONS **NEW**



**Silver Mirror** RM942-3402-ply 1/8"  
**Ice Silver Mirror** RM942-341 2-ply 1/8"  
**Platinum Mirror** RM942-3512-ply 1/8"  
**Carbon Mirror** RM942-3002-ply 1/8"  
**Bronze Mirror** RM942-8702-ply 1/8"  
**Gold Mirror** RM942-7302-ply 1/8"  
**Ice Gold Mirror** RM942-7312-ply 1/8"

## TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.

<b>Material</b> Cell cast acrylic (PMMA)  <b>Finish</b> Frosted matte non-glare (1 side) Mirrored (1 side)	<b>Sheet Size</b> 24" x 48" +.1875" -0" // 610mm x 1219mm  <b>Engraving Depth</b> .012" // 0.30mm	<b>Usage</b> Interior signage Exterior signage Signage component or substrate Craft and artistry projects	<b>Capabilities</b> Scores Bevels Hot Stamps Paintfill Sandblasts  Saws Heat Bendable Bonds Back-lighting  Drills Screen Prints Fine Detail Thermal Prints
---	---	---	---

# LUCENT **NEW**




**Translucent Smoke** LC342-025 1-ply .025"  
**Translucent Green** LC999-0251-ply .025"  
**Translucent Blue** LC599-0251-ply .025"  
**Translucent Pink** LC679-0251-ply .025"  
**Translucent Orange** LC669-0251-ply .025"  
**Translucent Yellow** LC729-0251-ply .025"  
**Translucent Clear** LC101-025 1-ply .025"

## TECHNICAL SPECIFICATIONS

Masked on both sides for handling purposes. Rowmark branded masking is applied to the backside and a clear mask on matted surface side to protect the sheet during shipping and handling.

<b>Material</b> Translucent Modified Acrylic  <b>Finish</b> Matte non-glare (1 side)	<b>Sheet Size</b> 24.0625" x 49" +.1875" -0" // 610mm x 1245mm	<b>Usage</b> Engineering Templates Craft and artistry projects Templates or Tracing Stencils Scrapbooking & Educational	<b>Capabilities</b> Laser UV-LED Printable Drills  Vector Cuts Pad Print Fine Detail  Rotary Saws
--	---	--	---

# MESSAGE BOARD **NEW**



**Dry Erase Bright White**  
 DE421204 1-ply 1/16"  
 DE441204 1-ply 1/8"  
**Dry Erase Black**  
 DE421401 1-ply 1/16"  
 DE441401 1-ply 1/8"  
**Chalkboard Pine Green**  
 CB321902 1-ply 1/16"  
 CB341902 1-ply 1/8"  
**Chalkboard Bright White**  
 CB321204 1-ply 1/16"  
 CB341204 1-ply 1/8"  
**Chalkboard Black**  
 CB321401 1-ply 1/16"  
 CB341401 1-ply 1/8"

## TECHNICAL SPECIFICATIONS

<b>Material</b> Acrylic w/ Specialty Surface Finish  <b>Finish</b> Chalkboard - Micro texture Dry Erase - High Gloss	<b>Sheet Size</b> 24.125" x 48.75" +.125" -0" // 613mm x 1245mm	<b>Usage</b> Signage Component or Substrate Craft & Artistry Novelty Interior Signage Exterior Signage	<b>Capabilities</b> Scores Shears Heat Bendable UV-LED Printable  Saws Laser Vector Cuts Screen Prints Heat Transfer Print  Drills Bevels Hot Stamps Bonds
--	--	---	--



## TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

<p><b>Material</b> Cell cast acrylic (PMMA)</p> <p><b>Finish</b> Matte non-glare (1 side) Gloss (1 side) Gloss both sides ● Edge Glow</p>	<p><b>Sheet Size</b> 24-1/8" x 48-1/2" +0, -125" // 613mm x 1225mm</p> <p><b>Engraving Depth</b> ColorHues N/A (Single ply) EFX .003" // .08mm</p> <p><b>Gauge</b> 1/8" +/- 0.016 // .4mm 1/4" +/- .032 // .8mm</p>	<p><b>Usage ColorHues</b> Interior signage Exterior signage Tactile signage Signage component or substrate Craft and artistry projects</p> <p><b>Usage EFX</b> Interior signage Restaurant/pub signage &amp; displays Retail environments Illuminated wayfinding &amp; directories Point-of-purchase</p>	<p><b>Capabilities ColorHues</b></p> <table border="0"> <tr> <td>Scores</td> <td>Laser Vector Cuts</td> <td>Saws</td> </tr> <tr> <td>Drills</td> <td>Bevels</td> <td>Heat Bendable</td> </tr> <tr> <td>Screen Prints</td> <td>Hot Stamps</td> <td>Bonds</td> </tr> <tr> <td>Fine Detail</td> <td>UV Stable</td> <td>Paintfill</td> </tr> <tr> <td>Back-lighting</td> <td>Braille-engravable</td> <td>Thermal Prints</td> </tr> <tr> <td>Sandblasts</td> <td>UV-LED Printable</td> <td>ADA Tactile</td> </tr> </table> <p><b>Capabilities EFX</b></p> <table border="0"> <tr> <td>Scores</td> <td>Laser Vector Cuts</td> <td>Saws</td> </tr> <tr> <td>Drills</td> <td>Bevels</td> <td>Heat Bendable</td> </tr> <tr> <td>Screen Prints</td> <td>Hot Stamps</td> <td>Bonds</td> </tr> <tr> <td>Fine Detail</td> <td>UV Stable</td> <td>Paintfill</td> </tr> <tr> <td>Back-lighting</td> <td>Braille-engravable</td> <td>Thermal Prints</td> </tr> <tr> <td>Sandblasts</td> <td></td> <td></td> </tr> </table>	Scores	Laser Vector Cuts	Saws	Drills	Bevels	Heat Bendable	Screen Prints	Hot Stamps	Bonds	Fine Detail	UV Stable	Paintfill	Back-lighting	Braille-engravable	Thermal Prints	Sandblasts	UV-LED Printable	ADA Tactile	Scores	Laser Vector Cuts	Saws	Drills	Bevels	Heat Bendable	Screen Prints	Hot Stamps	Bonds	Fine Detail	UV Stable	Paintfill	Back-lighting	Braille-engravable	Thermal Prints	Sandblasts		
Scores	Laser Vector Cuts	Saws																																					
Drills	Bevels	Heat Bendable																																					
Screen Prints	Hot Stamps	Bonds																																					
Fine Detail	UV Stable	Paintfill																																					
Back-lighting	Braille-engravable	Thermal Prints																																					
Sandblasts	UV-LED Printable	ADA Tactile																																					
Scores	Laser Vector Cuts	Saws																																					
Drills	Bevels	Heat Bendable																																					
Screen Prints	Hot Stamps	Bonds																																					
Fine Detail	UV Stable	Paintfill																																					
Back-lighting	Braille-engravable	Thermal Prints																																					
Sandblasts																																							



## MATTES



<b>Red/White</b>	<b>Burgundy/White</b>	<b>Orange/White</b>	<b>Yellow/Black</b>	<b>Bright Green/White</b>	<b>Celadon Green/White</b>	<b>Pine Green/White</b>	<b>Light Blue/White</b>	<b>Sapphire/White</b>
212-602 2-ply 1/32" 222-602 2-ply 1/16" 223-602 3-ply 1/16" 243-602 3-ply 1/8"	222-622 2-ply 1/16" 243-622 3-ply 1/8"	222-612 2-ply 1/16" 243-612 3-ply 1/8"	212-744 2-ply 1/32" 222-744 2-ply 1/16" 223-744 3-ply 1/16" 243-744 3-ply 1/8"	212-932 2-ply 1/32" 222-932 2-ply 1/16" 223-932 3-ply 1/16" 243-932 3-ply 1/8"	222-972 2-ply 1/16" 243-972 3-ply 1/8"	222-912 2-ply 1/16" 243-912 3-ply 1/8"	222-562 2-ply 1/16" 243-562 3-ply 1/8"	222-502 2-ply 1/16" 243-502 3-ply 1/8"
<b>Blue/White</b>	<b>Navy Blue/White</b>	<b>China Blue/White</b>	<b>Purple/White</b>	<b>Almond/Black</b>	<b>Ivory/Dark Brown</b>	<b>Med. Brown/White</b>	<b>Dark Brown/White</b>	<b>White/Red</b>
212-512 2-ply 1/32" 222-512 2-ply 1/16" 223-512 3-ply 1/16" 243-512 3-ply 1/8"	222-562 2-ply 1/16" 243-562 3-ply 1/8"	222-382 2-ply 1/16" 243-382 3-ply 1/8"	222-582 2-ply 1/16" 243-582 3-ply 1/8"	222-854 2-ply 1/16" 243-854 3-ply 1/8"	222-228 2-ply 1/16" 243-228 3-ply 1/8"	222-822 2-ply 1/16" 243-822 3-ply 1/8"	222-842 2-ply 1/16" 243-842 3-ply 1/8"	212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
<b>White/Burgundy</b>	<b>White/Bright Green</b>	<b>White/Blue</b>	<b>White/Black</b>	<b>Light Grey/Burgundy</b>	<b>Light Grey/Marine Blue</b>	<b>Light Grey/Black</b>	<b>Grey/White</b>	<b>Black/White</b>
222-226 2-ply 1/16" 243-226 3-ply 1/8"	222-209 2-ply 1/16" 243-209 3-ply 1/8"	212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	212-204 2-ply 1/32" 222-204 2-ply 1/16" 223-204 3-ply 1/16" 243-204 3-ply 1/8"	222-326 2-ply 1/16" 243-326 3-ply 1/8"	222-325 2-ply 1/16" 243-325 3-ply 1/8"	222-324 2-ply 1/16" 243-324 3-ply 1/8"	222-312 2-ply 1/16" 243-312 3-ply 1/8"	212-402 2-ply 1/32" 222-402 2-ply 1/16" 223-402 3-ply 1/16" 243-402 3-ply 1/8"
<b>Black/Bright White</b>	<b>Walnut/White</b>	<b>English Walnut/Bright White</b>	<b>Black Walnut/White</b>					
222-412 2-ply 1/16" 243-412 3-ply 1/8"	222-172 2-ply 1/16" 243-172 3-ply 1/8"	222-192 2-ply 1/16" 243-192 3-ply 1/8"	222-002 2-ply 1/16" 243-002 3-ply 1/8"					

## TECHNICAL SPECIFICATIONS

<b>Material</b> Microsurfaced ABS	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Interior signage Personal identification Trophies, awards & plaques	<b>Capabilities</b> Scores Bevels Hot Stamps Thermal Prints	Saws Heat Bendable Bonds Shears	Drills Screen Prints Fine Detail Sandblasts
<b>Finish</b> Matte non-glare Patterned	<b>Engraving Depth</b> .003" // 0.08mm				

## LACQUERS



<b>Red/White</b>	<b>Yellow/Black</b>	<b>Safety Yellow/Black</b>	<b>Bright Green/White</b>	<b>Teal/White</b>	<b>Blue/White</b>	<b>Sapphire/White</b>	<b>White/Red</b>	<b>White/Blue</b>
422-602 2-ply 1/16" 442-602 2-ply 1/8"	422-704 2-ply 1/16" 442-704 2-ply 1/8"	422-794 2-ply 1/16" 442-794 2-ply 1/8"	422-932 2-ply 1/16" 442-932 2-ply 1/8"	422-962 2-ply 1/16" 442-962 2-ply 1/8"	422-512 2-ply 1/16" 442-512 2-ply 1/8"	422-562 2-ply 1/16" 442-562 2-ply 1/8"	422-206 2-ply 1/16" 442-206 2-ply 1/8"	422-205 2-ply 1/16" 442-205 2-ply 1/8"
<b>White/Black</b>	<b>Black/White</b>	<b>Vintage Gold/Black</b>	<b>Vintage Silver/Black</b>					
422-204 2-ply 1/16" 442-204 2-ply 1/8"	422-402 2-ply 1/16" 442-402 2-ply 1/8"	422-774 2-ply 1/16" 442-774 2-ply 1/8"	422-384 2-ply 1/16" 442-384 2-ply 1/8"					

## TECHNICAL SPECIFICATIONS

<b>Material</b> Laminated impact acrylic	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Interior signage Exterior signage Personal identification	<b>Capabilities</b> Saws Shears Bonds Screen Prints Thermal Prints	Drills Bevels Heat Bendable Hot Stamps Laser Vector Cuts	UV Stable
<b>Finish</b> Gloss	<b>Engraving Depth</b> .012" // 0.30mm				

# ULTRA-MATTES Front Engravable



<b>Red/White</b>	<b>Red/Yellow</b>	<b>Dusty Rose/White</b>	<b>Ruby/White</b>	<b>Garnet/Ash</b>	<b>Canyon/Ash</b>	<b>Canyon/Cement</b>	<b>Yellow/Black</b>	<b>Safety Yellow/Black</b>
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"

<b>Bright Green/White</b>	<b>Celadon Green/White</b>	<b>Hunter Green/White</b>	<b>Hunter Green/Gold</b>	<b>Black Forest Green/White</b>	<b>Sea Grey/White</b>	<b>Balsam/Ash</b>	<b>Teal/White</b>	<b>Ocean Blue/White</b>
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"

<b>Blue/White</b>	<b>Blue/Yellow</b>	<b>Sapphire/White</b>	<b>Blueberry/Gold</b>	<b>Blueberry/White</b>	<b>China Blue/White</b>	<b>Ash/Garnet</b>	<b>Ash/Cinder</b>	<b>Sandalwood/Canyon</b>
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"

<b>Sandalwood/Balsam</b>	<b>Parchment/Black</b>	<b>Ivory/Dark Brown</b>	<b>Beige/White</b>	<b>Beige/Dark Brown</b>	<b>Taupe/White</b>	<b>Driftwood/Alpine</b>	<b>White/Red</b>	<b>White/Blue</b>
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"

<b>White/Black</b>	<b>White/Gold</b>	<b>Cement/Garnet</b>	<b>Cement/Canyon</b>	<b>Graphite/White</b>	<b>Cinder/Clay</b>	<b>Cinder/White</b>	<b>Charcoal Grey/White</b>	<b>Dark Brown/White</b>
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"

<b>Black/Silver</b>	<b>Black/White</b>	<b>Black/Yellow</b>	<b>Black/Gold</b>	<b>Vintage Gold/Black</b>	<b>Vintage Silver/Black</b>
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"

TECHNICAL SPECIFICATIONS			
<b>Material</b> Laminated impact acrylic	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Interior signage Exterior signage Personal identification Tactile Signage	<b>Capabilities</b> Saws Laser Vector Cuts Screen Prints UV Stable
<b>Finish</b> Matte non-glare	<b>Engraving Depth</b> .012" // 0.30mm		Drills Bevels Hot Stamps Braille Engravable
			Shears Heat Bendable Bonds Thermal Prints


# SLICKERS



<b>Clear/Red</b>	<b>Clear/Yellow</b>	<b>Clear/Sapphire</b>	<b>Clear/White</b>	<b>Clear/Black</b>	<b>Clear/Clear</b>
412-600 2-ply 1/32" 422-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 422-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 422-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 422-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 422-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS			
<b>Material</b> Laminated impact acrylic for reverse engraving	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Interior signage Exterior signage Personal identification	<b>Capabilities</b> Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints
<b>Finish</b> Gloss	<b>Engraving Depth</b> .012" // 0.30mm		Drills Bevels Hot Stamps Paintfill
			Shears Heat Bendable Bonds Back-lighting

# ULTRA-MATTES Reverse Engravable




312-601 2-ply 1/32" 312-661 2-ply 1/32" 312-631 2-ply 1/32" 312-861 2-ply 1/32" 312-651 2-ply 1/32" 312-701 2-ply 1/32" 312-911 2-ply 1/32" 312-931 2-ply 1/32" 312-991 2-ply 1/32"  
 322-601 2-ply 1/16" 322-661 2-ply 1/16" 322-631 2-ply 1/16" 322-861 2-ply 1/16" 322-651 2-ply 1/16" 322-701 2-ply 1/16" 322-911 2-ply 1/16" 322-931 2-ply 1/16" 322-991 2-ply 1/16"  
 342-601 2-ply 1/8" 342-661 2-ply 1/8" 342-631 2-ply 1/8" 342-861 2-ply 1/8" 342-651 2-ply 1/8" 342-701 2-ply 1/8" 342-911 2-ply 1/8" 342-931 2-ply 1/8" 342-991 2-ply 1/8"



312-901 2-ply 1/32" 312-311 2-ply 1/32" 312-921 2-ply 1/32" 312-591 2-ply 1/32" 312-511 2-ply 1/32" 312-561 2-ply 1/32" 312-541 2-ply 1/32" 312-381 2-ply 1/32" 312-831 2-ply 1/32"  
 322-901 2-ply 1/16" 322-311 2-ply 1/16" 322-921 2-ply 1/16" 322-591 2-ply 1/16" 322-511 2-ply 1/16" 322-561 2-ply 1/16" 322-541 2-ply 1/16" 322-381 2-ply 1/16" 322-831 2-ply 1/16"  
 342-901 2-ply 1/8" 342-311 2-ply 1/8" 342-921 2-ply 1/8" 342-591 2-ply 1/8" 342-511 2-ply 1/8" 342-561 2-ply 1/8" 342-541 2-ply 1/8" 342-381 2-ply 1/8" 342-831 2-ply 1/8"



312-801 2-ply 1/32" 312-431 2-ply 1/32" 312-301 2-ply 1/32" 312-841 2-ply 1/32" 312-731 2-ply 1/32" 312-371 2-ply 1/32" 312-391 2-ply 1/32" 312-401 2-ply 1/32" 312-201 2-ply 1/32"  
 322-801 2-ply 1/16" 322-431 2-ply 1/16" 322-301 2-ply 1/16" 322-841 2-ply 1/16" 322-731 2-ply 1/16" 322-371 2-ply 1/16" 322-391 2-ply 1/16" 322-401 2-ply 1/16" 322-201 2-ply 1/16"  
 342-801 2-ply 1/8" 342-431 2-ply 1/8" 342-301 2-ply 1/8" 342-841 2-ply 1/8" 342-731 2-ply 1/8" 342-371 2-ply 1/8" 342-391 2-ply 1/8" 342-401 2-ply 1/8" 342-201 2-ply 1/8"



312-221 2-ply 1/32" 312-211 2-ply 1/32" 312-811 2-ply 1/32" 312-231 2-ply 1/32" 312-241 2-ply 1/32" 312-581 2-ply 1/32" 311-101 1-ply 1/32"  
 322-221 2-ply 1/16" 322-211 2-ply 1/16" 322-811 2-ply 1/16" 322-231 2-ply 1/16" 322-241 2-ply 1/16" 322-581 2-ply 1/16" 322-101 1-ply 1/16"  
 342-221 2-ply 1/8" 342-211 2-ply 1/8" 342-811 2-ply 1/8" 342-231 2-ply 1/8" 342-241 2-ply 1/8" 342-581 2-ply 1/8" 342-101 1-ply 1/8"

## TECHNICAL SPECIFICATIONS

<b>Material</b> Laminated impact acrylic for reverse engraving	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Interior signage Exterior signage Personal identification Tactile signage	<b>Capabilities</b> Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints	Drills Bevels Hot Stamps Paintfill Sandblasts	Shears Heat Bendable Bonds Braille-engrivable
<b>Finish</b> Matte non-glare	<b>Engraving Depth</b> .012" // 0.30mm				

# SAFE-T-MARK™

2-ply 1/16"




FR222-602 FR222-6242-ply 1/16" FR222-7442-ply 1/16" FR222-9322-ply 1/16" FR222-5122-ply 1/16" FR222-2042-ply 1/16" FR222-3122-ply 1/16" FR222-3142-ply 1/16" FR222-4022-ply 1/16"  
 FR223-6023-ply 1/16" FR223-6243-ply 1/16" FR223-7443-ply 1/16" FR223-9323-ply 1/16" FR223-5123-ply 1/16" FR223-2043-ply 1/16" FR223-3123-ply 1/16" FR223-3143-ply 1/16" FR223-4023-ply 1/16"

## TECHNICAL SPECIFICATIONS

Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-flammable.

<b>Material</b> Fire retardant functional polymer	<b>Sheet Size</b> 24-1/8" x 48-3/4" // 613mm x 1238mm	<b>Usage</b> Industrial tags Safety signage Equipment ID tags Electrical tags Control panels	<b>Capabilities</b> Scores Bevels Hot Stamps Thermal Prints	Saws Heat Bendable Bonds Shears	Drills Screen Prints Fine Detail
<b>Finish</b> Matte non-glare	<b>Engraving Depth</b> .003" // 0.08mm				

# HEAVY WEIGHTS™



HW853-602-ply 1/4" HW853-604-ply 1/4" HW853-512-ply 1/4" HW853-209-ply 1/4" HW853-402-ply 1/4" HW853-208-ply 1/4" HW853-792-ply 1/4" HW853-908-ply 1/4" HW853-802-ply 1/4"  
 HW873-602-ply 1/2" HW873-604-ply 1/2" HW873-512-ply 1/2" HW873-209-ply 1/2" HW873-402-ply 1/2" HW873-208-ply 1/2" HW873-792-ply 1/2" HW873-908-ply 1/2" HW873-802-ply 1/2"



HW853-902-ply 1/4" HW853-708-ply 1/4"  
 HW873-902-ply 1/2" HW873-708-ply 1/2"

## TECHNICAL SPECIFICATIONS

<b>Material</b> High-density polyethylene	<b>Sheet Size</b> 24" x 48" // 610mm x 1219mm	<b>Usage</b> Architectural Outdoor & recreational Interior signage Exterior Signage	<b>Capabilities</b> Saws Drills UV Stable
<b>Finish</b> Textured	<b>Engraving Depth</b> 1/4" = .030" // 0.8mm 1/2" = .060" // 1.6mm		

# SATINS



<b>Red/White</b> 112-602 2-ply 1/32" 122-602 2-ply 1/16" 123-602 3-ply 1/16" 132-602 2-ply 3/32" 143-602 3-ply 1/8"	<b>Red/Black</b> 122-604 2-ply 1/16" 143-604 3-ply 1/8"	<b>Red/Yellow</b> 122-607 2-ply 1/16" 143-607 3-ply 1/8"	<b>Burgundy/White</b> 122-622 2-ply 1/16" 143-622 3-ply 1/8"	<b>Orange/White</b> 122-612 2-ply 1/16" 143-612 3-ply 1/8"	<b>Orange/Black</b> 122-614 2-ply 1/16" 143-614 3-ply 1/8"	<b>Yellow/Black</b> 122-704 2-ply 1/32" 122-704 2-ply 1/16" 123-704 3-ply 1/16" 132-704 2-ply 3/32" 143-704 3-ply 1/8"	<b>Yellow/Red</b> 122-706 2-ply 1/16" 143-706 3-ply 1/8"	<b>Yellow/Blue</b> 122-705 2-ply 1/16" 143-705 3-ply 1/8"
<b>Bright Green/White</b> 112-932 2-ply 1/32" 122-932 2-ply 1/16" 123-932 3-ply 1/16" 132-932 2-ply 3/32" 143-932 3-ply 1/8"	<b>Green/White</b> 122-902 2-ply 1/16" 143-902 3-ply 1/8"	<b>Pine Green/White</b> 122-912 2-ply 1/16" 143-912 3-ply 1/8"	<b>Aqua/White</b> 122-942 2-ply 1/16" 143-942 3-ply 1/8"	<b>Blue/White</b> 112-512 2-ply 1/32" 122-512 2-ply 1/16" 123-512 3-ply 1/16" 132-512 2-ply 3/32" 143-512 3-ply 1/8"	<b>Blue/Yellow</b> 122-517 2-ply 1/16" 143-517 3-ply 1/8"	<b>Blue/Silver</b> 122-533 2-ply 1/16"	<b>Navy Blue/White</b> 122-552 2-ply 1/16" 143-552 3-ply 1/8"	<b>Air Force Blue/White</b> 122-532 2-ply 1/16" 143-532 3-ply 1/8"
<b>Metallic Blue/White</b> 122-542 2-ply 1/16" 143-542 3-ply 1/8"	<b>Purple/White</b> 122-582 2-ply 1/16" 143-582 3-ply 1/8"	<b>Almond/Black</b> 122-854 2-ply 1/16" 143-854 3-ply 1/8"	<b>Ivory/Dark Brown</b> 122-228 2-ply 1/16" 143-228 3-ply 1/8"	<b>Beige/Dark Brown</b> 122-838 2-ply 1/16" 143-838 3-ply 1/8"	<b>Beige/White</b> 122-832 2-ply 1/16" 143-832 3-ply 1/8"	<b>Med. Brown/White</b> 122-822 2-ply 1/16" 143-822 3-ply 1/8"	<b>Dark Brown/White</b> 122-842 2-ply 1/16" 143-842 3-ply 1/8"	<b>White/Red</b> 122-206 2-ply 1/16" 143-206 3-ply 1/8"
<b>Polar White/Red</b> 122-246 2-ply 1/16"	<b>White/Orange</b> 122-216 2-ply 1/16" 143-216 3-ply 1/8"	<b>White/Bright Green</b> 122-209 2-ply 1/16" 143-209 3-ply 1/8"	<b>Polar White/Bright Green</b> 122-239 2-ply 1/16"	<b>White/Pine Green</b> 122-269 2-ply 1/16" 143-269 3-ply 1/8"	<b>White/Blue</b> 122-205 2-ply 1/16" 143-205 3-ply 1/8"	<b>Polar White/Blue</b> 122-235 2-ply 1/16"	<b>White/Dark Brown</b> 122-208 2-ply 1/16" 143-208 3-ply 1/8"	<b>White/Black</b> 112-204 2-ply 1/32" 122-204 2-ply 1/16" 123-204 3-ply 1/16" 132-204 2-ply 3/32" 143-204 3-ply 1/8"
<b>Polar White/Black</b> 122-234 2-ply 1/16" 132-234 2-ply 3/32" 143-234 3-ply 1/8"	<b>Metallic Grey/White</b> 122-312 2-ply 1/16" 143-312 3-ply 1/8"	<b>Battleship Grey/White</b> 122-362 2-ply 1/16" 143-362 3-ply 1/8"	<b>Grey/White</b> 122-302 2-ply 1/16" 143-302 3-ply 1/8"	<b>Grey/Black</b> 122-304 2-ply 1/16" 143-304 3-ply 1/8"	<b>Black/White</b> 112-402 2-ply 1/32" 122-402 2-ply 1/16" 132-402 2-ply 3/32" 143-402 3-ply 1/8"	<b>Black/Bright White</b> 122-412 2-ply 1/16" 143-412 3-ply 1/8"	<b>Black/Red</b> 122-406 2-ply 1/16" 143-406 3-ply 1/8"	<b>Black/Yellow</b> 122-407 2-ply 1/16" 143-407 3-ply 1/8"
<b>Black/Gold</b> 122-417 2-ply 1/16" 143-417 3-ply 1/8"	<b>Black/Silver</b> 122-423 2-ply 1/16" 143-423 3-ply 1/8"	<b>TECHNICAL SPECIFICATIONS</b>						
Material Acrylic cap, ABS core		Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm		Usage Interior signage Personal identification		Capabilities Scores Drills Bevels Screen Prints Bonds		
Finish Brushed		Engraving Depth .012" // 0.30mm					Saws Shears Heat Bendable Hot Stamps	

# NOMARK® PLUS & STANDARD METALS



<b>Deep Bronze/Black</b> Standard: 512-884 2-ply 1/32" 522-884 2-ply 1/16" NoMark Plus: 522-884+2-ply 1/16"	<b>Br. Gold/Black</b> Standard: 512-734 2-ply 1/32" 522-734 2-ply 1/16" NoMark Plus: 522-734+2-ply 1/16"	<b>European Gold/Black</b> Standard: 512-754 2-ply 1/32" 522-754 2-ply 1/16" NoMark Plus: 522-754+2-ply 1/16"	<b>Smooth Gold/Black</b> Standard: 512-714 2-ply 1/32" 522-714 2-ply 1/16" NoMark Plus: 522-714+2-ply 1/16"	<b>Br. Aluminum/Black</b> Standard: 512-354 2-ply 1/32" 522-354 2-ply 1/16" NoMark Plus: 522-354+2-ply 1/16"	<b>Br. Silver/Black</b> Standard: 512-334 2-ply 1/32" 522-334 2-ply 1/16" NoMark Plus: 522-334+2-ply 1/16"	<b>Smooth Silver/Black</b> Standard: 512-344 2-ply 1/32" 522-344 2-ply 1/16" NoMark Plus: 522-344+2-ply 1/16"
--	---	--	--	---	---	--

<b>TECHNICAL SPECIFICATIONS</b>				NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.			
Material Microsurfaced ABS		Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm		Usage Interior signage Personal identification Trophies, awards & plaques		Capabilities Scores Drills Screen Prints Fine Detail	
Finish Brushed metal		Engraving Depth .003" // 0.08mm				Saws Bevels Hot Stamps Thermal Prints	
◆ Not recommended for harsh or high humidity indoor or outdoor applications.				Shears Heat Bendable Bonds Sandblasts			

# ROTARY ENGRAVING MATERIALS

***Rowmark***<sup>®</sup>

## *HITT* Marking Devices

3231 W. MacArthur Blvd., Santa Ana, CA 92704- Ph-714-979-1405 - Sales@HittMarking.com

Division of The Hitt Companies, Inc.

3231 W. MacArthur Blvd., Santa Ana, CA 92704

Toll Free 800-969-6699, Ph-714-979-1405

Sales@HittMarking.com



Engage. Interact. Share.

