

VISIT OUR WEBSITE  
www.hittmarking.com



# HITT MARKING DEVICES INCORPORATED

Manufacturers of Marking Devices, Equipment & Supplies



RUBBER STAMPS



SELF-INKING STAMPS



PRE-INKED STAMPS



DATE STAMPS



FINGERPRINT PADS



ELECTRIC TIME & DATE MACHINES



EMBOSSERS



PLAQUES & AWARDS



ENGRAVED SIGNS & NAMEPLATES



STENCILS & SUPPLIES



INDUSTRIAL MIL-SPEC INKS



UV LAMPS & INKS



STEEL STAMPS



BAND STAMPS



NUMBERING MACHINES



INSPECTION STAMPS

Phone: 714-979-1405 · Fax: 714-979-1407

Toll Free Phone: 800-969-6699 · Fax: 888-979-4488

Website: www.hittmarking.com · E-mail: sales@hittmarking.com

# Hitt Marking Devices Inc.

## How We Began

Dear Customer,

The following letter was written several years ago and presented to Harold Hitt, President, by his father at an awards banquet. We felt it was worth sharing and believe it will provide you with some insight into how Hitt Marking Devices began.

In keeping with the all American dream, for sometime our son Harold, together with his wife Heidi, had been looking for a business they could establish where they would "be their own boss." In 1987 they came to my wife Dottie and me, with a proposal. It wasn't a proposal to borrow money from us to start their dream business. What Harold proposed was a true partnership where he and Heidi would match our investment and we would start a Rubber Stamp Business." He suggested that this business be started in my garage using some old outdated equipment donated to the cause by Heidi's mother, who owns and operates a rubber stamp business in Hemet, CA.

The plan was that Dottie would make the stamps. Harold and Heidi would function primarily in sales. We agreed to the plan and the family business, "HITT MARKING DEVICES, INC." was begun. The company grew quickly and it wasn't long before Harold, Heidi and Ken had to quit their jobs, and come into the business full time to assist Dottie in manufacturing and sales. Harold and Ken made sales calls and deliveries in the morning, then rushed back to help Heidi and Dottie manufacture, invoice and ship out the daily orders. Also as a result of the company's rapid growth, it wasn't long before they were bumping into each other in our garage. Harold began looking for a more suitable location, in the Orange County area. In addition to the fact they needed more space, Harold confessed to being embarrassed to tell his customers that he was operating out of "a garage."

We truly stepped out on faith, but hedged that faith at Harold's direction, by moving into the same general area where several large national and international corporations had established their home offices. New product lines were added such as, specialty inks, stone stamp pads, fingerprint pads, engraving, plaques & awards, stencils, labels, electric time recorders, electric branding machines, etc. It truly became a marking device business, instead of merely a rubber stamp business.

We were recently awarded **HEAVY WEIGHT SUPPLIER OF THE YEAR** by Marking Industry Magazine. Harold has made it clear that he isn't going to be satisfied with being just another marking device company. He wants to be the best and the biggest. He is committed to offering the best in service, together with a quality product which is competitively priced. We are not the biggest yet but we are the best, thanks mostly to Harold and the dream that he held onto and sacrificed to achieve. Also, thanks to Harold's philosophy of providing both quality and good service, and the efforts of our youngest son Ken, our company, Hitt Marking Devices was awarded Nordstrom Department store's "SUPPLIER OF THE YEAR" award. Since Nordstrom is considered to be a leader in both quality and service, this was no small accomplishment. We are grateful to Ken for making it happen. Ken, who entered the business in late 1988, has

## *The Hitt Family*



FROM TOP LEFT: KEN, SUE AND AT BOTTOM LEFT THEIR DAUGHTER, LISA. TOP RIGHT: HAROLD, WIFE HEIDI AND DAUGHTERS BRITTANY AND BROOKE.



FATHER AND MOTHER: DONALD & DOROTHY HITT  
CO-FOUNDERS (RETIRED)

become an invaluable member of Hitt Marking Devices family team, as demonstrated by this award.

One of Harold's stated goals from the very beginning has been to provide a source of income for his dad and mom's retirement. That goal has now been achieved much earlier than we ever dreamed it could.

This award given this 14th day of December, 1993, by his proud parents, Don and Dottie Hitt.

*In the years since this letter was written, Don and Dottie have retired to Washington State. Heidi is a stay at home mom with two children. Harold, President and Ken, Vice President still remains involved in day to day operations.*

**"If you're in the area we invite you to come by and see us."**

# Hitt Marking Devices Inc.

## TABLE OF CONTENTS

<b>Ink &amp; Stamp Pads</b>	<b>1</b>
<b>How To Order Rubber Stamps</b>	<b>2</b>
<b>Typstyles</b>	<b>3</b>
<b>Hitt Stamper XL2 Pre-Inked Stamps</b>	<b>4-6</b>
<b>Hitt Traditional Self-Inking Stamps</b>	<b>7</b>
<b>Slim Stamp Pocket Stamps</b>	<b>8</b>
<b>Replacement Pads</b>	<b>8</b>
<b>PSI Daters, Locals &amp; Line Daters</b>	<b>9</b>
<b>Pullman Alphabet Stamps</b>	<b>10</b>
<b>Pullman Numbering Stamps</b>	<b>11</b>
<b>Inspection Stamps &amp; Line Daters</b>	<b>12</b>
<b>Stone Stamp Pads</b>	<b>12</b>
<b>Steel Hand Stamps</b>	<b>13</b>
<b>Electric Branders</b>	<b>13</b>
<b>Electric Time &amp; Date Machines</b>	<b>14</b>
<b>Sten C Labl®</b>	<b>15</b>
<b>Ticket Punches</b>	<b>16</b>
<b>Consecutive Numbering Machines</b>	<b>16</b>
<b>Embossing Seals</b>	<b>17</b>
<b>Fingerprinting Products &amp; Supplies</b>	<b>18-19</b>
<b>Ultraviolet Lamps &amp; Fluorescent Inks</b>	<b>20</b>
<b>RIBtype® Products</b>	<b>21</b>
<b>Labels &amp; Vinyl</b>	<b>21</b>
<b>Awards &amp; Recognition Products</b>	<b>22</b>
<b>Engraving Custom Signage</b>	<b>22</b>
<b>Engraving</b>	<b>23</b>
<b>Mark-Hitt Industrial Ink List</b>	<b>24</b>
<b>Military &amp; Government Specs</b>	<b>25</b>



## Ink & Stamp Pads

### Stamp Pads & Stone Stamp Pads



### Refill Ink

**MaxLight Ink**  
(for XL2 Pre-Inked, PSI  
Self-Ink, & Slim Stamp)

2 oz.  
1/4 oz.



# How To Order Rubber Stamps

1. Choose the type for your stamp from the following page or leave it to our typesetters.
2. Select the mount style from below, and please specify "Handle" or "Moulding."
3. When a self-inking stamp is needed, specify style, size & color.

## HANDLE



## MOULDING



## SELF-INKING



## PRE-INKED



Please specify your justification preference when ordering:



THIS  
IS FLUSH  
LEFT

THIS  
IS  
CENTERED

THIS  
IS FLUSH  
RIGHT

## TYPE SIZES & FRACTION EQUIVALENT CHART

6 pt. - 1/16"	24 pt. - 1/4"
8 pt. - 5/64"	30 pt. 5/16"
10 pt. - 3/32"	36 pt. - 3/8"
12 pt. - 1/8"	40 pt. - 1/2"
14 pt. - 5/32"	72 pt. - 3/4"
18 pt. - 3/16"	



# Rubber Stamp Typestyles

## Please Choose Type Styles By Number

**200 - HELVETICA**  
MR. & MRS. JOHN SMITH  
1234 S. Main Street  
Mayville, CA 94567

**201 - HELVETICA CONDENSED**  
MR. & MRS. JOHN SMITH  
1234 S. Main Street  
Mayville, CA 94567

**202 - HELVETICA BOLD**  
MR. & MRS. JOHN SMITH  
1234 S. Main Street  
Mayville, CA 94567

**203 - TIMES**  
MR. & MRS. JOHN SMITH  
1234 S. Main Street  
Mayville, CA 94567

**204 - BOOKMAN ITALIC**  
*MR. & MRS. JOHN SMITH*  
*1234 S. Main Street*  
*Mayville, CA 94567*

**205 - COURIER**  
MR. & MRS. JOHN SMITH  
1234 S. Main Street  
Mayville, CA 94567

**206 - BANK GOTHIC**  
MR. & MRS. JOHN SMITH  
1234 S. MAIN STREET  
MAYVILLE, CA 94567

**207 - COPPERPLATE**  
MR. & MRS. JOHN SMITH  
1234 S. MAIN STREET  
MAYVILLE, CA 94567

**208 - AVANT GARDE**  
MR. & MRS. JOHN SMITH  
1234 S. Main Street  
Mayville, CA 94567

**209 - CHANCERY**  
*Mr. & Mrs. John Smith*  
*1234 S. Main Street*  
*Mayville, CA 94567*

**210 - PARK AVENUE**  
*Mr. & Mrs. John Smith*  
*1234 S. Main Street*  
*Mayville, CA 94567*

**211 - BRUSH SCRIPT**  
*Mr. & Mrs. John Smith*  
*1234 S. Main Street*  
*Mayville, CA 94567*

**212 - FUTURA**  
MR. & MRS. JOHN SMITH  
1234 S. Main Street  
Mayville, CA 94567

**213 - OLD ENGLISH**  
*Mr. & Mrs. John Smith*  
*1234 S. Main Street*  
*Mayville, CA 94567*

**214 - OUTLINE**  
**PAID**

## Sample Type Sizes & Styles

PTS	SIZE	
8	5/64"	APPROXIMATELY 14 LETTERS PER INCH
10	3/32"	APPROXIMATELY 11 LETTERS PER INCH
12	1/8"	APPROXIMATELY 9 LETTERS PER INCH
14	5/32"	APPROXIMATELY 8 LETTERS PER INCH
16	11/64"	APPROX. 7 LETTERS PER INCH
18	3/16"	APPROX. 6 LETTERS PER INCH
24	1/4"	AP. 5 LETTERS PER INCH
30	5/16"	AP. 4 LETTERS PER
36	3/8"	AP. 3 LETTERS P
48	1/2"	AP. 2 LETTER

These type effects are available for most of the above fonts.

THIS IS PLAIN

**THIS IS BOLD**

*THIS IS ITALICIZED*

THIS IS UNDERLINE

THIS IS OUTLINE

THIS IS SHADOW

THIS IS UPPER CASE

This is Upper and Lower Case


this is lower case

# Hitt® Stamper XL2 Pre-Inked Stamps



The ultimate in pre-inked stamps has arrived! Hitt Stampers provide unsurpassed impression quality. No ink pad is needed - the ink is already in the stamp! Create thousands of impressions, remove the handle to add a few drops of ink to create thousands more. Hitt Stamper Pre-Inked Stamps are so durable, they come with a **lifetime warranty!**

- **No ink pad needed**
- **5 different ink colors**
- **Custom artwork & logos available**
- **Re-inkable**
- **Made in the U.S.A.**
- **Lifetime Guarantee**



## XL2-55

**EMERSON UNLIMITED CORPORATION**

3/16" x 2-1/2" ▲

Compare to:  
X-Stamper N-05

## XL2-75

**REALTY SERVICES  
836 BARRINGTON RD.  
SCHAUMBURG, IL 60061**

1/2" x 1-11/16" ▲

Compare to:  
X-Stamper N-10

## XL2-115

**MR. & MRS. JOHN SMITH  
1234 S. Main St.  
Mayville, CA 94567**

11/16" x 1-15/16" ▲

Compare to:  
X-Stamper N-11

## XL2-125

**PAY TO THE ORDER OF  
FIRST BANK OF COLUMBUS  
FOR DEPOSIT ONLY  
EASTERN DATA SYSTEMS  
736-4563-21**

1" x 2" ▲

Compare to:  
X-Stamper N-12

## XL2-145

**CONFIDENTIAL**

5/8" x 2-3/8" ▲

Compare to:  
X-Stamper N-14

## XL2-165

**Harbor Heights Inc.  
910 Fox River Dr.  
Newland, Oregon  
Phone 374-888-4554  
Fax 374-888-4555  
www.harborheights.com**

1-1/2" x 2-1/2" ▲

Compare to:  
X-Stamper N-16

## XL2-185

<b>JANET</b>	<input type="checkbox"/>	<b>RON</b>	<input type="checkbox"/>
<b>CAROL</b>	<input type="checkbox"/>	<b>BETH</b>	<input type="checkbox"/>
<b>TOM</b>	<input type="checkbox"/>	<b>SUSAN</b>	<input type="checkbox"/>
<b>DONALD</b>	<input type="checkbox"/>	<b>PETER</b>	<input type="checkbox"/>

15/16" x 2-3/4" ▲

Compare to:  
X-Stamper N-18

## XL2-225

**CASTLE CHIROPRACTIC**  
**800 S.E. NORTHWEST HIGHWAY  
PALATINE, IL 60067  
PH. (847) 991-1800  
FAX (847) 991-1801**

2" x 3" ▲

Compare to:  
X-Stamper N-22

# Hitt® Stamper XL2 Pre-Inked Stamps



## XL2-245

**TOURS INTERNATIONAL**  
 13233 BALL ROAD  
 BUENA PARK, CA 90000  
 (415)988-3333

1-1/4" x 3-3/16" ▲

Compare to:  
 X-Stamper N-24

## XL2-265

**IMPORTANT! Department manager must  
 initial below before further processing.**

DEPT:	DATE:	MGR:
-------	-------	------

11/16" x 3-5/16" ▲

Compare to:  
 X-Stamper N-26

## XL2-700

**ADDRESS INFORMATION CHANGE**

NAME: \_\_\_\_\_

COMPANY: \_\_\_\_\_

NEW ADDRESS: \_\_\_\_\_

\_\_\_\_\_

CITY: \_\_\_\_\_

STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

NEW PHONE #: \_\_\_\_\_

NEW FAX #: \_\_\_\_\_

2-3/4" x 3-3/4" ▲ Compare to:  
 X-Stamper N-28

## XL2-275

**FOR EMPLOYEE USE ONLY**

Distribute this information to all department heads in accordance to the rules and regulations as written in the company handbook. Please read all information carefully. Sign and date the top copy and keep the white copy for future reference. Please return the pink copy to management as soon as possible.

1-7/8" x 3-7/8" ▲

Compare to: X-Stamper N-27

# Hitt® Stamper XL2 Pre-Inked Stamps

## XL2-750

NAME	PHONE NO.
ADDRESS	CITY
STATE	ZIP CODE
COMPANY	OWNER
DEPT.	SUPERVISOR

1-1/2" x 4-3/4" ▲


## XL2-800

<b>STANDARD MARKING</b>	
DEPT. APPROVAL	
VOUCHER #:	COMPANY:
STATE	DATE:
COMPANY	DATE:
DEPT.	AMOUNT:
PAID DATE:	CHECK #:

3-1/8" x 4-1/2" ▲

## XL2-655

2" Round ▲




## XL2-495

1-3/16" Round

## XL2-535

1-5/8" Round



## XL2-325

5/8" Round



## XL2-305

7/16" Round ▲



pencil caps

Both models are available with handles.



**PCL**

5/8" Round ▲



**PCM**

7/16" Round ▲





# Hitt® Traditional Self-Inking Stamps



- Won't get your hands messy like old-fashioned rubber stamps and ink pads did
- Impressions are clean and accurate every time

**A800**




3/4" x 1-15/16" ▲

**A1000**




3/4" x 2-3/8" ▲

**A500**




5/8" x 1-5/8" ▲

**A1750**




7/8" x 2-3/8" ▲

**A1270**



7/16" x 2-3/4" ▲

**A1776**



5/8" x 2-7/8" ▲

**A2000**



1" x 2-1/2" ▲

**A2976**




1-1/8" x 2-7/8" ▲

**A3000**



1-1/2" x 3" ▲




**A5280**

1-3/16" x 1-3/16"

**A5230**

1-5/8" x 1-5/8"



**A45**

1-13/16" Round

**A12**

1/2" Round

**A17**


3/4" Round

# Slim Stamps™



Slim Stamps™ are the perfect stamp to carry in your pocket or purse. The cover snaps shut to ensure no mess during transport. Perfect for Notaries or anyone who wants their stamp to be mobile.

## SS 2773



1-1/16" x 2-7/8" ▲

## SS 1444




1/2" x 1-3/4" ▲

## SS 1854



11/16" x 2-1/8" ▲

## SS 2264



11/16" x 2-5/16" ▲

## SS 3679



1-7/16" x 3-1/8" ▲

## SS 4141



1-5/8" x 1-5/8" ▲



## SS 50R

2" Round

## Replacement Pads

Pad #	Size
0	Black, 2-1/4" x 3-1/2"
0	Red, 2-1/4" x 3-1/2"
0	Blue, 2-1/4" x 3-1/2"
0	Green, 2-1/4" x 3-1/2"
1	Black, 2-3/4" x 4-1/4"
1	Red, 2-3/4" x 4-1/4"
1	Blue, 2-3/4" x 4-1/4"
1	Green, 2-3/4" x 4-1/4"
2	Black, 3-1/8" x 6-1/8"
2	Red, 3-1/8" x 6-1/8"
2	Blue, 3-1/8" x 6-1/8"
2	Green, 3-1/8" x 6-1/8"
3	Black, 4-5/16" x 7-3/8"
3	Red, 4-5/16" x 7-3/8"
3	Blue, 4-5/16" x 7-3/8"
3	Green, 4-5/16" x 7-3/8"

*Need something you don't see? Contact us for all your marking needs.*



## Ink Pads

We offer a wide range of sizes and colors. Our pads utilize the highest quality felt available to ensure excellent ink transfer. Available inked in a variety of colors: *Black, Blue, Red, and Green* Ink.

# PSI™ Daters

The new, sleek design of the premium PSI line of self-inking daters and plains is the ultimate in convenience and accuracy. These attractive daters will provide years of accurate impressions. Oversized wheels ensure that your fingers will not touch the bands when adjusting the dates. These daters are designed for years of heavy use.



## M310




7/8" x 1-3/8"

## M401.5



1-1/4" x 1-1/2"

## M600




1-1/2" x 2-5/16"

## M100




15/16" x 1-11/16"

## M300



1-3/16" x 1-13/16"

## M800



1-7/8" x 2-11/16"

## PSI™ Line & Local Daters

Awesome! PSI Line Daters & Local Daters are sure to please!



## M416




▲11/32" x 5/8"

## M516




▲11/32" x 1-1/16"

## M716



▲11/32" x 1-5/8"

## M310/4



No. 1-1/2 Size Line Dater  
5/32" Date

## M9020



No. 2 Size Line Dater  
3/16" Date

The PSI 9227 is twelve stamps in one. The band before the date contains eleven different words.

## 9227



5/32" Date

No. 1-1/2 Size Line Dater

ANSWERED  
BACKORDERED  
CANCELLED  
BILLED

RECEIVED  
CHARGED  
CHECKED  
DELIVERED

ENTERED  
PAID  
SHIPPED

# Pullman Alphabet Stamps

Alphabet Stamps are ideal for stamping any combination of numbers or letters. Bands are quickly revolved with knurled wheels. For regular or industrial inks.

**Ordering Instructions:**

Specify total number of bands wanted. Show size and style number. Submit copy or sketch showing position of alphabet and figure bands in stamp. Also available are Alphanumeric bands, which contain alphabet and figures on each band.

Gothic		Roman	
Style "V"	Style "W"	Style "R"	Style "S"
Y	W	R	S
W	1	S	s
X	2	T	t
Y	3	U	.
Z	4	V	1.
A	5	W	2.
B	6	X	3.
C	7	Y	4.
D	8	Z	5.
E	9	A	6.
F	0	B	7.
G	N	C	8.
H	K	D	9.
I	N	E	0.
J	H	F	1
K	A	G	2
L	N	H	3
M	N	I	4
N	S	J	5
O	e	K	6
P	.	L	7
Q	X	M	8
R	-	N	9
S	/	O	0
T	#	P	%
U	1	Q	%
.	2	.	%
-	3	-	-

SIZE	1"	2"	3"	4"	5"	Max. No. of bands
(Gothic) BA-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N					34
(Gothic) BA-0X	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N					24
(Roman) BA-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L					30
(Gothic) BA-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T					30
(Roman) BA-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P					26
(Gothic) BA-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T					30
(Roman) BA-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N					24
(Gothic) BA-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M					23
(Roman) BA-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I					19
(Gothic) BA-2 1/2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I					20
(Roman) BA-2 1/2	1 2 3 4 5 6 7 8 9 0 A B C D E					16
(Gothic) BA-3	1 2 3 4 5 6 7 8 9 0 A B C D E F G					17
(Roman) BA-3	1 2 3 4 5 6 7 8 9 0 A B C D					14



For complete versatility...each band contains 38 characters: the complete alphabet, the figures 0 through 9, plus a period and a dash. See table below for maximum capacity of bands per stamp. See following page for self-inking model in sizes 0 through 1.

**To order, Specify:**

- 1) Type Size 2) Number of Bands & 3) Style Number of Bands in the order you want them.

Size	1"	2"	3"	4"	5"	Max. No. of bands	Style "T" (Gothic)	Style "U" (Roman)
(Gothic) BAN-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T U V W						T A	U B
(Gothic) BAN-0X	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T U V W						U B	V C
(Roman) BAN-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T U						V C	W D
(Gothic) BAN-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R						V D	X E
(Roman) BAN-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P						X E	Y F
(Gothic) BAN-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R						Y F	Z G
(Roman) BAN-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L						Z G	1 H
(Gothic) BAN-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N						1 H	2 I
(Roman) BAN-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J						2 I	3 J
							3 J	4 K
							4 K	5 L
							5 L	6 M
							6 M	7 N
							7 N	8 O
							8 O	9 P
							9 P	0 Q
							0 Q	- R
							- R	- S
							- S	A T

# Pullman Numbering Stamps

Figures are shown actual size so you can determine maximum number of bands for a given width.

Suppose that you want to stamp 8 interchangeable characters in a line so that the stamped impression is approximately 3" wide. Reading down the 3" line in the scale below, you find that the number 4 size Gothic stamp has 8 characters in that width. Therefore, you should order a JB 4-8.



SIZE & STYLE	*	1"	2"	3"	4"	MAX. NO. OF BANDS			
						REG.	SELF-INKER		
0X Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1					1/16"	21	20
00 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1					3/32"	22	19
00 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0					3/32"	20	18
0 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0					1/8"	19	19
0 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7					1/8"	17	16
1 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9					5/32"	19	18
1 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5					5/32"	15	15
2 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7					3/16"	17	13
2 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4					3/16"	15	11
2 1/2 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8					1/4"	19	14
2 1/2 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4					1/4"	15	12
3 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5					5/16"	16	13
3 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3					5/16"	13	10
4 Gothic		1 2 3 4 5 6 7 8 9 0					7/16"	13	NOT AVAILABLE IN SELF-INKING STYLE
4 Roman		1 2 3 4 5 6 7 8 9					7/16"	11	
5 Gothic		1 2 3 4 5 6 7 8 9					9/16"	10	
5 Roman		1 2 3 4 5 6 7					9/16"	8	
6 Gothic		1 2 3 4 5 6 7 8					11/16"	9	
7 Gothic		1 2 3 4 5 6 7					7/8"	7	

## Ordering Special Assembly Stamps

- Letter Bands are either A-M or N-Z.
- Example of code needed: REV 345A
- Layout for ordering:  
 N A N 0 0 0 A  
 | | | | | | |  
 Z M Z 9 9 9 M
- Part number for above: XCLB-1-7

# Inspection Stamps & Line Daters

## Non-Porous Super W Stamps



## Neoprene Stamps



## Insta Mark 145

## Insta Mark 116 & 126

### To Order:

1. Specify overall impression size.  
Example: 1/2 overall impression.

Note: When measuring stamp for the overall impression size, be sure to measure the longest possible dimension.

For Example:



2. If numbered, specify numbers desired. (Example: 1 thru 50)
3. Provide us with a sketch of your needs. Example:



4. If special logo is required, please provide camera ready art. (One time pattern charge applies.)



## Daters & Numberers

### Line Dater

▼ Size #1

MAY 16 2007

▼ Size #1-1/2

MAY 16 2007

### Line Numberer

▼ Model 0-6

1 2 3 4 5 6

▼ Model 1-8

1 2 3 4 5 6 7 8

# Stone Stamp Pads



## Stone Stamp Pads


This is the only stamp pad that can be used with solvent/acid based industrial marking inks without destroying the pad. A constant flow of ink from the porous stone helps create high quality, non-smear impressions.

- Sizes: #1, #2 & #3

## Industrial Ink



# Steel Hand Stamps



### To Order:

Specify Size of Characters, Layout, Border & Type of material being marked.

# Mark-Hitt Electric Branders



**Model WB200**  
200 Watts, 120 or 220 VAC

Use the Model WB200 where lower branding temperatures are required.

Depending on the branding head size, temperatures of 700°F to 920°F are possible making the WB200 suitable for continuous low-volume branding of many softer materials such as leather, some plastics, and soft woods.

Although a good basic branding tool, it is not recommended for fast and repetitive production line applications as the tool's heat-generating capability is limited for such uses. See WB300 and WB400.

**Model WB300**  
300 Watts, 120 or 220 VAC

With branding head temperatures that are 150°F to 200°F hotter than the WB200, this model performs well in the middle temperature ranges. Harder woods and many rubber products can be branded easily.



**Model WB200**  
400 Watts, 120 or 220 VAC

This model performs in the higher temperature ranges for most head sizes. It is ideal for most materials including harder woods and rubber.

The WB400 provides branding temperatures from 925°F up to 1255°F depending on the head size.

\* Ask your Hitt Marking Devices representative for specific recommendations.


# Rapidprint Electric Time & Date Machines

- Automatic Time Stamps**
- Automatic Date Stamps**
- Automatic Numbering Stamps**

- Automatically imprints when paper is inserted
- Adjustable impact for multi-copy forms
- Automatic ribbon advance and reverse
- Durable brass type wheels
- Made in USA
- For printed record of time and date
- Optional engraved brass plates will print customized message



Shown with fixed brass die plate engraving area.




## Specifications:

- Size:** H7 7/16", W 4 11/16", D 10 3/16"
- Weight:** 16 lbs. (approx.)
- Finish:** Taupe hammertone
- Power:** 115 volts ac - 60 Hz
- Throat Depth:** 1 31/6" standard  
1 9/16" maximum  
1/8" minimum (with optional extended trigger.)



## sample impressions (reduced)



(Model AN-E)

(Model ADN-E)

(Shown with fixed brass die plate engraving area.)


## Model AN-E

(ADN-E with manually set date section)

- Size:** H-7<sup>11</sup>/<sub>16</sub>", W-4<sup>11</sup>/<sub>16</sub>", D-10<sup>13</sup>/<sub>16</sub>"
- Weight:** 16 lbs.
- Finish:** Taupe Hammertone
- Power:** 115 VAC, 60 Hz
- Throat Depth (edge of paper to top of printed number):**  
Standard 1<sup>31</sup>/<sub>16</sub>"  
Maximum 1<sup>9</sup>/<sub>16</sub>"  
Minimum 1/8"



## C724 Imprint



(Shown with fixed brass die plate engraving area.)

## Model C724L-E

(To order without clock face ask for C724)

- Size:** H-7<sup>3</sup>/<sub>8</sub>", W-7<sup>1</sup>/<sub>4</sub>", D-10<sup>1</sup>/<sub>8</sub>"
- Weight:** 28 lbs.
- Finish:** Taupe Hammertone
- Power:** 115 VAC, 60 Hz
- Throat Depth (edge of paper to top of printed number):**  
Standard 1<sup>31</sup>/<sub>16</sub>"  
Maximum 1<sup>9</sup>/<sub>16</sub>"  
Minimum 1/8"



# Custom & Stock Stencils

Oilboard, Mylar, Magnetic & Brass



- Custom Cut Stencils (up to 48" tall characters)
- Stencil Rollers and Applicators
- Stencil Brushes
- Stencil Inks and Spray Inks

**VISIT OUR NEW STENCIL PRODUCTS DIVISION!**

**NATIONAL STENCIL**

**Visit our website!**

**[www.nationalstencil.com](http://www.nationalstencil.com)**

## Sten C Labl™

With Sten C Labl®, you can mark, identify and address multiple cartons accurately, easily and economically. The need for expensive labels is eliminated. The system's "feather touch" enables you to make up to 50 clean, sharp impressions in just one minute on virtually any surface, even glass. Over 100 impressions can be made from each low-cost stencil. Stencils are available in a variety of sizes and configurations to meet your specific needs. The basic Sten C Labl® is a hand-applied multiple marker composed of three basic units.

### The Stencil

Stencils are available in a variety of sizes and types. They can be ordered plain or "customized" with your company's name, logo, or any other repeating information.

### The Durahead®

This simple, yet ingenious two-part applicator tool hold the stencil, stores and supplies the ink, and marks the package or product. The applicator consists of the Durahead® – a flat, durable ink pad framed in tough Delrin® plastic – and a screw-on, four-ounce ink container. The refillable container becomes both the handle and ink reservoir. There is also a curved (or rocker) applicator for heavy duty use. This applicator has its own ink reservoir and screw-on, custom molded handle.

### The Ink

Ink flow is controlled by a patented ball valve system which ensures ink flow only when desired. This virtually eliminates over-inking, ink seepage and valve leaks. Inks are available in a variety of colors, although black is the most popular. Choose Standard Dry for marking porous surfaces, or Fast Dry ink for non-porous, non-absorbent surfaces.


### How It Works

#### 1. Create the Stencil

Information can be hand written by ball point pen or prepared by typewriter, addressing machine, billing machine or computer. Stencils may be cut in the shipping room or storage area at the time of use. Or, if affixed to order processing paperwork, stencil preparation can be done as a by product of existing order preparation. Sten C Labs® can also be requested from your computer or office business forms supplier so that they become an integral part of these forms. This addition creates a complete forms package.

#### 2. Attach Stencil to Applicator

To attach the prepared stencil to the special Durahead® applicator, start by removing the backing paper. Then lay the stencil face up – on a smooth surface and gently and evenly press the inked applicator to the stencil. The natural adhesion from the ink's moisture will hold the stencil in place. The applicator screws on to a four-ounce bottle of ink which serves as the handle and ink reservoir. It's as simple as that. You're now ready to begin multiple addressing or marking on surfaces ranging from cartons and poly bags, to glass, plastics, wood, and oddly shaped items.



# Ticket Punches

## Ordering Instructions:

Specify by catalog number. State type die wanted (design, figure, letter, round hole). Show exact die size (1/8", 1/4", etc.) State quantity needed. If receptable or finger ring is needed, specify separately on your order.



1/16"  
Round  
Hole



1/8"  
Round  
Hole



3/16"  
Round  
Hole



1/4"  
Round  
Hole



## #5 Punch - 1-1/2" Reach

A heavy-duty utility punch used extensively for premium cards, ticket cancellation and quality control.

## #12 Punch - 2" Reach

Used for automotive inspection, agriculture counts, and ticket cancellation.

## #12-L High Leverage Punch

Used for validating plastic identification cards.

## #12-E Standard Punch - 3" Reach

A lightweight long-reach punch for quality control and chart work.

## #PC-4 Template Punch

A light long-reach punch used to design test-score templates and for programming industrial machinery using plastic control charts.

## #13 Strap-Slot Punch

Cuts 9/16" x 1/8" strap-slot holes in plastic identification cards. This punch can also be equipped with larger special purpose dies and multiple characters, e.g. "VOID".

# Consecutive Numbering Machines



- All steel internal parts, one piece hardened steel frames assure trouble free operation for years.
- Three full years limited warranty on all parts and labor.
- Extra-firm inking pads will not collapse with daily use.

## Consecutive Numbering Machines

Stock No.	No. of Wheels	No. of Movements (Repetitions)	Style	Size (Letter Height)
D-51	5	7	Roman	11/64"
C-06	6	Lever Action	Roman	3/16"
C-72	6	7	Gothic	3/16"
C-71	6	7	Roman	3/16"
C-75	6	7	Roman	3/16"
C-77	7	7	Roman	11/64"
B-78	8	7	Roman	3/16"
B-71	9	7	Roman	11/64"
B-37	10	3	Roman	11/64"
A-11	11	3	Roman	3/16"
A-21	12	3	Roman	11/64"
A-31	13	3	Roman	11/64"
MM-21	6	6	Rubber	3/16"

## Light Duty Numbering™ Machines

Stock No.	No. of Wheels	No. of Movements (Repetitions)	Style	Size (Letter Height)
70005	5	7	Roman	11/64"
70006	6	7	Roman	11/64"
70007	7	7	Roman	11/64"

## Accessories & Replacement Parts

LMN-1	Refill Ink	(Specify Red, Blue or Black)
IM-55	Indelible Ink for MM-21	(Black Only)
PAD	Replacement Ink Pads	(Specify for A, B, C, or D Machines)
PFN-31	Pad Holder Clip	(Specify for A, B, C, or D Machines)

# Embossing Seals

## SoftSeal™

SoftSeals™ offer a heavy duty frame and precision parts for the finest impressions every time. Comfortable grip and easy-sliding lock mechanism makes for convenient handling and storage. Available round impression areas are 1-5/8", 1-3/4" and 2"; as well as a rectangular 1" x 2".




## Desk Seal

Our Desk Seal is designed to produce impressions with minimal effort. Easy sliding lock mechanism makes for convenient handling and storage. The Desk Seal accommodates the same die holders as the Deluxe Pocket Seal: 1-5/8", 1-3/4", 2" round and 1" x 2" rectangular.



## Long Reach Desk Seal

Long Reach Desk Seals are great for putting your impressions where a regular pocket or desk type seal just won't reach. The Long Reach Desk Seal combines all the features of our other seal presses in a larger, heavier-duty device.



## Cast Desk Embossers

These elegant Cast Desk Embossers make clear, crisp impressions time after time. A soft felt base prevents scratching and slipping. Frames are Available in Lustrous Chrome, Elegant Brass or Traditional Black finishes. These seals are for the truly discriminating and make a fine addition to any desk. Includes removable die holder!



## Electric Seals

### Perfect Seal Motorized

Perfect Seal™ Motorized Electric Embossing Seal is designed to convert manual hand seals to an electric operation with no chance of hand stress injury. You now can get the best possible seal impression from a touch of the button instead of a two handed struggle. Extra quiet operation and heavy frame design, long outlasts hand seals. More convenient, more durable, no stress application and a SATISFACTION.

### Perfect Seal Standard Reach

With a standard 2-Year Performance Warranty, the Perfect Seal Standard Reach with patented direct drive has only two moving parts. The touch-a-button activation comes standard and foot pedal operation on request. Final approval time assures your satisfaction with lightening fast seal application. It has brass dies & the alloy counter outlasts all others. Impressions with custom emblems are no problem and it costs less!

### Perfect Seal Long Reach

With a standard 2-Year Performance Warranty, Perfect Seal Long Reach with patented direct drive has only two moving parts. The touch-a-button activation comes standard and foot pedal operation on request. Final approval time assures your satisfaction with lightening fast seal application. It has brass dies & the alloy counter outlasts all others. Impressions with custom emblems are no problem and impression depth is up to 5 inches from the edge!

Motorized



Standard Reach



Long Reach





# Fingerprinting Products & Supplies



**NEW!**  
**FINGERPRINTING**  
**PRODUCTS DIVISION**  
**I.D. Technologies, Inc.**  
**Visit our website!**  
[www.fingerprintpads.com](http://www.fingerprintpads.com)

## **FINGERPRINT PADS - LI SERIES** **Inkless Pads, Commonly Used by Banks,** **Mortgage Co., Notaries, Pawn Shops, etc.**

### **LI-1**

Hard porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 1-1/2" dia.
- Print capacity: 1200 imprints per pad

### **LI-1.5**

Hard porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2" dia.
- Print capacity: 1300 imprints per pad

### **LI-2**

Durable porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 1-3/4" x 2-1/4"
- Print capacity: 1200 imprints per pad

### **LI-2.5**

Ceramic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2-1/2" dia.
- Print capacity: 4800 imprints per pad

### **LI-3**

Ceramic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2-1/2" x 4"
- Print capacity: 14,500 imprints per pad

## **FINGERPRINT PADS - LE SERIES** **For Law Enforcement Use**

### **LE-1**

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 1-1/2" dia.
- Print capacity: 1200 imprints per pad

### **LE-1.5**

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2" dia.
- Print capacity: 1300 imprints per pad

### **LE-2**

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 1-3/4" x 2-1/4"
- Print capacity: 1200 imprints per pad

### **LE-2.5**

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2-1/2" dia.
- Print capacity: 4800 imprints per pad

### **LE-3**

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2-1/2" x 4"
- Print capacity: 14,500 imprints per pad




# Fingerprinting Products & Supplies



## Basic Fingerprinting Kits



With Folding Fingerprint Unit and Glass Inking Slab



With Folding Fingerprint Unit and ID Technologies, Inc. Pad



With Folding Fingerprint Unit and Semi-Inkless Pad



With Folding Fingerprint Unit and Stainless Steel Inking Slab

## Fingerprint Slab Ink & Inking Slab



### Grade A Fingerprint Slab Ink

Available in:

- 2 oz. Tube
- 4 oz. Tube
- 16 oz. Tube

## Fingerprint Inked Strips



Available in:

- 10 x 3 inches
- 5 x 1 inches
- 5 x 3 inches
- 6 x 10 inches



### Glass Inking Slabs

Available in:

- 4 x 10 inches
- 5 x 12 inches



### Stainless Steel Inking Slabs

Available in:

- 4 x 10 inches
- 5 x 12 inches

## Tabletop Fingerprinting Units



Single Fingerprinting Unit, with Glass Inking Slab, 4 x 10"



Single Fingerprinting Unit, with ID Technologies, Inc. Pad

### Wood Riser/Backing Plate

- for SS Inking Slab, 4 x 10 inches
- for SS Inking Slab, 5 x 12 inches

## Ink Remover Towelettes



### Fingerprint Ink Remover Towelettes

Individual, disposable wipes, eliminate ink residue from fingers. Saturated with a mildly fragrant cleansing lotion, leaving skin soft and smooth.

- Quantity: 100 individual wipes per box



### Ink Rollers

- Available in 2, 3 & 4 inches wide
- Steel-Grip Handle roller also available in 3 inches wide

## Fingerprint Magnifiers



### Fingerprint Classifier

- 4.5x Fingerprint Classifier Magnifying Glass
- Battley Disc (concentric circles)
- Crosshair Disc (two crossing lines)
- Henry Disc (one line)



### Folding Fingerprint Magnifier

- 6x Folding Fingerprint Magnifier



### Pocket Latent Print Magnifiers

- 2x Shirt Pocket Folding Magnifier



### Latent Print Magnifiers


- 2.5" dia./ 2.5x Magnifier
- 3" dia./ 2x Magnifier
- 3.5" dia./ 2x Magnifier
- 4" dia./ 2x Magnifier
- 4.5" dia./ 1.75x Magnifier



### Tripod Fingerprint Magnifier

- 10x Tripod Fingerprint Magnifier

# Ultraviolet Lamps & Fluorescent Inks



Hand stamping is a preferred method of readmittance control and beverage control at many amusement parks and nightclubs. A Blak-Ray ultraviolet lamp is used with readmission inks to regulate access. In the case of readmittance control, attendant stamps the hands of patrons who wish to leave the premises and return a short time later. In the case of beverage control, patrons of drinking age typically have their hands stamped to differentiate them from minors.

## Recommended Ultraviolet Lamps

The high-intensity model B-100AP is popular in high patronage clubs and for outside use in amusement parks. The B-100AP's patented Cool-Touch Lamp housing is safe to touch so patron's and personnel's fingers will not be burned. The Fingerguard is recommended for readmission use to avoid contact with the bulb.

UVP's high-quality, wide style XX-15BLB Lamp is designed to eliminate large access. This fixture can be conveniently mounted on a wall or hung from the ceiling. An optional clear filter cover protects the tubes. The XX-40 illuminates broader expanse.



The 6-watt UVL-56 used in conjunction with the J-129 lamp stand and the 4-watt UVL-21 with the J-124 lamp stand are popular for use at indoor establishments.

When complete portability is required, UVP's ML-49 6-watt lamp operates off two 6-volt lantern batteries (or two rechargeable batteries

and charger), and the UVL-26P operates from its internal lead-acid rechargeable battery. For beverage control, bar personnel frequently use the convenient 4-watt UVL-4 lamp. This lightweight lamp is small enough to slip in a shirt pocket or carry on a cocktail tray. The UVL-4 operates off 4 standard AA batteries.



## Blak-Ray Readmission Inks



Ordinary inks can be transferred to another person's hand or imitated with an ink pen. When confronted with a crowd at the entrance (or bar), readmittance attendants (or bartenders) using other control inks and methods can be less than thorough on their inspection techniques and admit (serve) people with forged stamps causing potential security problems. Blak-Ray lamps and inks help to eliminate that problem, allowing personnel to quickly and accurately inspect each stamp.



The UV Stamp is made to out last any other conventional rubber stamp when using UV Re-admission inks.

# RIBtype® Products

When traditional marking solutions can't solve their problems, think of RI Btype® for large date and number stamps, an alternative to costly band stamps, and for text that changes.



## Labels & Vinyl Lettering

We manufacture labels & decals using a variety of substrates & colors, with adhesive back or adhesive front. Most are supplied with permanent pressure sensitive adhesive, removable adhesive and static cling are also available. Please contact our customer service department for info & pricing. We have an in-house art department or will work from your supplied art.



# Awards & Recognition Products

Our Recognition Products help dress up your office & are great for pointing out special achievements. All items are available in a variety of shapes & sizes, and they are engraved to your exact specifications.

## Laser Engraving



## Laser Marble



## Cast Bronze Plaques



## Award Plaque




## Acrylic Award



## Etched Brass

# Engraving Custom Signage

Metal Wall Holders are available in three stock colors: Gold, Silver & Black. Special sizes are also available to suit your needs. Please call for quotes.



## Metal Wall Holders



## Custom Wall Signs

### STOCK COLORS

- Black / White
- White / Black
- Gray / White
- Red / White
- Blue / White
- Green / White
- Maroon / White
- Brown / White
- Walnut / White
- Silver / Black
- Yellow / Black
- White / Blue
- White / Red



# Engraving

## Custom Architectural & ADA Signs

Our engraved Architectural Signage is designed to meet your exacting specifications. All signs are available framed with square or round corners. Frames are available in five stock colors: Black, Brown, Gray, Almond & White. Call for special colors and sizes.

Signage can be made with attached raised braille lettering to comply with the Americans with Disabilities Act. Frames for regular Architectural Signage and ADA Compliant Signage are fully interchangeable.

No. CA14 ▼  
**690**  
1 3/4" x 4 1/8"

No. CA413 ▼  
**MEDICAL RECORDS**  
4 1/8" x 13 1/8"

No. CA66 ▼  
**HEARING ROOM 4**  
6 1/8" x 6 1/8"

No. CA19 ▼  
**DAVID MOURY**  
1 3/4" x 9 1/8"

No. SS210 Slider Sign ▼  
**IN USE | CONFERENCE ROOM**  
2" x 10"

No. CA99 ▲  
**RADIOLOGY X-RAYS 201-203**  
9 1/8" x 9 1/8"

*Important To Remember When Ordering:*

- Sign Size
- Sign Color
- Letter & Braille Color
- Letter Style
- Holder Color
- Mounting Method

STOCK COLORS	
	Black / White
	White / Black
	Gray / White
	Red / White
	Blue / White
	Green / White
	Maroon / White
	Brown / White
	Walnut / White
	Silver / Black
	Yellow / Black
	White / Blue
	White / Red

Call for Sign Quotes...1-714-979-1405

## Custom Desk Plates & Name Tags

- Important To Remember When Ordering:*
- Plate or Badge Size
  - Plate or Badge Color
  - Letter Color
  - Letter Style
  - Holder or Fastener
  - Logo and Color

Ultra  
**ACCOUNTING**

Acrylic Base  
**TOM F. FISHER**

Standard Holder  
**Patricia Haver**  
Vice President - Marketing

Walnut Block & Card Holder  
**MICHAEL GRESCH**

Wall Mount  
**Rebecca Young**


Double Sided  
**NEXT WINDOW PLEASE**

**Full Color Custom Nametags**

## Engraved Letter Styles

- Helvetica Medium
- Helvetica Bold
- Helvetica Italic
- Times Roman
- News Gothic
- Script

## Fastener Types



**Ultra**  
No. UL01 1-3/4" x 9-1/8"

**Acrylic or Wood Base**  
No. AC01 2" x 8"  
No. AC02 2" x 10"  
No. WD01 2" x 8"  
No. WD02 2" x 10"

**Standard Holder**  
No. SH01 2" x 8"  
No. SH02 2" x 10"

**Walnut Block with Card Holder**  
No. CB01 2" x 8"

**Walnut Block**  
No. WB01 2" x 8"  
No. WB02 2" x 10"

**Wall Mount**  
No. WM1 2" x 8"  
No. WM2 2" x 10"

**Double Sided**  
No. DS01 2" x 8"  
No. DS02 2" x 10"

## Engraved Custom Nametags

**GLAMOUR 2000**  
**CYNTHIA JOHNSON**  
1-1/2" x 3"

**San Dimas**  
**LINDA SMITH**  
VICE PRESIDENT  
1-1/4" x 3"

**Jim Spaltro, PhD**  
Clinical Psychologist  
1" x 3"

**Buttons & Bows**  
**Liz**

**D&Wolfe**  
*One day and you're done.*  
**Gerri Chase**

**PAT HAUER**  
a

**BILL MATTHEWS**  
VICE PRESIDENT  
1" x 3"

# Mark-Hitt Industrial Ink List



## MARK-HITT TWO-PART EPOXY INK

**Surfaces:** Ceramics, phenolics, polyesters, melamines, silicones, ferrous and non-ferrous metal, glass, electronics.

**Drying Time:** Air dry from 2-3 hours. Curing time can be speeded up by adding heat. 7 to 10 days required for maximum adhesion, and chemical resistance. Require addition of a catalyst immediately prior to use.

**Characteristics:** Meets Spec. MIL-I-43553. A two-part epoxy ink with a high degree of adhesion to the most difficult surfaces. Becomes permanent after curing. Excellent resistance to solvents and chemicals.

**Colors:** Black, White—1/2 oz. packets, quarts available. Other colors available on special order.

**Applications:** Especially formulated for the electronics industry for use with Markem, Prencro, Rezafix, Jan Tech, Mark & Pack, Eastern and other parts marking machines. May also be applied with a rubber stamp by rolling out a thin film of ink with a brayer on a smooth surface.

## MARK-HITT INVISIBLE STAMP INK

**Surfaces:** Skin—Usually hands.

**Drying Time:** Instant.

**Characteristics:** Ink is made so that it will show up only under a Black ultraviolet light. Used for identification purposes at dances, pools, private picnics, etc.

**Colors:** Blue—when put under light.

## MARK-HITT No. 214 STAMP INK

**Surfaces:** For stamping semi-absorbent and non-absorbent surfaces such as glossy paper, painted surfaces, metal, hardwood, electronic parts.

**Drying Time:** 30 to 60 seconds.

**Characteristics:** Good adhesion, non-acid, waterproof...Approved by Dept. of Agriculture for use on food packages.

**Colors:** Black, Blue, Red, Purple, White, Yellow, Orange, Green and Brown.

## MARK-HITT STAMP INK THINNER #141

For: #141, CELLOPHANE, INDELIBLE, A. X., OPAQUE, #628, #214, or any ink used with opaque pads.

**Characteristics:** These thinners have the same solvents used in each particular ink. Only the color is eliminated. Will rejuvenate the ink or pad and will bring it back to its original state and drying time. Can also be used for cleaning rubber stamps.

## MARK-HITT PARACHUTE INK #6903

**Surfaces:** Nylon parachute cloth, parachute pack cloth and webbing.

**Drying Time:** Within 10 seconds after stamping on material.

**Characteristics:** When applied with rubber stamp, will produce a sharp legible impression, indelible. Meets Gov't. Spec. MIL-I-6903.

**Colors:** Strata Blue, Orange-Yellow, Red, Black.

## MARK-HITT METAL MARKING & STENCILING INK

**Surfaces:** For marking and stenciling iron, steel drums, boilers, sidewalks, and any painted or non-absorbent surface.

**Drying Time:** Will set to touch in 5 minutes. Will dry in 10 to 15 minutes.

**Characteristics:** To be used with ordinary pot and stencil brush. Can be prepared for use in fountain brush if order is made to read "Metal F.B.". Ink has good adhesion, is rub resistant and waterproof. Gov't. Spec. TT-I-558 and MIL-I-1795A Type I.

**Colors:** Black, Red, Blue, Green, White, Yellow, Orange, Brown, Silver. Matched and Gov't. colors can be made to order.

## MARK-HITT NO. 432 INK

**Surfaces:** Metal parts, plastic parts, printed circuit boards, glass, polyethylene, polypropylene excellent adhesion on all hard to mark surfaces.

**Drying Time:** 15-30 seconds. The longer this ink is allowed to dry, the harder the impression becomes, making it more resistant to solvents and other washes.

**Characteristics:** Made it resist solvents such as degreasers, freon, alcohol, trichloroethylene, cleaning fluids, soap, water.

**Colors:** Black, White, Yellow, Red, Blue, Orange, Green, Purple.

## MARK-HITT INDELIBLE INK

**Surfaces:** Absorbent surfaces, linen, hosiery

**Drying Time:** Almost immediately, depending on absorbency of material.

**Characteristics:** Will withstand many washings. Can be used with rubber or metal stamp or stencil if used sparingly.

**Colors:** Red, Blue, Green, Purple, Yellow, White.

## MARK-HITT No. 245 STAMP INK

**Surfaces:** Any non-absorbent material. Very good for all types of cellophane.

**Drying Time:** 3 to 5 seconds.

**Characteristics:** A very fast drying ink that has excellent adhesion on most non-absorbent surfaces. Makes sharp impressions that are very rub resistant. Good for production line work because of its quick drying characteristics and ability to adhere to a wide variety of materials. Approved by Dept. of Agriculture for use on food packages.

## MARK-HITT No. 628 POLYETHYLENE STAMP INK

**Surfaces:** Treated Polyethylene, plastics, metal and most non absorbent surfaces.

**Drying Time:** 5 to 10 seconds.

**Characteristics:** Quick drying, waterproof, EXCELLENT ADHESION. Very good on hard to mark polyethylene. Comes in vivid pigmented colors. Will not migrate through plastic. Conforms to Gov't. Spec. Mil-I-16557 a type 1. Approved by Dept. of Agriculture for use on food packages.

**Colors:** Black, Red, Blue, Green, Yellow, White, Orange, Purple, Brown, RED conforms to Gov't. Spec. TT-I-554A.

## MARK-HITT A.X. STAMP INK

**Surfaces:** Non-absorbent—for stamping and pen use on highly glazed surfaces, metallic labels, painted surfaces, electronic parts, hardwood, celluloid.

**Drying Time:** 30 to 60 seconds.

**Characteristics:** Acid base, good adhesion, etches slightly into surface, waterproof. Gov't. Specs. TT-I-545a; TT-I-547a. Approved by underwriter lab for use on electrical fixtures.

**Colors:** Black, Blue, Red, Green, Purple and Brown.

## MARK-HITT INDELIBLE LAUNDRY INK

**Surfaces:** Used with pen, rubber stamp or stencil for marking linen and clothing.

**Drying Time:** Almost immediately—Depending on absorbency of material.

**Characteristics:** Acid base. Will not bleach out, no preparation or hot iron required, can be washed immediately after marking. Not to be used on top of sizing. Gov't. Spec. TT-I-542.

**Colors:** Black.

## MARK-HITT 476 SOLVENT RESISTANT INK

**Surfaces:** Metal parts, plastic parts, printed circuit boards, glass.

**Drying Time:** 30 to 60 seconds depending on surface.

**Characteristics:** Made to resist solvents such as degreasers, alcohol, cleaning fluids, etc. The longer this ink is allowed to dry, the more resistant it will be to solvents.

**Colors:** Black, White, Yellow, Red, Orange, Green, Blue, Purple.

## MARK-HITT No. 1250 INK

**Surfaces:** All non-absorbent surfaces such as metal, cellophane, foil, resin coated photographic paper, mylar, chrome coated labels, food packaging.

**Drying Time:** 10 to 15 seconds

**Characteristics:** The ink specifically formulated for use on the Mark II stamp pad. An excellent all purpose ink. Waterproof, excellent adhesion, USDA approved for food packaging. Conforms to Gov't. Spec. TT-I-1795A, Type I, when a stamping ink is required. Also Meets Spec. MIL-16557A, Type I.

**Colors:** Black, Blue, Red, Purple, Green, Brown, White, Yellow, Orange, Silver.

**NOTICE:** While the manufacturer takes utmost care in compounding & manufacturing these inks, we cannot guarantee their performance. All inks are sold with the understanding that our liability with respect to any defective ink is limited to the replacement of the ink.

# Military & Government Specifications Concerning Ink

## TT-I-521

**INK: COPYING AND RECORD** - shall be of blue-black type - suitable for writing permanent records - not recommended for making more than one press copy, nor for use in fountain pens, nor for other ordinary purposes.

## TT-I-526a

**INK: DRAWING (FOR GLAZED SURFACES)** - Drawing inks covered by this specification are intended for use on plastic surfaces, such as celluloid, cellulose acetate, and vinylite and are applied by pen or brush.

## TT-I-528B

**INK: DRAWING, WATERPROOF, BLACK** - This specification covers black, waterproof drawing ink for general drafting use (drawing and tracing).

## TT-I-540

**NUMBERING MACHINE INK** - Ink suitable for use with hand operated, selfinking numbering machines having a felt inking pad and metal type.

## TT-I-542

**INDELIBLE LAUNDRY INK** - indelible ink for marking fabrics, ink suitable for use in a power-operated laundry marking machine, for marking impressions with rubber stamps, and for marking with pen points.

## TT-I-544

**MARKER, FELT TIP** - This specification covers dry marking ink for use with felt tip fountain type markers on porous and non-porous surfaces. - Intended for use in felt tip marking pens for freehand marking, writing, or drawing on materials such as fiberboard, paper, wood, burlap, or metal.

## TT-I-545a

**MARKING INK, QUICK DRYING, FOR PHOTOGRAPHIC FILM** - This ink is intended for marking cellulose acetate base film. - Ink shall not etch the film.

## TT-I-547a

**NUMBERING MACHINE INK FOR PHOTOGRAPHIC NEGATIVES** - The numbering machine ink covered by this specification is intended for use in marking on the uncoated side of photographic negatives.

## TT-I-554a

**STAMP PAD INK, RED, FOR PHOTOGRAPHIC PRINTS** - For stamping from a pad, clear, legible impressions on the face of photographic prints. - Shall be dry in not more than 15 seconds.

## TT-I-556d

**QUICK DRYING RUBBER STAMP INK** - For making impressions on paper or corrugated with a rubber stamp.

## TT-I-557

**INK; STENCIL, DUPLICATING MACHINE, CLIMATEPROOF, BLACK, CASTOR OIL BASE** - The ink shall work satisfactorily in rotary stencil duplicating machines, and shall produce impressions which can be easily read when printed on one or both sides of the specified paper.

## TT-I-558c

**MARKING STENCIL INK, OPAQUE, FOR NONPOROUS SURFACES (METAL, GLASS, ETC.)** - The ink covered by this specification is a light and water resistant, fast drying, flat finish stencil ink for marking metals, glass, stone and similar nonporous surfaces. - It is intended primarily to be used with an ordinary wood handle stencil brush and stencilboard. - It may also be used with a hand lettering brush or may be applied by spray or roller coater.

## TT-I-559

**STENCIL INK: OPAQUE, FOR MARKING POROUS SURFACES (WOODEN BOXES, FIBER CARTONS)** - This specification covers weather-resistant, fast drying, flat finish inks of the type used for marking fiberboard cartons, wooden crates, boxes, bales, sacks and burlap porous materials used as shipping containers and for other purposes. - It is suitable for application through a perforated and/or machine cut metal, plastic, or oiled-paper stencil board, primarily with a brush of either the fountain or ordinary wood handle type.

## TT-I-560

**INK; STENCIL, DUPLICATING MACHINE, BLACK, FOR USE ON TWIN CYLINDER EXTERNALLY INKED STENCIL DUPLICATING MACHINES** - This specification covers mimeograph ink for use on twin-cylinder externally inked duplicating machines in the stencil duplicating process.

## TT-I-564

### **INK: STENCIL, DUPLICATING MACHINE, BLACK**

**Type I - Oil Base Ink, Climateproof** - Intended to give satisfactory operation under all climatic conditions.

**Type II - Emulsion-Base Ink - Inks.** They are the water -in-Oil emulsion type inks. They are all-purpose inks which dry rapidly with a minimum of offset or strike-through on mimeograph papers and will give impressions with a minimum of offset on hard-sized papers.

**Type III - Hard-Set Ink - Are hard -Set Inks** which give you clean, clear impressions on hard-sized papers, smudge-proof when dry and are not affected by water.

**Type IV - Fast-Drying Ink (Water Soluble)** - Inks which dry on contact with the paper. They should operate well on hard-sized papers. This ink will operate satisfactorily only in closed cylinder machines.

## TT-I-600a

**INKING PAD, RUBBER STAMP** - This specification covers fabric, wooden, and foam latex rubber or foam plastic pads, without ink or with ink, in three sizes, for use with rubber stamps in general office use.

## TT-I-1795A

### **INK, MARKING, STENCIL, OPAQUE POROUS & NON-POROUS SURFACES**

**Type I - non-porous surfaces - Metal Marking Ink**

**Type II - porous surfaces - OB Ink**

**Type III - porous & non-porous surfaces in spray cans -Types I & III stencil inks** are a light and weather resistant, fast drying, flat finish for marking metals, glass, stone and similar non-porous surfaces intended to be used with stencil brush, hand lettering brush, roller coater, spray and stencil board - Types II & III stencil inks are weather resistant, fast drying, flat finish for marking fiberboard cartons, wood crates and boxes, bales, sacks and burlap and similar porous surfaces. - Intended to be used with same as above.

## MIL-I-3218

**MEAT STAMPING INK** - Specification covers ink to be used for stamping inspected meat.

## MIL-I-6903c

**INK, MARKING, PARACHUTE** - The ink covered by this specification is intended for marking parachutes and other items of cloth construction. -Impressions on nylon shall dry within 5 seconds after stamping.

## MIL-M-7911

**MARKING, IDENTIFICATION OF AERONAUTICAL EQUIPMENT, ASSEMBLIES AND PARTS** - Ink requirements for identification of all equipment, assemblies, and parts for aircraft. - The marking shall be as permanent as the item on which it is placed. - Used on electronic and electrical parts.

## MIL-I-15883A

**WRITING INK, PERMANENT, SEAWATER AND FUEL OIL RESISTANT** - This specification covers the requirements for a permanent type writing ink that is resistant to seawater and fuel oil. - The ink shall be a stable, free flowing, non-corrosive fluid which shall provide permanent written copies unaffected by seawater and fuel oils

## MIL-I-16557A

### **INK, MARKING, QUICK DRYING (FOR NON-POROUS SURFACES)**

**Type I - Cellulose Base**

**Type II - Oil Base-quick drying marking inks** for metallic or other non-porous surfaces. - Marking ink, as covered by this specification, is a rapid drying, grease, oil, solvent and water resistant material, which is suitable for use with hand or automatic equipment in stenciling.

## MIL-I-43553

**INK, MARKING, EPOXY BASE** - A catalyzed epoxy system of marking inks for metallic or other non-porous surfaces.

## A-A-208

### **INK, MARKING, STENCIL, OPAQUE (POROUS AND NON-POROUS SURFACE)**

The commercial item description covers four types of opaque stencil ink for marking porous and non-porous surfaces. The opaque stencil inks shall be one of the following types, as specified:

**Type I** - For use on non-porous surfaces (non-pressurized containers).

**Type II** - For use on porous surfaces (non-pressurized containers).

**Type III** - For use on porous surfaces (pressurized containers).

**Type IV** - For use on porous or non porous surfaces (stencil rollers)

# *HITT Marking Devices Inc.*



**3231 W. MacArthur Blvd. • Santa Ana, CA 92704**

**Phone: 714.979.1405 • Fax: 714.979.1407**

**Toll Free Phone: 800.969.6699 • Fax: 888.979.4488**

**Website: [www.hitmarking.com](http://www.hitmarking.com) • E-mail: [sales@hitmarking.com](mailto:sales@hitmarking.com)**

Hitt Marking Devices, Inc. is family owned and operated. Our success is due greatly to our fast, friendly service. Orders are shipped the same day the order is received on all Custom Rubber Stamps or other Marking Devices in stock. We also offer a 2-4 Hour Rush Service.

Hitt Marking Devices is among the very few who offers a **LIFETIME GUARANTEE** on the majority of the products they sell. This is possible because of our commitment to selling only the highest quality products.

We, at Hitt Marking Devices, Inc., want you to be satisfied with your new Marking Device. *"If you're not happy, we're not happy."* Please return item for replacement or a full refund.