Revision Date: 6/25/2015

1. PRODUCT IDENTIFICATION

6600 PRODUCT NAME:

PRODUCT COLOR: Black, Black 37038

Blue, Reflex Blue

Gold Gray Silver Violet White

RECOMMENDED USE: Screen Printing, Rubber Stamp Marking.

Manufacturer/Supplier:

Hitt Marking Devices 3231 W. MacArthur Blvd. Santa Ana. CA 92704 Ph. 714-979-1405 USA

Emergency Telephone Number:

TRANSPORTATION: CHEMTREC: 1-800-424-9300 (North America)

1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Emergency Overview:

GHS Classification:

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

GHS label elements, including precautionary statements



Signal Word Warning

Hazard Statements

H302 Harmful if swallowed H319 Causes serious eye irritation H335 May cause respiratory irritation

H351 Suspected of causing cancer SDS# 6600-01 Revision Date: 6/25/2015

Precautionary Statements

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area

P280 Wear protective gloves/protective clothing/eye protection/face protection

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

P337+P313 If eye irritation persists: Get medical advice/attention

P403+233Store in a well-ventilated place. Keep container tightly closed P501 Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
2-(2-Butoxyethoxy)ethanol	112-34-5	5-15
Isophorone	78-59-1	2-10

4. FIRST AID MEASURES

First Aid Measures

Ingestion: If swallowed, do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Rinse mouth with water. Consult a physician.

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes and

consult a physician.

Skin: Wash off with soap and plenty of water. Wash contaminated clothing

before reuse. Consult a physician.

Inhalation: If breathed in, move person into fresh air. If not breathing, give

artificial respiration. Consult a physician.

Most important symptoms and effects

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Water fog, Multipurpose foam, Dry chemical, CO₂

Specific hazards in case of fire:

Fight as volatile liquid fire

Hazardous combustion products:

Carbon oxides, Nitrogen oxides, organic combustion products which may be toxic and/or irritating

Protective equipment and precautions for fire fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Wear chemical goggles, gloves, boots and protective clothing. Wear respirator if necessary. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition and heat.

Environmental precaution:

Prevent additional discharge of material. Prevent material from entering sewers or water courses.

Methods and materials for containment and cleaning up:

Absorb small spills with sand, filter-aid, vermiculite or other inert absorbent material, them place in a chemical waste container. For large spills, contain with sand or earth dikes. Dispose of waste in accordance with applicable government regulations.

7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid contact with eyes. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink of smoke when using this product. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Unscrew all caps slowly. Do not unscrew entirely until all pressure has been completely released. Keep away from heat/sparks/open flames/hot surfaces. Emptied containers may retain residues. Precautions apply to emptied containers.

Conditions for safe storage, including incompatibilities:

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep storage temperature between 4-32 \Box C (40-90 \Box F). Incompatible with strong oxidizing agents, strong acids, strong bases, alkali metals and halogens.

SDS# 6600-01 Revision Date: 6/25/2015

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines:

	Chemical Name and CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ī	2-(2-butoxyethoxy)ethanol	None	None	None
	112-34-5			
Γ	Isophorone	CEILING:5 ppm ppm	TWA: 25 ppm	IDLH: 200 ppm
	78-59-1		TWA: 140 mg/m ³	TWA: 4 ppm
			_	TWA: 140 mg/m ³

Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. Local exhaust and mechanical ventilations are recommended to be used as engineering controls.

Individual protection measures, such as personal protective equipment:

Eye/Face protection: Safety glasses with side shields or chemical goggles must be worn.

Skin/Body protection: Wear protective gloves. Wear suitable protective clothing and footwear

appropriate for the risk of exposure.

Respiratory protection: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Property Values Remarks-Methods

Physical staiteuid

Odor: Low

Odor threshold: Not determined

Not determined

Melting point/freezing point: Not determined Boiling point/Boiling range: Not determined

Flash point: >93.3 C / >200 F Tag Closed Cup

Evaporation Rate: butyl acetate = 1 Flammability (solid, gas): Not determined **Upper/lower flammability limits:** Not determined

Vapor pressure: Not determined

Vapoaridensity: Specifiategravity:

Water solubility: Not soluble

Solubility in other solvents: Not determined

Partition Coefficient: Not determined

Auto-ignition Temperature: Not determined **Decomposition temperature:** Not determined

Viscosity: Not determined VOC Content (%): 30% **VOC Content:** 3.5 lbs/gal

10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

Revision Date: 6/25/2015

Reactivity:

Keep away from heat above 150 F. Irreversible polymerization will cause heat buildup

Chemical Stability:

Stable under recommended storage conditions.

Possibility of hazardous reactions:

None under normal processing.

Conditions to avoid:

Keep out of reach of children. Keep away from heat, sparks and open flame. Keep away from contact with incompatible materials.

Incompatible materials:

Strong oxidizing agents, strong acids, strong bases, alkali metals, halogens

Hazardous decomposition products:

Carbon oxides, nitrogen oxides, thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact: Causes serious eye damage

Skin contact: May cause skin irritation. Harmful if absorbed through skin

Inhalation: May cause respiratory irritation.

Ingestion: Harmful if swallowed

Component Information:

Chemical Name and CAS#	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-butoxyethoxy)ethanol 112-34-5	=5660 mg/kg (Rat)	=2700 mg/kg (Rabbit)	No Data Available
Isophorone 78-59-1	= 1,870 mg/kg(Rat)	= 1,382 mg/kg(Rabbit)	= 4,600 mg/m ³ (Guinea Pig) 8 h

Information on physical, chemical and toxicological effects:

Symptoms Please see section 4 of this SDS for symptoms

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Carcinogenicity:

SAFETY DATA SHEET

Revision Date: 6/25/2015

Chemical Name	ACGIH	IARC	NTP	OSHA
Isophorone	A3	No	No	No

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 – Confirmed human carcinogen

A2 – Suspected human carcinogen

A3 - Confirmed animal carcinogen with unknown relevance to humans

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Limited evidence of carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity:

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
and CAS#			microorganisms	
2-(2-butoxyethoxy)ethanol	LC50 – Desmodesmus	LC50 - Lepomismacrochirus	LC50 – Pseudomonas putida	EC50 – Daphnia magna -
112-34-5	suspicatus - >100 mg/l –	– 1300 mg/l – 96h	– 1170 mg/l – 16hr	>100 mg/l – 48hr
	24hrs			-
Isophorone		LC50 – Pimephales		EC50 – Daphnia magna –
78-59-1		promelas - 145 mg/L - 96h		120 mg/L – 48h

Persistence/Degradability:

Not determined

Bioaccumulation:

Not determined

Mobility:

Not determined

Other Adverse Effects:

No data available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local

laws and regulations .

Contaminated Packaging: Dispose of as unused product in accordance with applicable regional, national

and local laws and regulations .

SECTION 14 – TRANSPORTATION INFORMATION

SDS# 6600-01 Revision Date: 6/25/2015

DOT

UN number None

Proper shipping name Not Regulated

Hazard class None Packing group None

ERG# 129

IATA

UN number None

Proper shipping name Not Regulated

Hazard class None Packing group None

IMDG

UN number None

Proper shipping name Not Regulated

Hazard class None
Packing group None
Marine pollutant No

SECTION 15 – REGULATORY INFORMATION

TSCA STATUS: All Components listed

OTHER REGULATORY:

CERCLA Ingredient(s) **SARA 302** SARA 311/312 **SARA 313** RECRA 2-(2-butoxyethoxy)ethanol No A, C Yes No No Isophorone F, A No No No Yes

SARA 311/312 Codes: R = Reactive Hazard

P = Pressure Hazard F = Fire Hazard A = Immediate/Acute C = Delayed/Chronic

California Prop. 65 Components: Chemicals known to the state of California to cause birth defects or other reproductive harm:

This product does not contain any chemicals known to the state of California to cause cancer, birth defects or any other reproductive harm.

SECTION 16 – OTHER INFORMATION

HMIS:

Health: 2
Chronic Health Hazard *
Flammability: 1
Reactivity: 1

Revision Date: 24-Jun-2015

SAFETY DATA SHEET

SDS# 6600-01 Revision Date: 6/25/2015

Replaces: 08-Jan-2009 **Revision Note:** New SDS format

Prepared by: Ken Hitt

DISCLAIMER OF LIABILITY

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material described in this MSDS. Information contained herein is given in good faith and believed to be true and accurate, but all statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material, or results to be obtained from the use thereof. All of the listed ingredients in this product that are considered to present a health hazard as defined in Appendix A of the OSHA "Hazard Communication" standard (29CFR 1910.1200) as listed in Section II. All of the information given, including ingredient identification, CAS Number, and quantity, is proprietary information, which has been provided in order to meet the objective of the "Hazard Communication" standard. Data provided here are typical and not intended for use as product specifications. This formulation information is confidential, and only to be disclosed in accordance with Federal and State safety and health regulations. Permission to disclose any ingredient information for any other purpose is neither given nor implied.