VISIT OUR WEBSITE
WWW.hittmarking.com



MARKING DEVICES

A Division of The Hitt Companies, Inc.

Manufacturers of Marking Devices, Equipment & Supplies



RUBBER STAMPS



SELF-INKING STAMPS



PRE-INKED STAMPS



DATE STAMPS





ELECTRIC TIME & DATE MACHINES



EMBOSSERS



PLAQUES & AWARDS



STENCILS & SUPPLIES



INDUSTRIAL MIL-SPEC INKS



UV LAMPS & INKS



BAND STAMPS





Phone: 714-979-1405 • Fax: 714-979-1407

Toll Free Phone: 800-969-6699 • Fax: 888-979-4488

Website: www.hittmarking.com • E-mail: sales@hittmarking.com

Hitt Marking Devices

How We Began

Dear Customer,

The following letter was written several years ago and presented to Harold Hitt, President, by his father at an awards banquet. We felt it was worth sharing and believe it will provide you with some insight into how Hitt Marking Devices began.

In keeping with the all American dream, for sometime our son Harold, together with his wife Heidi, had been looking for a business they could establish where they would "be their own boss." In 1987 they came to my wife Dottie and me, with a proposal. It wasn't a proposal to borrow money from us to start their dream business. What Harold proposed was a true partnership where he and Heidi would match our investment and we would start a Rubber Stamp Business." He suggested that this business be started in my garage using some old outdated equipment donated to the cause by Heidi's mother, who owns and operates a rubber stamp business in Hemet, CA.

The plan was that Dottie would make the stamps. Harold and Heidi would function primarily in sales. We agreed to the plan and the family business, "HITT MARKING DEVICES" was begun. The company grew quickly and it wasn't long before Harold, Heidi and Ken had to quit their jobs, and come into the business full time to assist Dottie in manufacturing and sales. Harold and Ken made sales calls and deliveries in the morning, then rushed back to help Heidi and Dottie manufacture, invoice and ship out the daily orders. Also as a result of the company's rapid growth, it wasn't long before they were bumping into each other in our garage. Harold began looking for a more suitable location, in the Orange County area. In addition to the fact they needed more space, Harold confessed to being embarrassed to tell his customers that he was operating out of "a garage."

We truly stepped out on faith, but hedged that faith at Harold's direction, by moving into the same general area where several large national and international corporations had established their home offices. New product lines were added such as: specialty inks, stone stamp pads, fingerprint pads, engraving, plaques & awards, stencils, labels, electric time recorders, electric branding machines, etc. It truly became a marking device business, instead of merely a rubber stamp business.

We were recently awarded **HEAVY WEIGHT SUPPLIER OF THE YEAR** by Marking Industry Magazine. Harold has made it clear that he isn't going to be satisfied with being just another marking device company. He wants to be the best and the biggest. He is committed to offering the best in service, together with a quality product which is competitively priced. We are not the biggest yet but we are the best, thanks mostly to Harold and the dream that he held onto and sacrificed to achieve. Also, thanks to Harold's philosophy of providing both quality and good service, and the efforts of our youngest son Ken, our company, Hitt Marking Devices was awarded Nordstrom Department store's "SUPPLIER OF THE YEAR" award. Since Nordstrom is considered to be a leader in both quality and service, this was no small accomplishment. We are grateful to Ken for making it happen. Ken, who entered the business in late 1988, has be-

The Hitt Family



FROM TOP LEFT: KEN, SUE AND AT BOTTOM LEFT THEIR
DAUGHTER, LISA. TOP RIGHT: HAROLD, WIFE HEIDI AND
DAUGHTERS BRITTANY AND BROOKE



FATHER AND MOTHER: DONALD & DOROTHY HITT CO-FOUNDERS (RETIRED)

come an invaluable member of Hitt Marking Devices family team, as demonstrated by this award.

One of Harold's stated goals from the very beginning has been to provide a source of income for his dad and mom's retirement. That goal has now been achieved much earlier than we ever dreamed it could.

This award given this 14th day of December, 1993, by his proud parents, Don and Dottie Hitt.

In the years since this letter was written, Don and Dottie have retired to Washington State. Heidi is a stay at home mom with two children. Harold, President and Ken, Vice President still remain involved in day to day operations.

"If you're in the area we invite you to come by and see us."

CABLE OF CONTENTS

Hitt Marking Devices

lnk & Stamp Pads	1
How To Order Rubber Stamps	2
Typestyles	3
Hitt Stamper XL2 Pre-Inked Stamps	4-6
Hitt Traditional Self-Inking Stamps	7
Slim Stamp Pocket Stamps	8
Replacement Pads	8
PSI Daters, Locals & Line Daters	9
Pullman Alphabet Stamps	10
Pullman Numbering Stamps	11
Inspection Stamps & Line Daters	12
Stone Stamp Pads	12
Steel Hand Stamps	13
Electric Branders	13
Electric Time & Date Machines	14
Ticket Punches	15
Embossing Seals	16
Fingerprinting Products & Supplies	17-18
Ultraviolet Lamps & Fluorescent Inks	19
RIBtype® Products	20
Contact Labelers	21-24
Stencils	25-29
Awards & Recognition Products	30
Engraving Custom Signage	31
Engraving	31
Mark-Hitt Industrial Ink List	32
Military & Government Specs	33



How To Order Rubber Stamps

- 1. Choose the type for your stamp from the following page or leave it to our typesetters.
- 2. Select the mount style from below, and please specify "Handle" or "Moulding."
- 3. When a self-inking stamp is needed, specify style, size & color.

HANDLE



MOULDING



SELF-INKING



PRE-INKED



Please specify your justification preference when ordering:

THIS
IS FLUSH
LEFT


THIS
IS
CENTERED

THIS IS FLUSH RIGHT

TYPE SIZES & FRACTION EQUIVALENT CHART

6 pt. - 1/16" 24 pt. - 1/4" 8 pt. - 5/64" 30 pt. 5/16" 10 pt. - 3/32" 36 pt. - 3/8" 12 pt. - 1/8" 40 pt. - 1/2" 14 pt. - 5/32" 72 pt. - 3/4"

18 pt. - 3/16"



Rubber Stamp Typestyles

Please Choose Type Styles By Number

200 - HELVETICA MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

203 - TIMES MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

206 - BANK GOTHIC MR. & MRS. JOHN SMITH 1234 S. MAIN STREET MAYVILLE, CA 94567

209 - CHANCERY

Mr. & Mrs. John Smith 1234 S. Main Street Mayville, CA 94567

212 - FUTURA

MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

201 - HELVETICA CONDENSED MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

204 - BOOKMAN ITALIC MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

207 - COPPERPLATE MR. & MRS. JOHN SMITH 1234 S. MAIN STREET MAYVILLE, CA 94567

> 210 - PARK AVENUE Mr. & Mrs. John Smith 1234 S. Main Street Mayville, CA 94567

213 - OLD ENGLISH Mr. & Mrs. John Smith 1234 S. Main Street Mappille. CA 94567

202 - HELVETICA BOLD MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

205 - COURIER MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

208 - AVANT GARDE MR. & MRS. JOHN SMITH 1234 S. Main Street Mayville, CA 94567

211 - BRUSH SCRIPT Mr. & Mrs. John Smith 1234 S. Main Street Mayville, CA 94557

214 - OUTLINE

Sample Type Sizes & Styles

PTS	SIZE	
8	5/64"	APPROXIMATELY 14 LETTERS PER INCH
10	3/32"	APPROXIMATELY 11 LETTERS PER INCH
12	1/8"	APPROXIMATELY 9 LETTERS PER INCH
14	5/32"	APPROXIMATELY 8 LETTERS PER INCH
16	11/64"	APPROX. 7 LETTERS PER INCH
18	3/16"	APPROX. 6 LETTERS PER INCH
24	1/4"	AP. 5 LETTERS PER INCH
30	5/16"	AP. 4 LETTERS PER
36	3/8"	AP. 3 LETTERS P
48	1/2"	AP. 2 LETTER

These type effects are available for most of the above fonts.

THIS IS PLAIN

THIS IS BOLD

THIS IS ITALICIZED

THIS IS UNDERLINE

THIS IS OUTLINE

THIS IS SHADOW

THIS IS UPPER CASE

This is Upper and **Lower Case**

this is lower case

Hitt® Stamper XL2 Pre-Inked Stamps



The ultimate in pre-inked stamps has arrived! Hitt Stampers provide unsurpassed impression quality. No ink pad is needed - the ink is already in the stamp! Create thousands of impressions, remove the handle to add a few drops of ink to create thousands more. Hitt Stamper Pre-Inked Stamps are so durable, they come with a lifetime warranty!

- . No ink pad needed
- 5 different ink colors
- Custom artwork & logos available
- Re-inkable
- . Made in the U.S.A.
- Lifetime Guarantee



XL2-55

EMERSON UNLIMITED CORPORATION

3/16" x 2-1/2" 🔺

Compare to: X-Stamper N-05

XL2-75

REALTY SERVICES 836 BARRINGTON RD. SCHAUMBURG, IL 60061

Compare to: X-Stamper N-10

1/2" x 1-11/16" 🔺

XL2-115

MR. & MRS. JOHN SMITH 1234 S. Main St. Mayville, CA 94567

Compare to: X-Stamper N-11

11/16" x 1-15/16" 🔺

XL2-125

PAY TO THE ORDER OF FIRST BANK OF COLUMBUS FOR DEPOSIT ONLY EASTERN DATA SYSTEMS 736-4563-21

Compare to: X-Stamper N-12

1" x 2" 🔺

XL2-145



XL2-165

Harbor Heights Inc. 910 Fox River Dr. Newland, Oregon

Phone 374-888-4554 Fax 374-888-4555 www.harborheights.com

1-1/2" x 2-1/2" 🔺

Compare to: X-Stamper N-16

XL2-185

JANET	RON 🗆
CAROL	BETH
том 🗆	SUSAN 🗌
DONALD	PETER
45/40" 0.0/4" 4	Compone to

15/16" x 2-3/4"

Compare to: X-Stamper N-18

XL2-225

CASTLE CHIROPRACTIC

800 S.E. NORTHWEST HIGHWAY PALATINE, IL 60067 PH. (847) 991-1800 FAX (847) 991-1801

2" x 3" 🔺

Compare to: X-Stamper N-22

X-Stamper® is a registered trademark of Shachihata, Inc.

Hitt® Stamper XL2 Pre-Inked Stamps



XL2-700

X-Stamper N-24

ADDRESS INFORMATION CHA	NGE	
COMPANY:		XL2-275
NEW ADDRESS: CITY: STATE: ZIP:	heads i	FOR EMPLOYEE USE ONLY ute this information to all department n accordance to the rules and regulations ten in the company handbook. Please
NEW PHONE #:	read al the top referen	I information carefully. Sign and date copy and keep the white copy for future ce. Please return the pink copy to mantas soon as possible.
Z-5/4 x 5-5/4	1-7/8" x 3-7	. Compare to: X-Stamper N-27

Hitt® Stamper XL2 Pre-Inked Stamps



Hitt® Traditional Self-Inking Stamps




Our best stamp for high-volume stamping. Great for fast, repetitive impressions.


Perfect for general use as address, deposit, inspection or message stamps

Features:

- Translucent base for precise impression placement
- Refillable with ink or simple pad replacement
- Available in black, red, blue, green, brown, orange, pink or purple ink
- 5,000 impressions before re-inking







CANCELE



S-841



S-842

Mr. & Mrs. John Smith 1234 S. Main St. Mayville, CA 94567

S-843



S-844

PAID IN FULL East Farmer's Market Wholesale Meats "All USDA Choice"

7/8" x 2-3/8"

S-845



1" x 2-3/4

Slim Stamps™



Slim Stamps[™] are the perfect stamp to carry in your pocket or purse. The cover snaps shut to ensure no mess during transport. Perfect for Notaries or anyone who wants their stamp to be mobile.

SS 1854

SS 2773



1-1/16" x 2-7/8"

SS 1444

APPROVED

1/2" x 1-3/4"

SS 2264

FRANK JONES
Notary Public, State of California
No. 12-1234567
Qualified in Nassau County
Commission Expires March 30, 2007

11/16" x 2-5/16"

SS 4141

Wholesale Meats "All USDA Choice"



1-5/8" x 1-5/8"

11/16" x 2-1/8

No. 12345

No. 12345

SS 50R

2" Round

SS 3679

URGENT

Please Respond Immediately!

We need to hear from you soon. Your subscription has expired & we don't want any delay in service.

1-7/16" x 3-1/8"

Replacement Pads

Pad #	Size
0	Black, 2-1/4" x 3-1/2"
0	Red, 2-1/4" x 3-1/2"
0	Blue , 2-1/4" x 3-1/2"
0	Green, 2-1/4" x 3-1/2"
1	Black, 2-3/4" x 4-1/4"
1	Red, 2-3/4" x 4-1/4"
1	Blue, 2-3/4" x 4-1/4"
1	Green, 2-3/4" x 4-1/4"
2	Black, 3-1/8" x 6-1/8"
2	Red, 3-1/8" x 6-1/8"
2	Blue, 3-1/8" x 6-1/8"
2	Green, 3-1/8" x 6-1/8"
3	Black, 4-5/16" x 7-3/8"
3	Red, 4-5/16" x 7-3/8"
3	Blue, 4-5/16" x 7-3/8"
3	Green, 4-5/16" x 7-3/8"

Stone pads also available!



Ink Pads

We offer a wide range of sizes and colors. Our pads utilize the highest quality felt available to ensure excellent ink transfer. Available inked In a variety of colors: *Black, Blue, Red,* and *Green* Ink.



MaxLight Ink (for XL2 Pre-Inked, PSI Self-Ink, & Slim Stamp) 2 oz.





HEAVY METAL DATERS THAT ARE ECO-FR

THAT'S THE **Shirus** VALUE Heavy Metal ecoline

DATERS MADE WITH PET - 12 Year

Our Heavy Metal Line is sure to please the most demanding customers. We minimized plastic and maximized metal with this new design. The majority of remaining plastic is made from recycled PET, so using Shiny HM daters helps reduce waste in landfills. Yes, these are Heavy Metal (HM) Daters as the name implies, but super smooth oscillations make them easy to operate. Tested for over 1,000,000 impressions, the most demanding customers will never wear them out. Take comfort in knowing that the HM Daters are Eco friendly as well.



15/16" x 1-5/8" (24 x 41mm)

Two-color pads available. 9G



Two-color pads available. 9G

HM-6107



1-9/16" x 2-3/8" (40 x 60mm)

Two-color pads available. 9G



H-6101 APPROVED LOAN DEPARTMENT **OCT 08 2019** STEVEN'S Credit Corporation 1-1/4" x 1-1/2" (32 x 38mm)

Two-color pads available. 9G



1-3/4" x 1-3/4" (45 x 45mm)

Two-color pads available. 9G



1-7/8" x 2-5/8" (47 x 68mm)

Two-color pads available. 9G



HM-6109



1-3/4" Diameter (Ø 45mm)





1-3/16" x 2" (30 x 50mm)

Two-color pads available. 9G







1-5/16" x 2-3/16" (33 x 56mm)

Two-color pads available. 9G



Pullman Alphabet Stamps

Alphabet Stamps are ideal for stamping any combination of numbers or letters. Bands are quickly revolved with knurled wheels. For regular or industrial inks.

Ordering Instructions:

Gothic

Style

1

2

Style

Roman

Style "S"

1.

3.

Style

Specify total number of bands wanted. Show size and style number. Submit copy or sketch showing position of alphabet and figure bands in stamp. Also available are Alphanumerical bands, which contain alphabet and figures on each band.

C	7	Y	4.										Max. No.
0	8	Z	5.	SIZE (Gothic) BA-00	1 2 3	1"	7 8 9 0	2"	FFGH	3"	4"	5"	of bands 34
E	9	A	6.	,									
F	0	В	7.	(Gothic) BA-0X	1 2 3	4567	890	ABCD	EFGH	IJKL	M N		24
G	<i>y</i> ₈	C	8.	(Roman) BA-00	1 2 3	4 5 6	7 8 9	0 A B C	DEF	GHIJI	(L		30
н	4	D	9.	(Gothic) BA-0	123	4567	890	ABCD	EFGHI	JKLMN	OPORST		30
1	*	E	0.	(Roman) BA-0	1 2 3	4 5 6	5 7 8	9 O A B	CDE	FGHI	JKLMNOP		26
J	₩.	F	1	(Gothic) BA-1	123	4567	890	ABCD	EFGH	IJKLM	NOPORST		30
K	%	G	2	(Roman) BA-1	128	3 4 5	678	3 9 0 A	BCD	EFG	HIJKLMN		24
L	*	Н	3		1 2 7	1 1 5	675	200	ARCI	DEF	HIJKLM		
M	h	I	4	(Gothic) BA-2	1 2 -	747	076	3 7 0	ADCI	DEFE	IIII JKLM		23
N	\$	J	5	(Roman) BA-2	12	3 4	56	789	9 O A	BCD	EFGHI		19
0		K	6		1 2	7 /	. 5 4	70	00	A D C	DEEGHI		
P		L	7	(Gothic) BA-2 ¹ / ₂	1 2	24	トンで	0 / 0	70	ADU	DEFGHI		20
Q	X	M	8	(Roman) BA-2 ¹ / ₂	1 9	23	1!	56	78	90	ABCDE		16
R	-	N	9		T ,	50	T		• 0	JU	U O D D		
S	1	0	0	(Cathia) DA O	1 2	7	45	67	QQ	0.01	3CDEF0		
T	#	P	1/4	(Gothic) BA-3	1 5	-	マノ	0/	0 /	UAI	JODE! C		17
U	1	Q	%		1 0	າ ຄ	1	56	17	20	ADAT		
	2		1/4	(Roman) BA-3		40	4	JC) 6 (יככ	UADUL		14

For complete versatility...each band contains 38 characters: the complete alphabet, the figures 0 through 9, plus a period and a dash. See table below for maximum capacity of bands per stamp. See following page for self-inking model in sizes 0 through 1.

Style "U"

(Roman)

C

D

E

F

Style "T" (Gothic)

E

X

To order, Specify:

1) Type Size 2) Number of Bands & 3) Style Number of Bands in the order you want them.

1/2	Max No. Z	G ·	1 H
Size	1" 2" 3" 4" 5" of bands		
(Gothic) BAN-00	1 2 3 4 5 4 7 8 9 0 4 8 CD F F G H I I V I M N O B O B G T II V I	Н :	2 I
(0.010) 27 00	2	1	3 J
(Gothic) BAN-0X	1234567890ABCDEFGHIJKLMNOPORSTUVW		
(Roman) BAN-00	10045680000400000000000000000000000000000	J	4 K
(Hollian) BAN-00	1234567890ABCDEFGHIJKLMNOPQRSTU	K	5 L
(Gothic) BAN-0	1234567890ABCDEFGHIJKLMNOPOR 5	1	6 M
(Roman) BAN-0	1234567890ABCDEFGHIJKLMNOP 6	M	7 N
(Gothic) BAN-1	1234567890ABCDEFGHIJKLMNOPQR 7	N	8 0
(Gottile) BAN-1			O D
(Roman) BAN-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L 8	0	9 P
(Homan) BAIT		P	O Q
(Gothic) BAN-2	1234567890ABCDEFGHIJKLMN :	0	. R
		Q	• "
(Roman) BAN-2	1234567890ABCDEFGHIJ	R	- S

Pullman Numbering Stamps

Figures are shown actual size so you can determine maximum number of bands for a given width. Suppose that you want to stamp 8 interchangeable characters in a line so that the stamped impression is approximately 3" wide. Reading down the 3" line in the scale below, you find that the number 4 size Gothic stamp has 8 characters in that width. Therefore, you should order a JB 4-8. Need a special layout? We can add letter bands (A-M or N-Z) or a custom band in any position to meet your requirements. Ask for details.

	conventional self-inkin	s sizes and number of bands available on self-inking stamps (bands on No. 3 size g stamps contain 11 characters.) All sizes shown are available as manual stamps. mp is available in BDA Style only.	CHAR. SIZE	MAX OF B	
-	SIZE & STYLE	* 1" 2" 3" 4" 5"		REG.	SELF- INKER
	00 Gothic 00 Roman 0X Gothic 0 Gothic	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1	1/16" 3/32" 3/32" 1/8"	21 22 20 19	20 19 18 19
11	0 Roman	12345678901234567890	1/8"	17	16
	1 Gothic 1 Roman	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7	⁵ /32" 5/32"	19 15	18 15
	2 Gothic	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8	³ /16"	17	13
	2 Roman	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6	³ /16'''	15	11
	2 ¹ /2 Gothic	1234567890123456789	1/4"	19	14
	2 ¹ /2 Roman	123456789012345	1/4"	15	12
11.	3 Gothic	123456789012345	⁵ /16"	16	13
7500	3 Roman	1234567890123	⁵ /16"	13	10
	*BDA only 4 Gothic	1234567890123	⁷ /16"	13	/LE
	4 Roman	1234301690123	⁷ /16'"	11	STYLE
Ordering Special Assembly Stamps		1234567890	⁹ /16"	10	ELF-INKING
 Letter Bands are eith A-M or N-Z. Example of code needed: REV 345A 	ner 5 Roman	123456789	⁹ /16"	8	SZ
 Layout for ordering: N A N 0 0 0 A Z M Z 9 9 9 M 	6 Gothic	1424221	¹¹ /16"	9	NOT AVAILABLE
Part number for above: XCLB-1-7	7 Gothic	125456/	⁷ /8"	7	N N

Inspection Stamps & Line Daters





Neoprene Stamps





Insta Mark 116 & 126

Daters & Numberers

Line Dater

▼ Size #1 MAY 1 6 2007

▼ Size #1-1/2

MAY 1 6 2007

Line Numberer

▼ Model 0-6 1 2 3 4 5 6

▼ Model 1-8

2345678

Insta Mark 145

To Order:

Specify overall impression size. Example: 1/2 overall impression.

Note: When measuring stamp for the overall impression size, be sure to measure the longest possible dimension.

For Example:





- 2. If numbered, specify numbers desired. (Example: 1 thru 50)
- Provide us with a sketch of your needs. Example:







If special logo is required, please provide camera ready art. (One time pattern charge applies.)

Stone Stamp Pads



Stone Stamp Pads


This is the only stamp pad that can be used with solvent/acid based industrial marking inks without destroying the pad. A constant flow of ink from the porous stone helps create high quality, non-smear impressions.

• Sizes: #1, #2 & #3

Industrial Ink



Steel Hand Stamps



Mark-Hitt Electric Branders



Use the Model WB200 where lower branding temperatures are required.

Depending on the branding head size, temperatures of 700°F to 920°F are possible making the WB200 suitable for continuous low-volume branding of many softer materials such as leather, some plastics, and soft woods.

Although a good basic branding tool, it is not recommended for fast and repetitive production line applications as the tool's heat-generating capability is limited for such uses. See WB300 and WB400.

Model WB300

300 Watts, 120 or 220 VAC

With branding head temperatures that are 150°F to 200°F hotter than the WB200, this model performs well in the middle temperature ranges. Harder woods and many rubber products can be branded easily.



Model WB200

400 Watts, 120 or 220 VAC

This model performs in the higher temperature ranges for most head sizes. It is ideal for most materials including harder woods and rubber.

The WB400 provides branding temperatures from 925°F up to 1255°F depending on the head size.


* Ask your Hitt Marking Devices representative for specific recommendations.

Rapidprint Electric Time & Date Machines

Automatic Time Stamps Automatic Date Stamps Automatic Numbering Stamps

- · Automatically imprints when paper is inserted
- · Adjustable impact for multi-copy forms
- · Automatic ribbon advance and reverse
- · Durable brass type wheels
- · Made in USA
- · For printed record of time and date
- · Optional engraved brass plates will print customized message





Specifications:

Size: H7 7/16", W 4 11/16",

D 10 3/16"

Weight: 16 lbs. (approx.) Finish: Taupe hammertone Power: 1 15 volts ac - 60 Hz Throat Depth: 1 31/6" standard

Model AN-E

Weight: 16 lbs.

printed number): Standard 13/16"

Maximum 19/16" Minimum 1/8"

Finish: Taupe Hammertone

Power: 115 VAC, 60 Hz

1 9/16" maximum 1/8" minimum (with optional extended trigger.)

(ADN-E with manually set date section) Size: H-7¹¹/₁₆", W-4¹¹/₁₆", D-10¹³/₁₆"

Throat Depth (edge of paper to top of





sample impressions (reduced) BISHOP NATIONAL BANK 000358 MAR 22 S 000432 120-2 (Model ADN-E) (Model AN-E)

(Shown with fixed brass die plate engraving area.)

C724 Imprint

000432

Model C724L-E

(To order without clock face ask for C724)


Size: H-73/8", W-71/4", D-101/8"

Weight: 28 lbs

Finish: Taupe Hammertone Power: 115 VAC, 60 Hz

Throat Depth (edge of paper to top of

printed number): Standard 13/16" Maximum 19/16" Minimum 1/8"



RECEIVED

92 JAN 20 AM 12:01

JONES, INC.

Ticket Punches

Ordering Instructions:

Specify by catalog number. State type die wanted (design, figure, letter, round hole). Show exact die size (1/8", 1/4", etc.) State quantity needed. If receptable or finger ring is needed, specify separately on your order.



1/16" 1/8" 3/16" 1/4" Round Round Round Hole Hole Hole

#5 Punch - 1-1/2" Reach

A heavy-duty utility punch used extensively for premium cards, ticket cancellation and quality control.

#12 Punch - 2" Reach

Used for automotive inspection, agriculture counts, and ticket cancellation.

#12-L High Leverage Punch

Used for validating plastic identification cards.

#12-E Standard Punch - 3" Reach

A lightweight long-reach punch for quality control and chart work.

#PC-4 Template Punch

A light long-reach punch used to design test-score templates and for programming industrial machinery using plastic control charts.

#13 Strap-Slot Punch

Cuts 9/16" x 1/8" strap-slot holes in plastic identification cards. This punch can also be equipped with larger special purpose dies and multiple characters, e.g. "VOID".

Consecutive Numbering Machines



- All steel internal parts, one piece hardened steel frames assure trouble free operation for years.
- Three full years limited warranty on all parts and labor.
- Extra-firm inking pads will not collapse with daily use.

Consecutive Numbering Machines

Stock No.	No. of Wheels	No. of Movements (Repetitions)	Style	Size (Letter Height)
D-51	5	7	Roman	11/64"
C-06	6	Lever Action	Roman	3/16"
C-72	6	7	Gothic	3/16"
C-71	6	7	Roman	3/16"
C-75	6	7	Roman	3/16"
C-77	7	7	Roman	11/64"
B-78	8	7	Roman	3/16"
B-71	9	7	Roman	11/64"
B-37	10	3	Roman	11/64"
A-11	11	3	Roman	3/16"
A-21	12	3	Roman	11/64"
A-31	13	3	Roman	11/64"
MM-21	6	6	Rubber	3/16"

Light Duty Numbering™ Machines

Stock No.	No. of Wheels	No. of Movements (Repetitions)	Style	Size (Letter Height)
70005	5	7	Roman	11/64"
70006	6	7	Roman	11/64"
70007	7	7	Roman	11/64"

Accessories & Replacement Parts

LMN-1	Refill Ink	(Specify Red, Blue or Black)
IM-55	Indelible Ink for MM-21	(Black Only)
PAD	Replacement Ink Pads	(Specify for A, B, C, or D Machines)
PFN-31	Pad Holder Clip	(Specify for A, B, C, or D Machines)


Embossing Seals

SHINY MODEL - ES SIZE · 4-1/8" x 3/4" x 1-5/8"




Julie Gold 6343 Denison Road Apariment 102 Tempe, AZ 85281

1" x 2" (25 x 50mm)



SHINY MODEL - EM SIZE · 4-3/4" x 3/4" x 2"





SHINY MODEL - ED SIZE · 4-1/2" x 1-15/16" x 2"






OF WICH WALTER W Julie Gold JONES 6343 Deniso Apartment 1 30012 Tempe, AZ 8 POFESSIONS 1" x 2" (25 x 50mm) 1-5/8" Diameter (Ø 41mm)

2" Diameter (Ø 50mm)









2" Diameter (Ø 50mm)



Fingerprinting Products & Supplies





FINGERPRINT PADS - LI SERIES Inkless Pads, Commonly Used by Banks, Mortgage Co., Notaries, Pawn Shops, etc.

LI-1

Hard porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 1-1/2" dia.
- Print capacity: 1200 imprints per pad

LI-1.5

Hard porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2" dia.
- Print capacity: 1300 imprints per pad

LI-2

Durable porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 1-3/4" x 2-1/4"
- Print capacity: 1200 imprints per pad

LI-2.5

Ceramic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2-1/2" dia.
- Print capacity: 4800 imprints per pad

LI-3

Ceramic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2-1/2" x 4"
- Print capacity: 14,500 imprints per pad

FINGERPRINT PADS - LE SERIES For Law Enforcement Use

LE-1

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 1-1/2" dia.
- Print capacity: 1200 imprints per pad

LE-1.5

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2" dia.
- Print capacity: 1300 imprints per pad

I F-2

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 1-3/4" x 2-1/4"
- Print capacity: 1200 imprints per pad

LE-2.5

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2-1/2" dia.
- Print capacity: 4800 imprints per pad

LE-3

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2-1/2" x 4"
- Print capacity: 14,500 imprints per pad

Fingerprinting Products & Supplies


Basic Fingerprinting Kits



With Folding Fingerprint Unit and Glass Inking Slab



With Folding Fingerprint Unit and ID Technologies, Inc. Pad



With Folding Fingerprint Unit and Semi-Inkless Pad



With Folding Fingerprint Unit and Stainless Steel Inking Slab

Fingerprint Inked Strips



Available in:

- 10 x 3 inches
- 5 x 1 inches
- 5 x 3 inches
- 6 x 10 inches

Tabletop Fingerprinting Units



Single Fingerprinting Unit, with Glass Inking Slab, 4 x 10"



Single Fingerprinting Unit. with ID Technologies, Inc. Pad

Ink Remover Towelettes



Fingerprint Ink Remover Towelettes

Individual, disposable wipes, eliminate ink residue from fingers. Saturated with a mildly fragrant cleansing lotion, leaving skin soft and smooth.

• Quantity: 100 individual wipes per box



Fingerprint Slab Ink &



Grade A Fingerprint Slab Ink

Available in:

- 2 oz. Tube
- 4 oz. Tube
- 16 oz. Tube



Glass Inking Slabs

Available in:

- 4 x 10 inches
- 5 x 12 inches



Stainless Steel Inking Slabs

Available in:

- 4 x 10 inches
- 5 x 12 inches

Wood Riser/Backing Plate

- for SS Inking Slab, 4 x 10 inches
- for SS Inking Slab, 5 x 12 inches



Ink Rollers

- Available in 2, 3 & 4 inches wide
- Steel-Grip Handle roller also available in 3 inches wide





Fingerprint Classifier

- 4.5x Fingerprint Classifier Magnifying Glass
- · Battley Disc (concentric circles)
- Crosshair Disc (two crossing lines)
- · Henry Disc (one line)



Folding Fingerprint Magnifier

• 6x Folding Fingerprint Magnifier



Pocket Latent Print Magnifiers

 2x Shirt Pocket Folding Magnifier



Latent Print Magnifiers

- 2.5" dia./ 2.5x Magnifier
- 3" dia./ 2x Magnifier
- 3.5" dia./ 2x Magnifier
- 4" dia./ 2x Magnifier
- 4.5" dia./ 1.75x Magnifier




Tripod Fingerprint Magni-

• 10x Tripod Fingerprint Magnifier



Ultraviolet Lamps & Fluorescent Inks





Hand stamping is a preferred method of readmittance control and beverage control at many amusement parks and nightclubs. A Blak-Ray ultraviolet lamp is used with readmission inks to regulate access. In the case of readmittance control, and attendant stamps the hands of patrons who wish to leave the premises and return a short time later. In the case of beverage control, patrons of drinking age typically have their hands stamps to differentiate them from minors.

Recommended Ultraviolet Lamps

The high-intensity model B-100AP is popular in high patronage clubs and for outside use in amusement parks. The B-100AP's patented Cool-Touch Lamp housing is safe to touch so patron's and personnel's fingers will not be burned. The Fingerguard is recommended for readmission use to avoid contact with the bulb.

UVP's high-quality, wide style XX-15BLB Lamp is designed to eliminate large access. This fixture can be conveniently mounted on a wall or hung from the ceiling. An optional clear filter cover protects the tubes. The XX-40 illuminates broader expanse.



The 6-watt UVL-56 used in conjunction with the J-129 lamp stand and the 4-watt UVL-21 with the J-124 lamp stand are popular for use at indoor establishments.

When complete portability is required, UVP's ML-49 6-watt lamp operates off two 6-volt lantern batteries (or two rechargeable batteries and

charger), and the UVL-26P operates from its internal lead-acid rechargeable battery. For beverage control, bar personnel frequently use the convenient 4-watt UVL-4 lamp. This lightweight lamp is small enough to slip in a shirt pocket or carry on a cocktail tray. The UVL-4 operates off 4 standard AA batteries.





Blak-Ray Readmission Inks



Ordinary inks can be transferred to another person's hand or imitated with an ink pen. When confronted with a crowd at the entrance (or bar), readmittance attendants (or bartenders) using other control inks and methods can be less than thorough on their inspection techniques and admit (serve) people with forged stamps causing potential security problems. Blak-Ray lamps and inks help to eliminate that problem, allowing personnel to quickly and accurately inspect each stamp.



The UV Stamp is made to out last any other conventional rubber stamp when using UV Re-admission inks.

RIBtype® Products

When traditional marking solutions can't solve their problems, think of RIBtype® for large date and number stamps, an alternative to costly band stamps, and for text that changes.



Labels & Vinyl Lettering

We manufacture labels & decals using a variety of substrates & colors, with adhesive back or adhesive front. Most are supplied with permanent pressure sensitive adhesive, removable adhesive and static cling are also available. Please contact our customer service department for info & pricing. We have an in-house art department or will work from your supplied art.





"WORD BAND" LABELERS BY





CREATE YOUR OWN "IMPACT"

Promotional labeling helps consumers identify savings opportunities while increasing sales and profits for the retailer. Independent studies have shown that over 60% of customers purchase decisions are made from impulse while standing within 5 feet of the product. Through the use of promotional labeling retailers can attract the attention of their customers and trigger those buying emotions that lead to those impulse sales!

- Increased impulse sales through large bold attention getting slogans
- Increased profits through the sale of higher margin items
- Draw attention & create demand for new items and products on sale
- Blow out over stocked and slow moving inventory
- Eliminate the need for large inventories of custom labels with one labeler



"WORD BAND" LABELERS BY



2216 & 2516 Premium

FEATURES & BENEFITS:

- Fast, simple drop-in loading (easiest label to load on the market)
- No need to peel labels during the loading procedure like other labelers on the market
- Virtually jam free (eliminates down time & repairs caused by label jams)
- Self-aligning drive wheel design
- Lightweight & extremely durable (lightest labelers on the market, reduces user fatigue)
- Quick change ink roller design for clean & simple ink roller changes
- Smooth slip resistant dial indicator for quick, precise number/slogan changes
- High quality print head provides clear, crisp label impressions
- Modular part design makes maintenance & removing rare liner back-ups a snap

CONTACT'S LINE OF WORD BAND LABELERS IS "WHAT EVER RETAILER NEEDS TO INCREASE SALES & PROFITS"

Word Band labelers come in both the Classic model and the "All-New" Premium model. They are available with label sizes of 22 x 16mm and 25 x 16mm. Both sizes offer 13 standard slogans on the top line with pricing capabilities on the bottom. The 2216 Word Band labeler comes with 7 numeric bands on the bottom row for all your pricing needs. The 2516 Word Band offers 6 larger bold characters for that increased eye catching ability.

HOW CAN CONTACT WORD BAND LABELERS HELP YOU SELL MORE AND SAVE MONEY AT THE SAME TIME?

They allow you to communicate a specific message at the point of sale to customers already inside your store. The best part is you accomplish this without the need of costly custom label inventory and with one model of label gun. You can even dial the top line to the blank space provided and utilize it as a standard price gun.

2216 WORD BAND SLOGANS

SALE	SPECIAL	SAVE
4 ấ\$9.00	\$4.99₹	2/\$5 . 00 [₹]
CLEARANCE	REDUCED	BUY 1 GET 1 FREE
99¢ <u></u>	\$15.98	\$8.99₹
2 FOR	3 FOR	BEST BUY
\$5.00	\$12. 00≩	95\$10.00
COMPARE & SAVE!	NEW TRY ME	WE I.D.
\$13.25	\$2.995	\$13.59 ^{\(\dagger)}

ESPECIAL §\$1.50
ESPECIAL
≩\$1.5 0

SALE	SPECIAL	SAVE
45\$9.00	\$4.99₹	2/\$5.00₹
CLEARANCE	REDUCED	BUY 1 GET 1 FREE
99¢ ĕॄ	\$15 .98	\$8.99₹
2 FOR	3 FOR	BEST BUY
\$5. 00	\$12. 00≩	95\$10.00
COMPARE & SAVE!	NEW TRY ME	WE I.D.
\$13.25	\$2.995	\$13. 5 9 [‡]

2516 WORD BAND SLOGANS

PRODUCT CODE

CN-00840 CN-00847

DESCRIPTION

2216 Premium Word Band Gun 2516 Premium Word Band Gun



LABELING SIMPLIFIED

Durable & Easy-Loading Labelers for Coding, Identification & Quality Control Applications

CONTACT® LABEL GUNS

ONE LINE MODELS

Lightest weight labelers in one-line classification of all major competitive brands. Labelers with 6, 7, 8, 9 or 10 characters on one line. Stocked layouts available for date coding & time stamping applications. Date coding bands are available with months, years & 12-hour clock AM, PM. A-Z full alpha bands are available for special assembly layouts. Bands are also available with other application-specific words such as: USE, SELL BY, EXP DATE, LOT, NO., LOT#, LINE, OPER, PART, ITEM and PRO for many QC & logistics applications. Many stock labels ara available in all one-line sizes, 1812, 2212 & 2512, custom printed labels can be run in 2 weeks or less.



- IDENTIFICATION
- **•QUALITY CONTROL**
- •CODING























Small Body Series

1812 (18mm x 12mm)

2212 (25mm x 12mm)

2512 (25mm x 12mm)

2216 (25mm x 16mm)



WO LINE MODELS

Lightest weight labelers in two-line classification of all major competitive brands 2 lines with 6 over 6, 7 over 7, 8 over 8, 9 over 9, 10 over 9 & 10 over 10 characters. Stocked layouts available for coding applications ranging from QC verifications to lot # & expiration date, to date/price & item price. Date coding bands available with months, years & 12-hour clock AM, PM A-Z full alpha bands are available for special assembly layouts. Bands also available with other application-specific words such as, USE, SELL, BY, EXP, DATE, LOT, NO., LOT#, LINE, OPER, PART, ITEM, PRO for many QC & logistics applications. Many stock labels available in both small body 2-line sizes, 2216 & 2516. Custom printed labels can be run in a comparatively short timeframe.

Small Body Series

2216 (22mm x 16mm)

2516 (25mm x 16mm)

APPLICATIONS

IDENTIFICATION

QUALITY CONTROL

CODING



6/123456

2516 Label














Packer No. 2/24-275 Piece Count 123456789 Product No. Large Body 99.25 Gun - Layout #2503 37mm Series





2 Lines with either 12 over 12 or 12 over 8 larger characters





Custom & Stock Stencils

Oilboard, Mylar, Magnetic & Brass







- Custom Cut Stencils (up to 48" tall characters)
- Stencil Rollers and Applicators
- Stencil Brushes
- Stencil Inks and Spray Inks

VISIT OUR NEW STENCIL PRODUCTS DIVISION!

NATIONAL STENCIL

Visit our website!

www.nationalstencil.com

Sten C Labl®

With Sten C Labl®, you can mark, identify and address multiple cartons accurately, easily and economically. The need for expensive labels is eliminated. The system's "feather touch" enables you to make up to 50 clean, sharp impressions in just one minute on virtually any surface, even glass. Over 100 impressions can be made from each low-cost stencil. Stencils are available in a variety of sizes and configurations to meet you specific needs. The basic Sten C Labl® is a hand-applied multiple marker composed of three basic units.

The Stencil

Stencils are available in a variety of sizes and types. They can be ordered plain or "customized" with your company's name, logo, or any other repeating information.

The Durahead®

This simple, yet ingenious two-part applicator tool hold the stencil, stores and supplies the ink, and marks the package or product. The applicator consists of the Durahead® – a flat, durable ink pad framed in tough Delrin® plastic – and a screw-on, four-ounce ink container. The refillable container becomes both the handle and ink reservoir. There is also a curved (or rocker) applicator for heavy duty use. This applicator has its own ink reservoir and screw-on, custom molded handle.

The Ink

Ink flow is controlled by a patented ball valve system which ensures ink flow only when desired. This virtually eliminates over-inking, ink seepage and valve leaks. Inks are available in a variety of colors, although black is the most popular. Choose Standard Dry for marking porous surfaces, or Fast Dry ink for non-porous, non-absorbent surfaces.

How It Works

1. Create the Stencil

Information cam be hand written by ball point pen or prepared by typewriter, addressing machine, billing machine or computer. Stencils may be cut in the shipping room or storage area at the time of use. Or, if affixed to order processing paperwork, stencil preparation can be done as a by product of existing order preparation. Sten C Labls® can also be requested from your computer or office business forms supplier so that they become an integral part of these forms. This addition creates a complete forms package.

2. Attach Stencil to Applicator

To attach the prepared stencil to the special Durahead® applicator, start by removing the backing paper. Then lay the stencil face up — on a smooth surface and gently and evenly press the inked applicator to the stencil. The natural adhesion from the ink's moisture will hold the stencil in place. The applicator screws on to a four-ounce bottle of ink which serves as the handle and ink reservoir. It's as simple as that. You're now ready to begin multiple addressing or marking on surfaces ranging from cartons and poly bags, to glass, plastics, wood, and oddly shaped items.



PARKING LOT STENCILS

151		121	/1-15
141	ESE	14 V	/ 1
L	-171-		1-17

Reserved Sign Stencils			
ST-CC0087V	3" 60 Mil. RESERVED Stencil	ST-CC0087M	12"60 Mil. RESERVED Stencil
ST-CC0087U	4" 60 Mil. RESERVED Stencil	ST-CC0087C	22"60 Mil. RESERVED Stencil
ST-CC0087S	6" 60 Mil. RESERVED Stencil	ST-CC0087A	24" 60 Mil. RESERVED Stencil
ST-CC0087Q	8" 60 Mil. RESERVED Stencil		

VISITOR

Visitor Sign Stencils			
ST-CC0088V	3" 60 Mil. VISITOR Stencil	ST-CC0088M	12" 60 Mil. VISITOR Stencil
ST-CC0088U	4" 60 Mil. VISITOR Stencil	ST-CC0088C	22" 60 Mil. VISITOR Stencil
ST-CC0088S	6" 60 Mil. VISITOR Stencil	ST-CC0088A32	32" 60 Mil. VISITOR Stencil
ST-CC0088Q	8" 60 Mil. VISITOR Stencil		

STOP

Stop Sign Stencils			
ST-CC0089S	6" 60 Mil. STOP Stencil	ST-CC0089C	22" 60 Mil. STOP Stencil
ST-CC0089Q	8" 60 Mil. STOP Stencil	ST-CC0772A30	30" 60 Mil. STOP Stencil
ST-CC0089M	12" 60 Mil. STOP Stencil		

YIELD

Yield Sign Stencil			
ST-CC0090S	6" 60 Mil. YIELD Stencil	ST-CC0090C	22"60 Mil. YIELD Stencil
ST-CC0090Q	8" 60 Mil. YIELD Stencil	ST-CC0090A40	40" 60 Mil. YIELD Stencil
ST-CC0090M	12"60 Mil. YIELD Stencil		

SLOW

Slow Sign Stencil			
ST-CC0091S	6" 60 Mil. SLOW Stencil	ST-CC0091C	22"60 Mil. SLOW Stencil
ST-CC0091Q	8" 60 Mil. SLOW Stencil	ST-CC0091A40	40" 60 Mil. SLOW Stencil
ST-CC0091M	12"60 Mil. SLOW Stencil		

EXIT

Exit Sign Stencil			
ST-CC0092S	6" 60 Mil. EXIT Stencil	ST-CC0092M	12"60 Mil. EXIT Stencil
ST-CC0092Q	8" 60 Mil. EXIT Stencil	ST-CC0092C	22"60 Mil. EXIT Stencil

COMPACT

Compact Sign Stencil			
ST-CC0104V	3" 60 Mil. COMPACT Stencil	ST-CC0104M	12" 60 Mil. COMPACT Stencil
ST-CC0104U	4" 60 Mil. COMPACT Stencil	ST-CC0104C	22"60 Mil. COMPACT Stencil
ST-CC0104S	6" 60 Mil. COMPACT Stencil	ST-CC0104A27	27" 60 Mil. COMPACT Stencil
ST-CC0104Q	8" 60 Mil. COMPACT Stencil		

P

	Letter "P" Stencils
ST-CC0724S	6" 60 Mil. Letter "P" Stencil
ST-CC0724M	12" 60 Mil. Letter "P" Stencil
ST-CC0724C	22" 60 Mil. Letter "P" Stencil

Available in any thickness

PARKING LOT STENCILS




	Bicycle Symbol Stencil
ST-CC0708M	12"60 Mil. Bicycle Symbol Stencil
ST-CC0708A54	54" 60 Mil. Bicycle Symbol Stencil



Turn Arrow Stencil		
ST-CC0709A72 72" 60 Mil. Turn Arrow Stencil		



Parking Line Stencil		
ST-CC0076U	4" 60 Mil. Parking Line Stencil	



Opt. Turn Arrow Stencil		
ST-CC0770A426	42"60 Mil Opt.Turn Arrow	
ST-CC0770A726	72" 60 Mil Opt.Turn Arrow	

Arrow Parking Stencil		
ST-CC0711A42 42"60 Mil Arrow Parking Stencil		

Available in any thickness

RUBBER SAND BLAST STENCILS

HITT rubber masks are molded from natural or synthetic rubber. The masks are relieved with stencil style lettering along with special designs or trademark logos. Ideal for identification marking of tempered or laminated glass. Within seconds your mark is permanently etched into glass, metal or plastic. Marvel rubber masks are very durable for long life, keeping the cost per etch extremely low. Our standard mask size is 3" x 2" or 2-1/2" x 2-1/2". We can produce other mask sizes to your specifications. Lettering height starts at .060 and up. Rubber masks can be used to mark various shapes such as flat, curved, tubular, convex or concave. Please call or email us for more information and samples.

NATIONAL STENCIL CALIFORNIA OFFICE: 3231 W. MACARTHUR BLVD. SANTA ANA, CA 92704

> LOCAL: TEL: (714) 979-1405 FAX: (714) 979-1407

STORM DRAIN STENCILS



Drains to Ocean Stencils		
ST-CC0097W	2" 60 Mil.Drains to Ocean Stencil	
ST-CC0097V	3" 60 Mil.Drains to OceanStencil	
ST-CC0097W10	2" 60 Mil.Drains to Ocean Stencil 10pk	
ST-CC0097V10	3" 60 Mil.Drains to Ocean Stencil 10pk	
ST-CC0097W50	2" 60 Mil.Drains to Ocean Stencil 50pk	
ST-CC0097V50	3" 60 Mil.Drains to Ocean Stencil 50pk	



	·	
Drains to Bay Stencils		
ST-CC0101W	2"60 Mil. Drains to Bay Stencil	
ST-CC0101V	3" 60 Mil. Drains to Bay Stencil	
ST-CC0101W10	2" 10/Pack Drains to Bay Stencil	
ST-CC0101V10	3" 10/Pack Drains to Bay Stencil	
ST-CC0101W50	2" 50/Pack Drains to Bay Stencil	
ST-CC0101V50	3" 50/Pack Drains to Bay Stencil	



Drains to River Stencils		
ST-CC0098W	2"60 Mil.Drains to River Stencil	
ST-CC0098V	3" 60 Mil.Drains to River Stencil	
ST-CC0098W10	2" 60 Mil.Drains to River Stencil 10pk	
ST-CC0098V10	3" 60 Mil.Drains to River Stencil 10pk	
ST-CC0098W50	3" 60 Mil.Drains to River Stencil 50pk	
ST-CC0098V50	3" 60 Mil.Drains to River Stencil 50pk	



Drains to Stream Stencils	
ST-CC0100W	2" 60 Mil.Drains to Steam Stencil
ST-CC0100V	3" 60 Mil.Drains to Steam Stencil
ST-CC0100W10	2" 60 Mil.Drains to Steam Stencil 10pk
ST-CC0100V10	3" 60 Mil.Drains to Steam Stencil 10pk
ST-CC0100W50	2" 60 Mil.Drains to Steam Stencil 50pk
ST-CC0100V50	3" 60 Mil.Drains to Steam Stencil 10pk



Defend our Wetlands Stencils	
ST-CC0102W	2" 60 Mil.Drains to Wetlands
ST-CC0102V	3" 60 Mil.Drains to Wetlands
ST-CC0102W10	2" 60 Mil.Drains to Wetlands Stencil 10pk
ST-CC0102V10	3" 60 Mil.Drains to Wetlands Stencil 10pk
ST-CC0102W50	2" 60 Mil.Drains to Wetlands Stencil 50pk
ST-CC0102V50	3" 60 Mil.Drains to Wetlands Stencil 50pk



Drains to Waterway Stencils		
ST-CC0099W	2" 60 Mil.Drains to Waterways	
ST-CC0099V	3" 60 Mil.Drains to Waterways	
ST-CC0099W10	2"60 Mil.Drains to Waterways Stencil 10pk	
ST-CC0099V10	3" 60 Mil.Drains to Waterways Stencil 10pk	
ST-CC0099W50	2" 60 Mil.Drains to Waterways Stencil 50pk	
ST-CC0099V50	3" 60 Mil.Drains to Waterways Stencil 50pk	

STORM DRAIN STENCILS



Drains to Ocean Stencils		
ST-CC0097W	2"60 Mil.Drains to Ocean Stencil	
ST-CC0097V	3" 60 Mil.Drains to OceanStencil	
ST-CC0097W10	2" 60 Mil.Drains to Ocean Stencil 10pk	
ST-CC0097V10	3" 60 Mil.Drains to Ocean Stencil 10pk	
ST-CC0097W50	2" 60 Mil.Drains to Ocean Stencil 50pk	
ST-CC0097V50	3" 60 Mil.Drains to Ocean Stencil 50pk	



Drains to Bay Stencils		
ST-CC0101W	2" 60 Mil. Drains to Bay Stencil	
ST-CC0101V	3" 60 Mil. Drains to Bay Stencil	
ST-CC0101W10	2" 10/Pack Drains to Bay Stencil	
ST-CC0101V10	3" 10/Pack Drains to Bay Stencil	
ST-CC0101W50	2" 50/Pack Drains to Bay Stencil	
ST-CC0101V50	3" 50/Pack Drains to Bay Stencil	



Drains to River Stencils		
ST-CC0098W	2" 60 Mil.Drains to River Stencil	
ST-CC0098V	3" 60 Mil.Drains to River Stencil	
ST-CC0098W10	2" 60 Mil.Drains to River Stencil 10pk	
ST-CC0098V10	3" 60 Mil.Drains to River Stencil 10pk	
ST-CC0098W50	3" 60 Mil.Drains to River Stencil 50pk	
ST-CC0098V50	3" 60 Mil.Drains to River Stencil 50pk	



Drains to Stream Stencils		
ST-CC0100W	2" 60 Mil.Drains to Steam Stencil	
ST-CC0100V	3" 60 Mil.Drains to Steam Stencil	
ST-CC0100W10	2" 60 Mil.Drains to Steam Stencil 10pk	
ST-CC0100V10	3"60 Mil.Drains to Steam Stencil 10pk	
ST-CC0100W50	2" 60 Mil.Drains to Steam Stencil 50pk	
ST-CC0100V50	3" 60 Mil.Drains to Steam Stencil 10pk	



Defend our Wetlands Stencils		
ST-CC0102W	2" 60 Mil.Drains to Wetlands	
ST-CC0102V	3" 60 Mil.Drains to Wetlands	
ST-CC0102W10	2" 60 Mil.Drains to Wetlands Stencil 10pk	
ST-CC0102V10	3" 60 Mil.Drains to Wetlands Stencil 10pk	
ST-CC0102W50	2" 60 Mil.Drains to Wetlands Stencil 50pk	
ST-CC0102V50	3" 60 Mil.Drains to Wetlands Stencil 50pk	



Drains to Waterway Stencils		
ST-CC0099W	2" 60 Mil.Drains to Waterways	
ST-CC0099V	3" 60 Mil.Drains to Waterways	
ST-CC0099W10	2" 60 Mil.Drains to Waterways Stencil 10pk	
ST-CC0099V10	3" 60 Mil.Drains to Waterways Stencil 10pk	
ST-CC0099W50	2" 60 Mil.Drains to Waterways Stencil 50pk	
ST-CC0099V50	3" 60 Mil.Drains to Waterways Stencil 50pk	

Awards & Recognition Products

Our Recognition Products help dress up your office & are great for pointing out special achievements. All items are available in a variety of shapes & sizes, and they are engraved to your exact specifications.




Engraving Custom Signage

Metal Wall Holders are available in three stock colors: Gold, Silver & Black. Special sizes are also available to suit your needs. Please call for quotes.



Engraving



Mark-Hitt Industrial Ink List



MARK-HITT TWO-PART EPOXY INK

Surfaces: Ceramics, phenolics, polyesters, melamines, silicones, ferrous and non-ferrous metal, glass, electronics.

Drying Time: Air dry from 2-3 hours. Curing time can be speeded up by adding heat. 7 to 10 days required for maximum adhesion, and chemical resistance. Require addition of a catalyst immediately prior to use.

Characteristics: Meets Spec. Mil.-I-43553. A two-part epoxy ink with a high degree of adhesion to the most difficult surfaces. Becomes permanent after curing. Excellent resistance to solvents and chemicals.

Colors: Black, White-1/2 oz. packets, quarts available. Other colors available on special

Applications: Especially formulated for the electronics industry for use with Markem, Prenco, Rezafix, Jan Tech, Mark & Pack, Eastern and other parts marking machines. May also be applied with a rubber stamp by rolling out a thin film of ink with a brayer on a smooth surface.

MARK-HITT INVISIBLE STAMP INK

Surfaces: Skin-Usually hands.

Drying Time: Instant.

Characteristics: Ink is made so that it will show up only under a Black ultraviolet light. Used for identification purposes at dances, pools, private picnics, etc.

Colors: Blue-when put under light.

MARK-HITT No. 214 STAMP INK

Surfaces: For stamping semi-absorbent and non-absorbent surfaces such as glossy paper, painted surfaces, metal, hardwood, electronic parts.

Drying Time: 30 to 60 seconds.

Characteristics: Good adhesion, non-acid, waterproof...Approved by Dept. of Agriculture for use on food packages.

Colors: Black, Blue, Red, Purple, White, Yellow, Orange, Green and Brown.

MARK-HITT STAMP INK THINNER #141

For: #141, CELLOPHANE, INDELIBLE, A. X., OPAQUE, #628, #214, or any ink used with opaque pads.

Characteristics: These thinners have the same solvents used in each particular ink. Only the color is eliminated. Will rejuvenate the ink or pad and will bring it back to its original state and drying time. Can also be used for cleaning rubber stamps.

MARK-HITT PARACHUTE INK #6903

Surfaces: Nylon parachute cloth, parachute pack cloth and webbing.

Characteristics: When applied with rubber stamp, will produce a sharp legible impression, indelible. Meets Gov't. Spec. MIL-I-6903.

Colors: Strata Blue, Orange-Yellow, Red, Black.

MARK-HITT METAL MARKING & STENCILING INK

Surfaces: For marking and stenciling iron, steel drums, boilers, sidewalks, and any painted or non-absorbent surface.

Drying Time: Will set to touch in 5 minutes. Will dry in 10 to 15 minutes.

Characteristics: To be used with ordinary pot and stencil brush. Can be prepared for use in fountain brush if order is made to read "Metal F.B.". Ink has good adhesion, is rub resistant and waterproof. Gov't. Spec. TT-I-558 and MIL-I-1795A Type I.

Colors: Black, Red, Blue, Green, White, Yellow, Orange, Brown, Silver. Matched and Gov't. colors can be made to order.

MARK-HITT INDELIBLE INK

Drying Time: Almost immediately, depending on absorbency of material.

Characteristics: Will withstand many washings. Can be used with rubber or metal stamp or stencil if used sparingly.

Colors: Red, Blue, Green, Purple, Yellow, White.

MARK-HITT No. 245 STAMP INK

Surfaces: Any non-absorbent material. Very good for all types of cellophane.

Characteristics: A very fast drying ink that has excellent adhesion on most non-absorbent surfaces. Makes sharp impressions that are very rub resistant. Good for production line work because of its quick drying characteristics and ability to adhere to a wide variety of materials. Approved by Dept. of Agriculture for use on food packages.

MARK-HITT No. 628 POLYETHYLENE STAMP INK

Surfaces: Treated Polyethylene, plastics, metal and most non absorbent surfaces.

Drying Time: 5 to 10 seconds.

Characteristics: Quick drying, waterproof, EXCELLENT ADHESION. Very good on hard to mark polyethylene. Comes in vivid pigmented colors. Will not migrate through plastic. Conforms to Govz. Spec. Mil-I-16557 a type 1. Approved by Dept. of Agriculture for use

Colors: Black, Red, Blue, Green, Yellow, White, Orange, Purple, Brown, RED conforms to Gov't. Spec. TT-I-554A.

141 INDUSTRIAL INK

Surfaces: Porous, Non-Porous, Paper, Corrugated, Plastic, Metal

Application; Hand Stamp

Dry time; 2-4 minute

The 141 ink is a waterproof ink with excellent adhesion. Because of the slow drying time, the ink remains moist on a pad for a longer period of time. It is especially good for inspectors ink pads and is suitable for self-inkers, it is approved by the Department of Agriculature for sue on food packaging. Colors: Black, Blue, Red, Yellow, Green,

MARK-HITT INDELIBLE LAUNDRY INK

Surfaces: Used with pen, rubber stamp or stencil for marking linen and clothing.

Drying Time: Almost immediately-Depending on absorbency of material.

Characteristics: Acid base. Will not bleach out, no preparation or hot iron required, can be washed immediately after marking. Not to be used on top of sizing. Gov't. Spec. TT-I-542.

Colors: Black.

MARK-HITT 476 SOLVENT RESISTANT INK

Surfaces: Metal parts, plastic parts, printed circuit boards, glass.

Drying Time: 30 to 60 seconds depending on surface.

Characteristics: Made to resist solvents such as degreasers, alcohol, cleaning fluids, etc. The longer this ink is allowed to dry, the more resistant it will be to solvents.

Colors: Black, White, Yellow, Red, Orange, Green, Blue, Purple.

MARK-HITT No. 1250 INK

Surfaces: All non-absorbent surfaces such as metal, cellophane, foil, resin coated photographic paper, mylar, chrome coated labels, food packaging.

Drying Time: 10 to 15 seconds

Characteristics: The ink specifically formulated for use on the Mark II stamp pad. An excellent all purpose ink. Waterproof, excellent adhesion, USDA approved for food packaging. Conforms to Gov't. Spec. TT-I-1795A, Type I, when a stamping ink is required. Also Meets Spec. MIL-18557A, Type I.

Colors: Black, Blue, Red, Purple, Green, Brown, White, Yellow, Orange, Silver.

NOTICE: While the manufacturer takes utmost care in compounding & manufacturing these inks, we cannot

guarantee their performance. All inks are sold with the understanding that our liability with respect to any defective ink is limited to the replacement of the ink.

Military & Government Specifications Concerning Ink

TT-I-521

INK: COPYING AND RECORD - shall be of blue-black type - suitable for writing permanent records - not recommended for making more than one press copy, nor for use in fountain pens, nor for other ordinary purposes.

TT-I-526a

INK: DRAWING (FOR GLAZED SURFACES) - Drawing inks covered by this specification are intended for use on plastic surfaces, such as celluloid, cellulose acetate, and vinylite and are applied by pen or brush.

TT-L-528F

INK: DRAWING, WATERPROOF, BLACK - This specification covers black, waterproof drawing ink for general drafting use (drawing and tracing).

TT-I-540

NUMBERING MACHINE INK - Ink suitable for use with hand operated, selfinking numbering machines having a felt inking pad and metal type.

TT-I-542

INDELIBLE LAUNDRY INK - indelible ink for marking fabrics, ink suitable for use in a power-operated laundry marking machine, for marking impressions with rubber stamps, and for marking with pen points.

TT-I-544

MARKER, FELT TIP - This specification covers dry marking ink for use with felt tip fountain type markers on porous and non-porous surfaces. - Intended for use in felt tip marking pens for freehand marking, writing, or drawing on materials such as fiberboard, paper, wood, burlap, or metal.

TT-I-545a

MARKING INK, QUICK DRYING, FOR PHOTOGRAPHIC FILM - This ink is intended for marking cellulose acetate base film. - Ink shall not etch the film.

TT-I-547a

NUMBERING MACHINE INK FOR PHOTOGRAPHIC NEGATIVES The numbering machine ink covered by this specification is intended
for use in marking on the uncoated side of photographic negatives.

TT-I-554a

STAMP PAD INK, RED, FOR PHOTOGRAPHIC PRINTS - For stamping from a pad, clear, legible impressions on the face of photographic prints. - Shall be dry in not more than 15 seconds.

TT-I-556d

QUICK DRYING RUBBER STAMP INK - For making impressions on paper or corrugated with a rubber stamp.

TT-I-557

INK; STENCIL, DUPLICATING MACHINE, CLIMATEPROOF, BLACK, CASTOR OIL BASE - The ink shall work satisfactorily in rotary stencil duplicating machines, and shall produce impressions which can be easily read when printed on one or both sides of the specified paper.

TT-I-558c

MARKING STENCIL INK, OPAQUE, FOR NONPOROUS SURFACES (METAL, GLASS, ETC.) - The ink covered by this specification is a light and water resistant, fast drying, flat finish stencil ink for marking metals, glass, stone and similar nonporous surfaces. - It is intended primarily to be used with an ordinary wood handle stencil brush and stencilboard. - It may also be used with a hand lettering brush or may be applied by spray or roller coater.

TT-I-559

STENCIL INK: OPAQUE, FOR MARKING POROUS SURFACES (WOODEN BOXES, FIBER CARTONS) - This specification covers weather-resistant, fast drying, flat finish inks of the type used for marking fiberboard cartons, wooden crates, boxes, bales, sacks and burlap porous materials used as shipping containers and for other purposes. - It is suitable for application through a perforated and/or machine cut metal, plastic, or oiled-paper stencil board, primarily with a brush of either the fountain or ordinary wood handle type.

TT-I-560

INK; STENCIL, DUPLICATING MACHINE, BLACK, FOR USE ON TWIN CYLINDER EXTERNALLY INKED STENCIL DUPLICATING MACHINES - This specification covers mimeograph ink for use on twincylinder externally inked duplicating machines in the stencil duplicating process.

TT-I-564

INK: STENCIL, DUPLICATING MACHINE, BLACK

Type I - Oil Base Ink, Climateproof - Intended to give satisfactory operation under all climatic conditions.

Type II - Emulsion-Base Ink - Inks. They are the water -in-Oil emulsion type inks. They are all-purpose inks which dry rapidly with a minimum of offset or strike-through on mimeograph papers and will give impressions with a minimum of offset on hard-sized papers.

Type III - Hard-Set Ink - Are hard -Set Inks which give you clean, clear impressions on hard-sized papers, smudge-proof when dry and are not affected by water.

Type IV - Fast-Drying Ink (Water Soluble) - Inks which dry on contact with the paper. They should operate well on hard-sized papers. This ink will operate satisfactorily only in closed cylinder machines.

TT-I-600a

INKING PAD, RUBBER STAMP - This specification covers fabric, wooden, and foam latex rubber or foam plastic pads, without ink or with ink, in three sizes, for use with rubber stamps in general office use.

TT-I-1795A

INK, MARKING, STENCIL, OPAQUE POROUS & NON-POROUS SURFACES

Type I -non-porous surfaces - Metal Marking Ink

Type II - porous surfaces - OB Ink

Type III - porous & non-porous surfaces in spray cans -Types I & III stencil inks are a light and weather resistant, fast drying, flat finish for marking metals, glass, stone and similar non-porous surfaces intended to be used with stencil brush, hand lettering brush, roller coater, spray and stencil board - Types II & III stencil inks are weather resistant, fast drying, flat finish for marking fiberboard cartons, wood crates and boxes, bales, sacks and burlap and similar porous surfaces. - Intended to be used with same as above.

MIL-I-3218

MEAT STAMPING INK - Specification covers ink to be used for stamping inspected meat.

MIL-I-6903c

INK, MARKING, PARACHUTE - The ink covered by this specification is intended for marking parachutes and other items of cloth construction.

-Impressions on nylon shall dry within 5 seconds after stamping.

MIL-M-7911

MARKING, IDENTIFICATION OF AERONAUTICAL EQUIPMENT, ASSEMBLIES AND PARTS - Ink requirements for identification of all equipment, assemblies, and parts for aircraft. - The marking shall be as permanent as the item on which it is placed. - Used on electronic and electrical parts.

MIL-I-15883A

WRITING INK, PERMANENT, SEAWATER AND FUEL OIL RESISTANT-This specification covers the requiremnts for a permanent type writing ink that is resistant to seawater and fuel oil. - The ink shall be a stable, free flowing, non-corrosive fluid which shall provide permanent written copies unaffected by seawater and fuel oils

MIL-I-16557A

INK, MARKING, QUICK DRYING (FQR NON-POROUS SURFACES)
Type I - Cellulose Base

Type II - Oil Base-quick drying marking inks for metallic or other nonporous surfaces. - Marking ink, as covered by this specification, is a rapid drying, grease, oil, solvent and water resistant material, which is suitable for use with hand or automatic equipment in stenciling.

A-A-208

INK, MARKING, STENCIL, OPAQUE (POROUS AND NON-POROUS SURFACE)

The commercial item description covers four types of opaque stencil ink for marking porous and non-porous surfaces. The opaque stencil inks shall be one of the following types, as specified:

Type I - For use on non-porous surfaces (non-pressurized containers).

Type II - For use on porous surfaces (non-pressurized containers).

Type III - For use on porous surfaces (pressurized containers).

Type IV - For use on porous or non porous surfaces (stencil rollers)

HITT Marking Devices



3231 W. MacArthur Blvd. • Santa Ana, CA 92704

Phone: 714.979.1405 • International: 714.979.1405 • Fax: 714.979.1407

Toll Free Phone: 800.969.6699 • Fax: 888.979.4488

Website: www.HittMarking.com • E-mail: sales@hittmarking.com

Hitt Marking Devices is family owned and operated. Our success is due greatly to our fast, friendly service. Orders are shipped the same day the order is received on all Custom Rubber Stamps or other Marking Devices in stock. We also offer a 2-4 Hour Rush Service.

Hitt Marking Devices is among the very few who offers a LIFETIME GUARANTEE on the majority of the products we sell. This is possible because of our commitment to selling only the highest quality products.

We, at Hitt Marking Devices, want you to be satisfied with your new Marking Device. "If you're not happy, we're not happy." Please return item for replacement or a full refund.