

VISIT OUR WEBSITE
www.hittmarking.com



HITT MARKING DEVICES

A Division of The Hitt Companies, Inc.

Manufacturers of Marking Devices, Equipment & Supplies



RUBBER STAMPS



SELF-INKING STAMPS



PRE-INKED STAMPS



DATE STAMPS



FINGERPRINT PADS



ELECTRIC TIME & DATE MACHINES



EMBOSSERS



PLAQUES & AWARDS



ENGRAVED SIGNS & NAMEPLATES



STENCILS & SUPPLIES



INDUSTRIAL MIL-SPEC INKS



UV LAMPS & INKS



STEEL STAMPS



BAND STAMPS



NUMBERING MACHINES



INSPECTION STAMPS

Phone: 714-979-1405 • Fax: 714-979-1407

Toll Free Phone: 800-969-6699 • Fax: 888-979-4488

Website: www.hittmarking.com • E-mail: sales@hittmarking.com

Hitt Marking Devices

The Hitt Family

How We Began

Dear Customer,

The following letter was written several years ago and presented to Harold Hitt, President, by his father at an awards banquet. We felt it was worth sharing and believe it will provide you with some insight into how Hitt Marking Devices began.

In keeping with the all American dream, for sometime our son Harold, together with his wife Heidi, had been looking for a business they could establish where they would "be their own boss." In 1987 they came to my wife Dottie and me, with a proposal. It wasn't a proposal to borrow money from us to start their dream business. What Harold proposed was a true partnership where he and Heidi would match our investment and we would start a Rubber Stamp Business." He suggested that this business be started in my garage using some old outdated equipment donated to the cause by Heidi's mother, who owns and operates a rubber stamp business in Hemet, CA.

The plan was that Dottie would make the stamps. Harold and Heidi would function primarily in sales. We agreed to the plan and the family business, "HITT MARKING DEVICES" was begun. The company grew quickly and it wasn't long before Harold, Heidi and Ken had to quit their jobs, and come into the business full time to assist Dottie in manufacturing and sales. Harold and Ken made sales calls and deliveries in the morning, then rushed back to help Heidi and Dottie manufacture, invoice and ship out the daily orders. Also as a result of the company's rapid growth, it wasn't long before they were bumping into each other in our garage. Harold began looking for a more suitable location, in the Orange County area. In addition to the fact they needed more space, Harold confessed to being embarrassed to tell his customers that he was operating out of "a garage."

We truly stepped out on faith, but hedged that faith at Harold's direction, by moving into the same general area where several large national and international corporations had established their home offices. New product lines were added such as: specialty inks, stone stamp pads, fingerprint pads, engraving, plaques & awards, stencils, labels, electric time recorders, electric branding machines, etc. It truly became a marking device business, instead of merely a rubber stamp business.

We were recently awarded **HEAVY WEIGHT SUPPLIER OF THE YEAR** by Marking Industry Magazine. Harold has made it clear that he isn't going to be satisfied with being just another marking device company. He wants to be the best and the biggest. He is committed to offering the best in service, together with a quality product which is competitively priced. We are not the biggest yet but we are the best, thanks mostly to Harold and the dream that he held onto and sacrificed to achieve. Also, thanks to Harold's philosophy of providing both quality and good service, and the efforts of our youngest son Ken, our company, Hitt Marking Devices was awarded Nordstrom Department store's "**SUPPLIER OF THE YEAR**" award. Since Nordstrom is considered to be a leader in both quality and service, this was no small accomplishment. We are grateful to Ken for making it happen. Ken, who entered the business in late 1988, has be-



FROM TOP LEFT: KEN, SUE AND AT BOTTOM LEFT THEIR DAUGHTER, LISA. TOP RIGHT: HAROLD, WIFE HEIDI AND DAUGHTERS BRITTANY AND BROOKE.



FATHER AND MOTHER: DONALD & DOROTHY HITT
CO-FOUNDERS (RETIRED)

come an invaluable member of Hitt Marking Devices family team, as demonstrated by this award.

One of Harold's stated goals from the very beginning has been to provide a source of income for his dad and mom's retirement. That goal has now been achieved much earlier than we ever dreamed it could.

This award given this 14th day of December, 1993, by his proud parents, Don and Dottie Hitt.

In the years since this letter was written, Don and Dottie have retired to Washington State. Heidi is a stay at home mom with two children. Harold, President and Ken, Vice President still remain involved in day to day operations.

"If you're in the area we invite you to come by and see us."

Hitt Marking Devices

TABLE OF CONTENTS

Ink & Stamp Pads	1
How To Order Rubber Stamps	2
Typetypes	3
Hitt Stamper XL2 Pre-Inked Stamps	4-6
Hitt Traditional Self-Inking Stamps	7
Slim Stamp Pocket Stamps	8
Replacement Pads	8
PSI Daters, Locals & Line Daters	9
Pullman Alphabet Stamps	10
Pullman Numbering Stamps	11
Inspection Stamps & Line Daters	12
Stone Stamp Pads	12
Steel Hand Stamps	13
Electric Branders	13
Electric Time & Date Machines	14
Ticket Punches	15
Embossing Seals	16
Fingerprinting Products & Supplies	17-18
Ultraviolet Lamps & Fluorescent Inks	19
RIBtype® Products	20
Contact Labelers	21-24
Stencils	25-29
Awards & Recognition Products	30
Engraving Custom Signage	31
Engraving	31
Mark-Hitt Industrial Ink List	32
Military & Government Specs	33



How To Order Rubber Stamps

1. Choose the type for your stamp from the following page or leave it to our typesetters.
2. Select the mount style from below, and please specify "Handle" or "Moulding."
3. When a self-inking stamp is needed, specify style, size & color.

HANDLE



MOULDING



SELF-INKING



PRE-INKED



Please specify your justification preference when ordering:


THIS IS FLUSH LEFT

THIS IS CENTERED

THIS IS FLUSH RIGHT

TYPE SIZES & FRACTION EQUIVALENT CHART

6 pt. - 1/16"	24 pt. - 1/4"
8 pt. - 5/64"	30 pt. 5/16"
10 pt. - 3/32"	36 pt. - 3/8"
12 pt. - 1/8"	40 pt. - 1/2"
14 pt. - 5/32"	72 pt. - 3/4"
18 pt. - 3/16"	



Rubber Stamp Typestyles

Please Choose Type Styles By Number

200 - HELVETICA
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

201 - HELVETICA CONDENSED
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

202 - HELVETICA BOLD
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

203 - TIMES
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

204 - BOOKMAN ITALIC
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

205 - COURIER
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

206 - BANK GOTHIC
MR. & MRS. JOHN SMITH
1234 S. MAIN STREET
MAYVILLE, CA 94567

207 - COPPERPLATE
MR. & MRS. JOHN SMITH
1234 S. MAIN STREET
MAYVILLE, CA 94567

208 - AVANT GARDE
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

209 - CHANCERY
Mr. & Mrs. John Smith
1234 S. Main Street
Mayville, CA 94567

210 - PARK AVENUE
Mr. & Mrs. John Smith
1234 S. Main Street
Mayville, CA 94567

211 - BRUSH SCRIPT
Mr. & Mrs. John Smith
1234 S. Main Street
Mayville, CA 94567

212 - FUTURA
MR. & MRS. JOHN SMITH
1234 S. Main Street
Mayville, CA 94567

213 - OLD ENGLISH
Mr. & Mrs. John Smith
1234 S. Main Street
Mayville, CA 94567

214 - OUTLINE
PAID

Sample Type Sizes & Styles

PTS	SIZE	
8	5/64"	APPROXIMATELY 14 LETTERS PER INCH
10	3/32"	APPROXIMATELY 11 LETTERS PER INCH
12	1/8"	APPROXIMATELY 9 LETTERS PER INCH
14	5/32"	APPROXIMATELY 8 LETTERS PER INCH
16	11/64"	APPROX. 7 LETTERS PER INCH
18	3/16"	APPROX. 6 LETTERS PER INCH
24	1/4"	AP. 5 LETTERS PER INCH
30	5/16"	AP. 4 LETTERS PER
36	3/8"	AP. 3 LETTERS P
48	1/2"	AP. 2 LETTER

These type effects are available for most of the above fonts.

THIS IS PLAIN

THIS IS BOLD

THIS IS ITALICIZED

THIS IS UNDERLINE

THIS IS OUTLINE

THIS IS SHADOW

THIS IS UPPER CASE

This is Upper and Lower Case


this is lower case

Hitt® Stamper XL2 Pre-Inked Stamps



The ultimate in pre-inked stamps has arrived! Hitt Stampers provide unsurpassed impression quality. No ink pad is needed - the ink is already in the stamp! Create thousands of impressions, remove the handle to add a few drops of ink to create thousands more. Hitt Stamper Pre-Inked Stamps are so durable, they come with a **lifetime warranty!**

- **No ink pad needed**
- **5 different ink colors**
- **Custom artwork & logos available**
- **Re-inkable**
- **Made in the U.S.A.**
- **Lifetime Guarantee**



XL2-55

EMERSON UNLIMITED CORPORATION

3/16" x 2-1/2" ▲

Compare to:
X-Stamper N-05

XL2-75

**REALTY SERVICES
836 BARRINGTON RD.
SCHAUMBURG, IL 60061**

1/2" x 1-11/16" ▲

Compare to:
X-Stamper N-10

XL2-115

**MR. & MRS. JOHN SMITH
1234 S. Main St.
Mayville, CA 94567**

11/16" x 1-15/16" ▲

Compare to:
X-Stamper N-11

XL2-125

**PAY TO THE ORDER OF
FIRST BANK OF COLUMBUS
FOR DEPOSIT ONLY
EASTERN DATA SYSTEMS
736-4563-21**

1" x 2" ▲

Compare to:
X-Stamper N-12

XL2-145

CONFIDENTIAL

5/8" x 2-3/8" ▲

Compare to:
X-Stamper N-14

XL2-165

**Harbor Heights Inc.
910 Fox River Dr.
Newland, Oregon**

Phone 374-888-4554

Fax 374-888-4555

www.harborheights.com

1-1/2" x 2-1/2" ▲

Compare to:
X-Stamper N-16

XL2-185

JANET	<input type="checkbox"/>	RON	<input type="checkbox"/>
CAROL	<input type="checkbox"/>	BETH	<input type="checkbox"/>
TOM	<input type="checkbox"/>	SUSAN	<input type="checkbox"/>
DONALD	<input type="checkbox"/>	PETER	<input type="checkbox"/>

15/16" x 2-3/4" ▲

Compare to:
X-Stamper N-18

XL2-225

CASTLE CHIROPRACTIC
800 S.E. NORTHWEST HIGHWAY
PALATINE, IL 60067
PH. (847) 991-1800
FAX (847) 991-1801

2" x 3" ▲

Compare to:
X-Stamper N-22

X-Stamper® is a registered trademark of Shachihata, Inc.

Hitt® Stamper XL2 Pre-Inked Stamps



XL2-245

TOURS INTERNATIONAL
 13233 BALL ROAD
 BUENA PARK, CA 90000
 (415)988-3333

1-1/4" x 3-3/16" ▲

Compare to:
 X-Stamper N-24

XL2-265

**IMPORTANT! Department manager must
 initial below before further processing.**

DEPT:	DATE:	MGR:
-------	-------	------

11/16" x 3-5/16" ▲

Compare to:
 X-Stamper N-26

XL2-700

ADDRESS INFORMATION CHANGE

NAME: _____
 COMPANY: _____
 NEW ADDRESS: _____

 CITY: _____
 STATE: _____ ZIP: _____
 NEW PHONE #: _____
 NEW FAX #: _____

2-3/4" x 3-3/4" ▲ Compare to:
 X-Stamper N-28

XL2-275

FOR EMPLOYEE USE ONLY

Distribute this information to all department heads in accordance to the rules and regulations as written in the company handbook. Please read all information carefully. Sign and date the top copy and keep the white copy for future reference. Please return the pink copy to management as soon as possible.

1-7/8" x 3-7/8" ▲

Compare to: X-Stamper N-27

X-Stamper® is a registered trademark of Shachihata, Inc.

Hitt® Stamper XL2 Pre-Inked Stamps

XL2-750


NAME	PHONE NO.
ADDRESS	CITY
STATE	ZIP CODE
COMPANY	OWNER
DEPT.	SUPERVISOR

1-1/2" x 4-3/4" ▲

X39


STANDARD MARKING	
DEPT. APPROVAL	
VOUCHER #:	
STATE	DATE:
COMPANY	DATE:
DEPT.	AMOUNT:
PAID DATE:	

3-1/8" x 4-1/2" ▲




XL2-655

2" Round ▶



XL2-495

1-3/16" Round



XL2-535

1-5/8" Round

XL2-325

5/8" Round ▶



XL2-305

7/16" Round ▲



pencil caps



5/8" Round ▲



7/16" Round ▲

Both models are available with handles.

Hitt® Traditional Self-Inking Stamps



Our best stamp for high-volume stamping. Great for fast, repetitive impressions.

Perfect for general use as address, deposit, inspection or message stamps

Features:

- Translucent base for precise impression placement
- Refillable with ink or simple pad replacement
- Available in black, red, blue, green, brown, orange, pink or purple ink
- 5,000 impressions before re-inking

S-841

CHECKED

3/8" x 1"

S-842

Mr. & Mrs. John Smith
1234 S. Main St.
Mayville, CA 94567

9/16" x 1-1/2"

S-843

**APPLICATIONS
RECEIVED**

3/4" x 1-7/8"

S-844

PAID IN FULL
East Farmer's Market
Wholesale Meats
"All USDA Choice"

7/8" x 2-3/8"

S-845

JANET	<input type="checkbox"/>	RON	<input type="checkbox"/>
CAROL	<input type="checkbox"/>	BETH	<input type="checkbox"/>
TOM	<input type="checkbox"/>	SUSAN	<input type="checkbox"/>
DONALD	<input type="checkbox"/>	PETER	<input type="checkbox"/>


1" x 2-3/4"

R-517

3/4" Diameter

R-512

1/2" Diameter



R-532

1-5/8" Diameter

S-830

**APPLICATION
ACCEPTED**

1-1/2" x 3"

S-832

CANCELED

5/8" x 2-15/16"

S-542

**PRIORITY
ORDER**
SHIP VIA
2ND DAY
OVERNIGHT


1-5/8" x 1-5/8"

Slim Stamps™



Slim Stamps™ are the perfect stamp to carry in your pocket or purse. The cover snaps shut to ensure no mess during transport. Perfect for Notaries or anyone who wants their stamp to be mobile.

SS 2773




1-1/16" x 2-7/8"

SS 1444



1/2" x 1-3/4"

SS 2264



11/16" x 2-5/16"

SS 1854



11/16" x 2-1/8"

SS 3679




1-7/16" x 3-1/8"

SS 4141



1-5/8" x 1-5/8"



SS 50R

2" Round

Replacement Pads

Pad #	Size
0	Black, 2-1/4" x 3-1/2"
0	Red, 2-1/4" x 3-1/2"
0	Blue, 2-1/4" x 3-1/2"
0	Green, 2-1/4" x 3-1/2"
1	Black, 2-3/4" x 4-1/4"
1	Red, 2-3/4" x 4-1/4"
1	Blue, 2-3/4" x 4-1/4"
1	Green, 2-3/4" x 4-1/4"
2	Black, 3-1/8" x 6-1/8"
2	Red, 3-1/8" x 6-1/8"
2	Blue, 3-1/8" x 6-1/8"
2	Green, 3-1/8" x 6-1/8"
3	Black, 4-5/16" x 7-3/8"
3	Red, 4-5/16" x 7-3/8"
3	Blue, 4-5/16" x 7-3/8"
3	Green, 4-5/16" x 7-3/8"

Stone pads also available!



Ink Pads

We offer a wide range of sizes and colors. Our pads utilize the highest quality felt available to ensure excellent ink transfer. Available inked in a variety of colors: *Black, Blue, Red, and Green Ink.*



Refill Ink

MaxLight Ink
(for XL2 Pre-Inked, PSI Self-Ink, & Slim Stamp)

2 oz.
1/4 oz.





HEAVY METAL DATERS THAT ARE ECO-FRIENDLY TOO?

THAT'S THE  VALUE
Heavy Metal 
DATERS MADE WITH PET - 12 Year

Our Heavy Metal Line is sure to please the most demanding customers. We minimized plastic and maximized metal with this new design. The majority of remaining plastic is made from recycled PET, so using Shiny HM daters helps reduce waste in landfills. Yes, these are Heavy Metal (HM) Daters as the name implies, but super smooth oscillations make them easy to operate. Tested for over 1,000,000 impressions, the most demanding customers will never wear them out. Take comfort in knowing that the HM Daters are Eco friendly as well.

HM-6100



15/16" x 1-5/8" (24 x 41mm)

Two-color pads available. 9G 

HM-6104



1" x 2-3/16" (26 x 56mm)

Two-color pads available. 9G 

HM-6107



1-9/16" x 2-3/8" (40 x 60mm)

Two-color pads available. 9G 

H-6101



1-1/4" x 1-1/2" (32 x 38mm)

Two-color pads available. 9G 

HM-6105



1-3/4" x 1-3/4" (45 x 45mm)

Two-color pads available. 9G 

HM-6108



1-7/8" x 2-5/8" (47 x 68mm)

Two-color pads available. 9G 

HM-6103



1-3/16" x 2" (30 x 50mm)

Two-color pads available. 9G 

HM-6106



1-5/16" x 2-3/16" (33 x 56mm)

Two-color pads available. 9G 

HM-6109



1-3/4" Diameter (Ø45mm)

Pullman Alphabet Stamps

Gothic Style "V"	Gothic Style "W"	Roman Style "R"	Roman Style "S"
V	W	R	S
W	1	S	\$
X	2	T	€
Y	3	U	.
Z	4	V	1.
A	5	W	2.
B	6	X	3.
C	7	Y	4.
D	8	Z	5.
E	9	A	6.
F	0	B	7.
G	¼	C	8.
H	¼	D	9.
I	¾	E	0.
J	½	F	1
K	¾	G	2
L	¾	H	3
M	¾	I	4
N	\$	J	5
O	€	K	6
P	.	L	7
Q	X	M	8
R	-	N	9
S	/	O	0
T	#	P	¼
U	1	Q	¼
.	2	.	¼
-	3	-	-

Alphabet Stamps are ideal for stamping any combination of numbers or letters. Bands are quickly revolved with knurled wheels. For regular or industrial inks.

Ordering Instructions:

Specify total number of bands wanted. Show size and style number. Submit copy or sketch showing position of alphabet and figure bands in stamp. Also available are Alphanumerical bands, which contain alphabet and figures on each band.

SIZE	1"	2"	3"	4"	5"	Max. No. of bands
(Gothic) BA-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N					34
(Gothic) BA-0X	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N					24
(Roman) BA-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L					30
(Gothic) BA-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T					30
(Roman) BA-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P					26
(Gothic) BA-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T					30
(Roman) BA-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N					24
(Gothic) BA-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M					23
(Roman) BA-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I					19
(Gothic) BA-2½	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I					20
(Roman) BA-2½	1 2 3 4 5 6 7 8 9 0 A B C D E					16
(Gothic) BA-3	1 2 3 4 5 6 7 8 9 0 A B C D E F G					17
(Roman) BA-3	1 2 3 4 5 6 7 8 9 0 A B C D					14



For complete versatility...each band contains 38 characters: the complete alphabet, the figures 0 through 9, plus a period and a dash. See table below for maximum capacity of bands per stamp. See following page for self-inking model in sizes 0 through 1.

To order, Specify:

1) Type Size 2) Number of Bands & 3) Style Number of Bands in the order you want them.

Size	1"	2"	3"	4"	5"	Max. No. of bands	Style "T" (Gothic)	Style "U" (Roman)
(Gothic) BAN-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T U V W						T A	U B
(Gothic) BAN-0X	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T U V W						U B	V C
(Roman) BAN-00	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R S T U						V C	W D
(Gothic) BAN-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R						W D	X E
(Roman) BAN-0	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P						X E	Y F
(Gothic) BAN-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N O P Q R						Y F	Z G
(Roman) BAN-1	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L						Z G	1 H
(Gothic) BAN-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J K L M N						1 H	2 I
(Roman) BAN-2	1 2 3 4 5 6 7 8 9 0 A B C D E F G H I J						2 I	3 J
							3 J	4 K
							4 K	5 L
							5 L	6 M
							6 M	7 N
							7 N	8 O
							8 O	9 P
							9 P	0 Q
							0 Q	. R
							. R	- S
							- S	A T

Pullman Numbering Stamps

Figures are shown actual size so you can determine maximum number of bands for a given width. Suppose that you want to stamp 8 interchangeable characters in a line so that the stamped impression is approximately 3" wide. Reading down the 3" line in the scale below, you find that the number 4 size Gothic stamp has 8 characters in that width. Therefore, you should order a JB 4-8. Need a special layout? We can add letter bands (A-M or N-Z) or a custom band in any position to meet your requirements. Ask for details.

*Shaded area indicates sizes and number of bands available on self-inking stamps (bands on No. 3 size conventional self-inking stamps contain 11 characters.) All sizes shown are available as manual stamps.
* No. 4 Self-Inking Stamp is available in BDA Style only.*



Ordering Special Assembly Stamps

- Letter Bands are either A-M or N-Z.
- Example of code needed: REV 345A
- Layout for ordering:
N A N 0 0 0 A
| | | | | | | |
Z M Z 9 9 9 M
- Part number for above: XCLB-1-7

SIZE & STYLE	*	1"										2"										3"										4"										5"										CHAR. SIZE	MAX. NO. OF BANDS	REG.	SELF-INKER
		1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0				
00 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1/16"	21		20
00 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										3/32"	22		19
0X Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										3/32"	20		18
0 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1/8"	19		19
0 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0										1/8"	17		16
1 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										5/32"	19		18
1 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7										5/32"	15		15
2 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8										3/16"	17		13
2 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6										3/16"	15		11
2 1/2 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9										1/4"	19		14
2 1/2 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1/4"	15		12
3 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										1 2 3 4 5 6 7 8 9 0 1 2 3 4 5										5/16"	16		13
3 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										5/16"	13		10
*BDA only 4 Gothic		1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										7/16"	13		
4 Roman		1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										1 2 3 4 5 6 7 8 9 0 1 2 3										7/16"	11		
5 Gothic		1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0										1 2 3 4 5 6 7 8 9 0										9/16"	10		
5 Roman		1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										9/16"	8		
6 Gothic		1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										1 2 3 4 5 6 7 8 9										11/16"	9		
7 Gothic		1 2 3 4 5 6 7										1 2 3 4 5 6 7										1 2 3 4 5 6 7										1 2 3 4 5 6 7										1 2 3 4 5 6 7										7/8"	7		

NOT AVAILABLE IN SELF-INKING STYLE

Inspection Stamps & Line Daters



Non-Porous Super W Stamps



Insta Mark 145

Neoprene Stamps



Insta Mark 116 & 126



Daters & Numberers

Line Dater

Line Numberer

▼ Size #1

▼ Model 0-6

MAY 1 6 2007

1 2 3 4 5 6

▼ Size #1-1/2

▼ Model 1-8

MAY 1 6 2007

1 2 3 4 5 6 7 8

To Order:

1. Specify overall impression size. Example: 1/2 overall impression.

Note: When measuring stamp for the overall impression size, be sure to measure the longest possible dimension.

For Example:



2. If numbered, specify numbers desired. (Example: 1 thru 50)
3. Provide us with a sketch of your needs. Example:



thru



4. If special logo is required, please provide camera ready art. (One time pattern charge applies.)

Stone Stamp Pads



Stone Stamp Pads




This is the only stamp pad that can be used with solvent/acid based industrial marking inks without destroying the pad. A constant flow of ink from the porous stone helps create high quality, non-smear impressions.

- Sizes: #1, #2 & #3

Industrial Ink



Steel Hand Stamps



To Order:

Specify Size of Characters, Layout, Border & Type of material being marked.

Mark-Hitt Electric Branders



Model WB200

200 Watts, 120 or 220 VAC

Use the Model WB200 where lower branding temperatures are required.

Depending on the branding head size, temperatures of 700°F to 920°F are possible making the WB200 suitable for continuous low-volume branding of many softer materials such as leather, some plastics, and soft woods.

Although a good basic branding tool, it is not recommended for fast and repetitive production line applications as the tool's heat-generating capability is limited for such uses. See WB300 and WB400.

Model WB300

300 Watts, 120 or 220 VAC

With branding head temperatures that are 150°F to 200°F hotter than the WB200, this model performs well in the middle temperature ranges. Harder woods and many rubber products can be branded easily.



Model WB200

400 Watts, 120 or 220 VAC

This model performs in the higher temperature ranges for most head sizes. It is ideal for most materials including harder woods and rubber.

The WB400 provides branding temperatures from 925°F up to 1255°F depending on the head size.

* Ask your Hitt Marking Devices representative for specific recommendations.

Rapidprint Electric Time & Date Machines

Automatic Time Stamps Automatic Date Stamps Automatic Numbering Stamps


- Automatically imprints when paper is inserted
- Adjustable impact for multi-copy forms
- Automatic ribbon advance and reverse
- Durable brass type wheels
- Made in USA
- For printed record of time and date
- Optional engraved brass plates will print customized message



Specifications:
Size: H7 7/16", W 4 11/16",
 D 10 3/16"
Weight: 16 lbs. (approx.)
Finish: Taupe hammertone
Power: 1 15 volts ac - 60 Hz
Throat Depth: 1 31/6" standard
 1 9/16" maximum
 1/8" minimum (with
 optional extended trigger.)



sample impressions (reduced)




Model AN-E
 (ADN-E with manually set date section)
Size: H-7 11/16", W-4 11/16", D-10 3/16"
Weight: 16 lbs.
Finish: Taupe Hammertone
Power: 115 VAC, 60 Hz
Throat Depth (edge of paper to top of printed number):
 Standard 1 3/16"
 Maximum 1 9/16"
 Minimum 1/8"

(Shown with fixed brass die plate engraving area.)



C724 Imprint



Model C724L-E
 (To order without clock face ask for C724)
Size: H-7 3/8", W-7 1/4", D-10 1/8"
Weight: 28 lbs.
Finish: Taupe Hammertone
Power: 115 VAC, 60 Hz
Throat Depth (edge of paper to top of printed number):
 Standard 1 3/16"
 Maximum 1 9/16"
 Minimum 1/8"

(Shown with fixed brass die plate engraving area.)

Ticket Punches

Ordering Instructions:

Specify by catalog number. State type die wanted (design, figure, letter, round hole). Show exact die size (1/8", 1/4", etc.) State quantity needed. If receptacle or finger ring is needed, specify separately on your order.



1/16"
Round
Hole



1/8"
Round
Hole



3/16"
Round
Hole



1/4"
Round
Hole



#5 Punch - 1-1/2" Reach

A heavy-duty utility punch used extensively for premium cards, ticket cancellation and quality control.

#12 Punch - 2" Reach

Used for automotive inspection, agriculture counts, and ticket cancellation.

#12-L High Leverage Punch

Used for validating plastic identification cards.

#12-E Standard Punch - 3" Reach

A lightweight long-reach punch for quality control and chart work.

#PC-4 Template Punch

A light long-reach punch used to design test-score templates and for programming industrial machinery using plastic control charts.

#13 Strap-Slot Punch

Cuts 9/16" x 1/8" strap-slot holes in plastic identification cards. This punch can also be equipped with larger special purpose dies and multiple characters, e.g. "VOID".

Consecutive Numbering Machines



- All steel internal parts, one piece hardened steel frames assure trouble free operation for years.
- Three full years limited warranty on all parts and labor.
- Extra-firm inking pads will not collapse with daily use.

Consecutive Numbering Machines

Stock No.	No. of Wheels	No. of Movements (Repetitions)	Style	Size (Letter Height)
D-51	5	7	Roman	11/64"
C-06	6	Lever Action	Roman	3/16"
C-72	6	7	Gothic	3/16"
C-71	6	7	Roman	3/16"
C-75	6	7	Roman	3/16"
C-77	7	7	Roman	11/64"
B-78	8	7	Roman	3/16"
B-71	9	7	Roman	11/64"
B-37	10	3	Roman	11/64"
A-11	11	3	Roman	3/16"
A-21	12	3	Roman	11/64"
A-31	13	3	Roman	11/64"
MM-21	6	6	Rubber	3/16"

Light Duty Numbering™ Machines

Stock No.	No. of Wheels	No. of Movements (Repetitions)	Style	Size (Letter Height)
70005	5	7	Roman	11/64"
70006	6	7	Roman	11/64"
70007	7	7	Roman	11/64"

Accessories & Replacement Parts

LMN-1	Refill Ink	(Specify Red, Blue or Black)
IM-55	Indelible Ink for MM-21	(Black Only)
PAD	Replacement Ink Pads	(Specify for A, B, C, or D Machines)
PFN-31	Pad Holder Clip	(Specify for A, B, C, or D Machines)

Embossing Seals

SHINY MODEL - ES  SIZE · 4-1/8" x 3/4" x 1-5/8"

Revolutionary Mechanism



1" x 2" (25 x 50mm)



1-5/8" Diameter (Ø41mm)

SHINY MODEL - EM  SIZE · 4-3/4" x 3/4" x 2"


Revolutionary Mechanism



1" x 2" (25 x 50mm)




1-5/8" Diameter (Ø41mm)



2" Diameter (Ø50mm)

Revolutionary Mechanism




SHINY MODEL - ED  SIZE · 4-1/2" x 1-15/16" x 2"



1" x 2" (25 x 50mm)



1-5/8" Diameter (Ø41mm)



2" Diameter (Ø50mm)

Revolutionary Mechanism



SHINY MODEL - EH  SIZE · 5-1/2" x 2-1/16" x 2-3/4"

Long Reach

2" Diameter (Ø50mm)





Fingerprinting Products & Supplies



NEW!
FINGERPRINTING
PRODUCTS DIVISION
I.D. Technologies, Inc.
Visit our website!
www.fingerprintpads.com

FINGERPRINT PADS - LI SERIES

Inkless Pads, Commonly Used by Banks, Mortgage Co., Notaries, Pawn Shops, etc.

LI-1

Hard porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 1-1/2" dia.
- Print capacity: 1200 imprints per pad

LI-1.5

Hard porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2" dia.
- Print capacity: 1300 imprints per pad

LI-2

Durable porous plastic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 1-3/4" x 2-1/4"
- Print capacity: 1200 imprints per pad

LI-2.5

Ceramic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2-1/2" dia.
- Print capacity: 4800 imprints per pad

LI-3

Ceramic surface. Considered to be an "Inkless Pad" leaves a crisp, clear imprint, never smears, dries instantly and leaves no ink residue on fingers. Specially formulated, ink pad does not dry out if pad is left open.

- Size: 2-1/2" x 4"
- Print capacity: 14,500 imprints per pad

FINGERPRINT PADS - LE SERIES

For Law Enforcement Use

LE-1

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 1-1/2" dia.
- Print capacity: 1200 imprints per pad

LE-1.5

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2" dia.
- Print capacity: 1300 imprints per pad

LE-2

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 1-3/4" x 2-1/4"
- Print capacity: 1200 imprints per pad

LE-2.5

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2-1/2" dia.
- Print capacity: 4800 imprints per pad

LE-3

Ceramic pad surface utilizing a dark ink approved for use by law enforcement. Gives a dark, very clear, crisp imprint, leaving very little ink residue on fingers. Ink dries instantly and does not smear.

- Size: 2-1/2" x 4"
- Print capacity: 14,500 imprints per pad



Fingerprinting Products & Supplies

Basic Fingerprinting Kits



With Folding Fingerprint Unit and Glass Inking Slab



With Folding Fingerprint Unit and ID Technologies, Inc. Pad



With Folding Fingerprint Unit and Semi-Inkless Pad



With Folding Fingerprint Unit and Stainless Steel Inking Slab



Fingerprint Slab Ink & Inking Slab



Grade A Fingerprint Slab Ink

Available in:

- 2 oz. Tube
- 4 oz. Tube
- 16 oz. Tube

Glass Inking Slabs

Available in:

- 4 x 10 inches
- 5 x 12 inches



Stainless Steel Inking Slabs

Available in:

- 4 x 10 inches
- 5 x 12 inches



Wood Riser/Backing Plate

- for SS Inking Slab, 4 x 10 inches
- for SS Inking Slab, 5 x 12 inches

Fingerprint Inked Strips



Available in:

- 10 x 3 inches
- 5 x 1 inches
- 5 x 3 inches
- 6 x 10 inches

Tabletop Fingerprinting Units



Single Fingerprinting Unit, with Glass Inking Slab, 4 x 10"



Single Fingerprinting Unit, with ID Technologies, Inc. Pad

Ink Remover Towelettes



Fingerprint Ink Remover Towelettes

Individual, disposable wipes, eliminate ink residue from fingers. Saturated with a mildly fragrant cleansing lotion, leaving skin soft and smooth.

- Quantity: 100 individual wipes per box



Ink Rollers

- Available in 2, 3 & 4 inches wide
- Steel-Grip Handle roller also available in 3 inches wide

Fingerprint Magnifiers



Fingerprint Classifier

- 4.5x Fingerprint Classifier Magnifying Glass
- Battley Disc (concentric circles)
- Crosshair Disc (two crossing lines)
- Henry Disc (one line)



Folding Fingerprint Magnifier

- 6x Folding Fingerprint Magnifier



Pocket Latent Print Magnifiers

- 2x Shirt Pocket Folding Magnifier



Latent Print Magnifiers


- 2.5" dia./ 2.5x Magnifier
- 3" dia./ 2x Magnifier
- 3.5" dia./ 2x Magnifier
- 4" dia./ 2x Magnifier
- 4.5" dia./ 1.75x Magnifier



Tripod Fingerprint Magnifier

- 10x Tripod Fingerprint Magnifier

Ultraviolet Lamps & Fluorescent Inks



Hand stamping is a preferred method of readmittance control and beverage control at many amusement parks and nightclubs. A Blak-Ray ultraviolet lamp is used with readmission inks to regulate access. In the case of readmittance control, attendant stamps the hands of patrons who wish to leave the premises and return a short time later. In the case of beverage control, patrons of drinking age typically have their hands stamped to differentiate them from minors.

Recommended Ultraviolet Lamps

The high-intensity model B-100AP is popular in high patronage clubs and for outside use in amusement parks. The B-100AP's patented Cool-Touch Lamp housing is safe to touch so patron's and personnel's fingers will not be burned. The Fingerguard is recommended for readmission use to avoid contact with the bulb.


UVP's high-quality, wide style XX-15BLB Lamp is designed to eliminate large access. This fixture can be conveniently mounted on a wall or hung from the ceiling. An optional clear filter cover protects the tubes. The XX-40 illuminates broader expanse.



The 6-watt UVL-56 used in conjunction with the J-129 lamp stand and the 4-watt UVL-21 with the J-124 lamp stand are popular for use at indoor establishments.

When complete portability is required, UVP's ML-49 6-watt lamp operates off two 6-volt lantern batteries (or two rechargeable batteries and

charger), and the UVL-26P operates from its internal lead-acid rechargeable battery. For beverage control, bar personnel frequently use the convenient 4-watt UVL-4 lamp. This lightweight lamp is small enough to slip in a shirt pocket or carry on a cocktail tray. The UVL-4 operates off 4 standard AA batteries.



Blak-Ray Readmission Inks



Ordinary inks can be transferred to another person's hand or imitated with an ink pen. When confronted with a crowd at the entrance (or bar), readmittance attendants (or bartenders) using other control inks and methods can be less than thorough on their inspection techniques and admit (serve) people with forged stamps causing potential security problems. Blak-Ray lamps and inks help to eliminate that problem, allowing personnel to quickly and accurately inspect each stamp.



The UV Stamp is made to out last any other conventional rubber stamp when using UV Re-admission inks.

RIBtype® Products

When traditional marking solutions can't solve their problems, think of RIBtype® for large date and number stamps, an alternative to costly band stamps, and for text that changes.



Labels & Vinyl Lettering

We manufacture labels & decals using a variety of substrates & colors, with adhesive back or adhesive front. Most are supplied with permanent pressure sensitive adhesive, removable adhesive and static cling are also available. Please contact our customer service department for info & pricing. We have an in-house art department or will work from your supplied art.



Used Oil Filters

USFilter
RECOVERY SERVICES

800-252-6444	Springtown	915-550-2533	Odessa
800-357-8362	Baton Rouge	800-355-2382	Little Rock
800-355-2380	Dallas	800-960-6377	Patterson
800-355-2383	Houston	800-355-2384	San Antonio/ Austin / Luling
800-880-7769	Kilgore		

⚠ DANGER
 IMPROPER USE OF LIFT COULD CAUSE SERIOUS INJURY.
 AUTHORIZED OPERATORS SHOULD READ ALL INSTRUCTIONS CAREFULLY. EVERY TRUCK IS DELIVERED WITH OPERATING INSTRUCTIONS. CONSULT YOUR LOCAL IF ADDITIONAL COPIES ARE NEEDED.

DO NOT OVERLOAD (CHECK CAPACITY)
 LOAD MUST BE EVENLY DISTRIBUTED ON FORKS OR PLATFORM AND AS CLOSE TO THE MAST AS POSSIBLE.
 USE BY FORWARD LEVEL SURFACES ONLY.
 DO NOT LIFT OR CARRY PEOPLE.
 DO NOT CARRY UNBALANCED LOADS.
 DO NOT FORK LOADS UP.
 DO NOT MOVE LIFT WITH FORKS OR PLATFORM IN A BAYED POSITION.
 DO NOT PLACE ANY PART OF YOUR BODY UNDER THE FORKS OR WITHIN THE MAST MECHANISM.

OPERATING INSTRUCTIONS
 RESPECT THE LIFT FOR DAMAGED OR WORN PARTS. DO NOT USE IF PARTS ARE WORN.
 FOUR FORK MODELS: ADJUST FORKS TO THE FORWARD POSITION. NEVER PICK UP LOADS ON BOTH FORKS NOT USED.
 MAKE SURE TRAVEL AND WORK AREA IS CLEAR OF OBSTACLES.
 CHECK OVERHEAD CLEARANCE BEFORE LIFTING LOADS OR TRANSPORTING.
 MAKE SURE BRAKE IS ENGAGED BEFORE LIFTING LOADS OR WORKING AT A LOAD.

⚠ WARNING
 OVERLOADING WILL DAMAGE LIFT

LOAD CENTER

A Load Center (L.C.) is measured from back of fork or platform to center of load.
 Center of load must not exceed mast load center (L.C.) capacity (displayed).
 Overall height of load should not be more than twice the rated load center capacity.
 L Load center capacity, check name plate on lift.

CAUTION

ROTATING DRAWER ASSEMBLY BEYOND 45° MAY CAUSE DAMAGE TO WIRING HARNESS

“WORD BAND” LABELERS BY

contact[®] | **USA**

CREATE YOUR OWN “IMPACT”

Promotional labeling helps consumers identify savings opportunities while increasing sales and profits for the retailer. Independent studies have shown that over 60% of customers purchase decisions are made from impulse while standing within 5 feet of the product. Through the use of promotional labeling retailers can attract the attention of their customers and trigger those buying emotions that lead to those impulse sales!

- Increased impulse sales through large bold attention getting slogans
- Increased profits through the sale of higher margin items
- Draw attention & create demand for new items and products on sale
- Blow out over stocked and slow moving inventory
- Eliminate the need for large inventories of custom labels with one labeler

**13 SLOGAN CHOICES ON THE TOP LINE...
BOTTOM LINE FOR PRICING**



SLOGANS
3 FOR
2 FOR
SPECIAL
SALE
REDUCED
BUY 1 GET 1 FREE
WE I.D.
COMPARE & SAVE!
BEST BUY
NEW TRY ME
CLEARANCE
SAVE
ESPECIAL

“WORD BAND” LABELERS BY



2216 & 2516 Premium

FEATURES & BENEFITS:

- Fast, simple drop-in loading (easiest label to load on the market)
- No need to peel labels during the loading procedure like other labelers on the market
- Virtually jam free (eliminates down time & repairs caused by label jams)
- Self-aligning drive wheel design
- Lightweight & extremely durable (lightest labelers on the market, reduces user fatigue)
- Quick change ink roller design for clean & simple ink roller changes
- Smooth slip resistant dial indicator for quick, precise number/slogan changes
- High quality print head provides clear, crisp label impressions
- Modular part design makes maintenance & removing rare liner back-ups a snap

CONTACT'S LINE OF WORD BAND LABELERS IS “WHAT EVER RETAILER NEEDS TO INCREASE SALES & PROFITS”

Word Band labelers come in both the Classic model and the “All-New” Premium model. They are available with label sizes of 22 x 16mm and 25 x 16mm. Both sizes offer 13 standard slogans on the top line with pricing capabilities on the bottom. The 2216 Word Band labeler comes with 7 numeric bands on the bottom row for all your pricing needs. The 2516 Word Band offers 6 larger bold characters for that increased eye catching ability.

HOW CAN CONTACT WORD BAND LABELERS HELP YOU SELL MORE AND SAVE MONEY AT THE SAME TIME?

They allow you to communicate a specific message at the point of sale to customers already inside your store. The best part is you accomplish this without the need of costly custom label inventory and with one model of label gun. You can even dial the top line to the blank space provided and utilize it as a standard price gun.

2216 WORD BAND SLOGANS

SALE 4 FOR \$9.00	SPECIAL \$4.99 ^{+TAX}	SAVE 2/\$5.00 ^{+TAX}
CLEARANCE 99¢ ^{+TAX}	REDUCED \$15.98	BUY 1 GET 1 FREE \$8.99 ^{+TAX}
2 FOR \$5.00	3 FOR \$12.00 ^{+TAX}	BEST BUY 9 FOR \$10.00
COMPARE & SAVE! \$13.25	NEW TRY ME \$2.99 ^E _A	WE I.D. \$13.59 ^{+DEP}

ESPECIAL
NOW \$1.50

ESPECIAL
NOW \$1.50

2516 WORD BAND SLOGANS

SALE 4 FOR \$9.00	SPECIAL \$4.99 ^{+TAX}	SAVE 2/\$5.00 ^{+TAX}
CLEARANCE 99¢ ^{+TAX}	REDUCED \$15.98	BUY 1 GET 1 FREE \$8.99 ^{+TAX}
2 FOR \$5.00	3 FOR \$12.00 ^{+TAX}	BEST BUY 9 FOR \$10.00
COMPARE & SAVE! \$13.25	NEW TRY ME \$2.99 ^E _A	WE I.D. \$13.59 ^{+DEP}

PRODUCT CODE

CN-00840
CN-00847

DESCRIPTION

2216 Premium Word Band Gun
2516 Premium Word Band Gun



LABELING SIMPLIFIED

Durable & Easy-Loading Labelers for Coding, Identification & Quality Control Applications

CONTACT® LABEL GUNS

ONE LINE MODELS

Lightest weight labelers in one-line classification of all major competitive brands. Labelers with 6, 7, 8, 9 or 10 characters on one line. Stocked layouts available for date coding & time stamping applications. Date coding bands are available with months, years & 12-hour clock AM, PM. A-Z full alpha bands are available for special assembly layouts. Bands are also available with other application-specific words such as: USE, SELL BY, EXP DATE, LOT, NO., LOT#, LINE, OPER, PART, ITEM and PRO for many QC & logistics applications. Many stock labels are available in all one-line sizes, 1812, 2212 & 2512, custom printed labels can be run in 2 weeks or less.



Small Body Series

1812
(18mm x 12mm)

2212
(25mm x 12mm)

2512
(25mm x 12mm)

2216
(25mm x 16mm)

APPLICATIONS


- IDENTIFICATION
- QUALITY CONTROL
- CODING

1812 Label




6.18 Gun - Layout #1601

2212 Label



7.22 Gun - Layout #1703


2212 Label Line No.



8.22 Gun - Layout #1807

Date Code

2212 Label



8.22 Gun - Layout #1804

2512 Label



9.25 Gun - Layout #1806

2512 Label Inspector No.



9.25 Gun - Layout 1806

2512 Label




9.25 Gun - Layout #1907

2516 Label




6.25 Gun - Layout #1661

2516 Label



6.25 Gun - Layout #1661

2516 Label Julian Date



6.25 Gun - Layout #1661



TWO LINE MODELS

Lightest weight labelers in two-line classification of all major competitive brands 2 lines with 6 over 6, 7 over 7, 8 over 8, 9 over 9, 10 over 9 & 10 over 10 characters. Stocked layouts available for coding applications ranging from QC verifications to lot # & expiration date, to date/price & item price. Date coding bands available with months, years & 12-hour clock AM, PM A-Z full alpha bands are available for special assembly layouts. Bands also available with other application-specific words such as, USE, SELL, BY, EXP, DATE, LOT, NO., LOT#, LINE, OPER, PART, ITEM, PRO for many QC & logistics applications. Many stock labels available in both small body 2-line sizes, 2216 & 2516. Custom printed labels can be run in a comparatively short timeframe.

Small Body Series

2216
(22mm x 16mm)

2516
(25mm x 16mm)



Large Body 37mm Series



APPLICATIONS

- IDENTIFICATION
- QUALITY CONTROL
- CODING

2216 Label

Assembly Date — 05/12/13

Assembler — 4/23456 — Job No.

77.22 Gun - Layout #2701

2216 Label

Operator No. — 69216 — Julian Date

Line No. — 69216

Plant No. — 2/05926

Batch / Lot No. 77.22 Gun - Layout #2702

2216 Label

Expiration Date — 07/24/13

Lot No. — 1234567

77.22 Gun - Layout #2703

2216 Label

Distribution Center — 6/123456 — Order No.

Packer No. — 141803 — Carrier

Piece Count 88.22 Gun - Layout #2801

2216 Label

Date Inspected — 11-18-13

Inspector No. — 0783972 — Lot No.

88.22 Gun - Layout #2803

2216 Label

Expiration Date — 10-15-13

Plant No. — 1462573

Lot No. 88.22 Gun - Layout #2803

2216 Label

Time of Day — 1045 AM

Date Code — JAN 10 2013

88.22 Gun - Layout #2804

2516 Label

Packer No. — 2/24-275 — Carrier

Piece Count

Product No. — 123456789

99.25 Gun - Layout #2503

2516 Label

Production Date — 102 2 5 — Line No.

Operator No. — 71234567 — Batch / Lot No.

Shift No.

99.25 Gun - Layout #2505

2516 Label

Product ID — 123456789

Inspector No. — 11/20/13

99.25 Gun - Layout #2507

2 Lines with either 12 over 12 or 12 over 8 larger characters

3719 Label

Lot No. — 12345678 04 — Plant No.

Expiration Date — 12 15 13

1212.37 Gun - Layout #2903

3719 Label

Maximum Capacity — 123456789012

Example — 12345678

1212.37 Gun - Layout #2905

Custom & Stock Stencils

Oilboard, Mylar, Magnetic & Brass



- Custom Cut Stencils (up to 48" tall characters)
- Stencil Rollers and Applicators
- Stencil Brushes
- Stencil Inks and Spray Inks

VISIT OUR NEW STENCIL PRODUCTS DIVISION!

NATIONAL STENCIL

Visit our website!

www.nationalstencil.com

Sten C Labl®

With Sten C Labl®, you can mark, identify and address multiple cartons accurately, easily and economically. The need for expensive labels is eliminated. The system's "feather touch" enables you to make up to 50 clean, sharp impressions in just one minute on virtually any surface, even glass. Over 100 impressions can be made from each low-cost stencil. Stencils are available in a variety of sizes and configurations to meet your specific needs. The basic Sten C Labl® is a hand-applied multiple marker composed of three basic units.

The Stencil

Stencils are available in a variety of sizes and types. They can be ordered plain or "customized" with your company's name, logo, or any other repeating information.

The Durahead®

This simple, yet ingenious two-part applicator tool hold the stencil, stores and supplies the ink, and marks the package or product. The applicator consists of the Durahead® – a flat, durable ink pad framed in tough Delrin® plastic – and a screw-on, four-ounce ink container. The refillable container becomes both the handle and ink reservoir. There is also a curved (or rocker) applicator for heavy duty use. This applicator has its own ink reservoir and screw-on, custom molded handle.

The Ink

Ink flow is controlled by a patented ball valve system which ensures ink flow only when desired. This virtually eliminates over-inking, ink seepage and valve leaks. Inks are available in a variety of colors, although black is the most popular. Choose Standard Dry for marking porous surfaces, or Fast Dry ink for non-porous, non-absorbent surfaces.


How It Works

1. Create the Stencil

Information can be hand written by ball point pen or prepared by typewriter, addressing machine, billing machine or computer. Stencils may be cut in the shipping room or storage area at the time of use. Or, if affixed to order processing paperwork, stencil preparation can be done as a by product of existing order preparation. Sten C Labls® can also be requested from your computer or office business forms supplier so that they become an integral part of these forms. This addition creates a complete forms package.

2. Attach Stencil to Applicator

To attach the prepared stencil to the special Durahead® applicator, start by removing the backing paper. Then lay the stencil face up – on a smooth surface and gently and evenly press the inked applicator to the stencil. The natural adhesion from the ink's moisture will hold the stencil in place. The applicator screws on to a four-ounce bottle of ink which serves as the handle and ink reservoir. It's as simple as that. You're now ready to begin multiple addressing or marking on surfaces ranging from cartons and poly bags, to glass, plastics, wood, and oddly shaped items.



PARKING LOT STENCILS

RESERVED

Reserved Sign Stencils

ST-CC0087V	3" 60 Mil. RESERVED Stencil	ST-CC0087M	12" 60 Mil. RESERVED Stencil
ST-CC0087U	4" 60 Mil. RESERVED Stencil	ST-CC0087C	22" 60 Mil. RESERVED Stencil
ST-CC0087S	6" 60 Mil. RESERVED Stencil	ST-CC0087A	24" 60 Mil. RESERVED Stencil
ST-CC0087Q	8" 60 Mil. RESERVED Stencil		

VISITOR

Visitor Sign Stencils

ST-CC0088V	3" 60 Mil. VISITOR Stencil	ST-CC0088M	12" 60 Mil. VISITOR Stencil
ST-CC0088U	4" 60 Mil. VISITOR Stencil	ST-CC0088C	22" 60 Mil. VISITOR Stencil
ST-CC0088S	6" 60 Mil. VISITOR Stencil	ST-CC0088A32	32" 60 Mil. VISITOR Stencil
ST-CC0088Q	8" 60 Mil. VISITOR Stencil		

STOP

Stop Sign Stencils

ST-CC0089S	6" 60 Mil. STOP Stencil	ST-CC0089C	22" 60 Mil. STOP Stencil
ST-CC0089Q	8" 60 Mil. STOP Stencil	ST-CC0772A30	30" 60 Mil. STOP Stencil
ST-CC0089M	12" 60 Mil. STOP Stencil		

YIELD

Yield Sign Stencil

ST-CC0090S	6" 60 Mil. YIELD Stencil	ST-CC0090C	22" 60 Mil. YIELD Stencil
ST-CC0090Q	8" 60 Mil. YIELD Stencil	ST-CC0090A40	40" 60 Mil. YIELD Stencil
ST-CC0090M	12" 60 Mil. YIELD Stencil		

SLOW

Slow Sign Stencil

ST-CC0091S	6" 60 Mil. SLOW Stencil	ST-CC0091C	22" 60 Mil. SLOW Stencil
ST-CC0091Q	8" 60 Mil. SLOW Stencil	ST-CC0091A40	40" 60 Mil. SLOW Stencil
ST-CC0091M	12" 60 Mil. SLOW Stencil		

EXIT

Exit Sign Stencil

ST-CC0092S	6" 60 Mil. EXIT Stencil	ST-CC0092M	12" 60 Mil. EXIT Stencil
ST-CC0092Q	8" 60 Mil. EXIT Stencil	ST-CC0092C	22" 60 Mil. EXIT Stencil

COMPACT

Compact Sign Stencil

ST-CC0104V	3" 60 Mil. COMPACT Stencil	ST-CC0104M	12" 60 Mil. COMPACT Stencil
ST-CC0104U	4" 60 Mil. COMPACT Stencil	ST-CC0104C	22" 60 Mil. COMPACT Stencil
ST-CC0104S	6" 60 Mil. COMPACT Stencil	ST-CC0104A27	27" 60 Mil. COMPACT Stencil
ST-CC0104Q	8" 60 Mil. COMPACT Stencil		


P

Letter "P" Stencils

ST-CC0724S	6" 60 Mil. Letter "P" Stencil
ST-CC0724M	12" 60 Mil. Letter "P" Stencil
ST-CC0724C	22" 60 Mil. Letter "P" Stencil

Available in any thickness

PARKING LOT STENCILS



Bicycle Symbol Stencil

ST-CC0708M	12" 60 Mil. Bicycle Symbol Stencil
ST-CC0708A54	54" 60 Mil. Bicycle Symbol Stencil

Turn Arrow Stencil

ST-CC0709A72	72" 60 Mil. Turn Arrow Stencil
--------------	--------------------------------

Parking Line Stencil

ST-CC0076U	4" 60 Mil. Parking Line Stencil
------------	---------------------------------

Opt. Turn Arrow Stencil

ST-CC0770A426	42" 60 Mil Opt. Turn Arrow
ST-CC0770A726	72" 60 Mil Opt. Turn Arrow

Arrow Parking Stencil

ST-CC0711A42	42" 60 Mil Arrow Parking Stencil
--------------	----------------------------------

Available in any thickness

RUBBER SAND BLAST STENCILS

HITT rubber masks are molded from natural or synthetic rubber. The masks are relieved with stencil style lettering along with special designs or trademark logos. Ideal for identification marking of tempered or laminated glass. Within seconds your mark is permanently etched into glass, metal or plastic. Marvel rubber masks are very durable for long life, keeping the cost per etch extremely low. Our standard mask size is 3" x 2" or 2-1/2" x 2-1/2". We can produce other mask sizes to your specifications. Lettering height starts at .060 and up. Rubber masks can be used to mark various shapes such as flat, curved, tubular, convex or concave. Please call or email us for more information and samples.

NATIONAL STENCIL
CALIFORNIA OFFICE:
3231 W. MACARTHUR BLVD.
SANTA ANA, CA 92704

LOCAL:
TEL: (714) 979-1405
FAX: (714) 979-1407

STORM DRAIN STENCILS



Drains to Ocean Stencils

ST-CC0097W	2" 60 Mil.Drains to Ocean Stencil
ST-CC0097V	3" 60 Mil.Drains to Ocean Stencil
ST-CC0097W10	2" 60 Mil.Drains to Ocean Stencil 10pk
ST-CC0097V10	3" 60 Mil.Drains to Ocean Stencil 10pk
ST-CC0097W50	2" 60 Mil.Drains to Ocean Stencil 50pk
ST-CC0097V50	3" 60 Mil.Drains to Ocean Stencil 50pk

Drains to Bay Stencils

ST-CC0101W	2" 60 Mil. Drains to Bay Stencil
ST-CC0101V	3" 60 Mil. Drains to Bay Stencil
ST-CC0101W10	2" 10/Pack Drains to Bay Stencil
ST-CC0101V10	3" 10/Pack Drains to Bay Stencil
ST-CC0101W50	2" 50/Pack Drains to Bay Stencil
ST-CC0101V50	3" 50/Pack Drains to Bay Stencil

Drains to River Stencils

ST-CC0098W	2" 60 Mil.Drains to River Stencil
ST-CC0098V	3" 60 Mil.Drains to River Stencil
ST-CC0098W10	2" 60 Mil.Drains to River Stencil 10pk
ST-CC0098V10	3" 60 Mil.Drains to River Stencil 10pk
ST-CC0098W50	3" 60 Mil.Drains to River Stencil 50pk
ST-CC0098V50	3" 60 Mil.Drains to River Stencil 50pk

Drains to Stream Stencils

ST-CC0100W	2" 60 Mil.Drains to Stream Stencil
ST-CC0100V	3" 60 Mil.Drains to Stream Stencil
ST-CC0100W10	2" 60 Mil.Drains to Stream Stencil 10pk
ST-CC0100V10	3" 60 Mil.Drains to Stream Stencil 10pk
ST-CC0100W50	2" 60 Mil.Drains to Stream Stencil 50pk
ST-CC0100V50	3" 60 Mil.Drains to Stream Stencil 10pk

Defend our Wetlands Stencils

ST-CC0102W	2" 60 Mil.Drains to Wetlands
ST-CC0102V	3" 60 Mil.Drains to Wetlands
ST-CC0102W10	2" 60 Mil.Drains to Wetlands Stencil 10pk
ST-CC0102V10	3" 60 Mil.Drains to Wetlands Stencil 10pk
ST-CC0102W50	2" 60 Mil.Drains to Wetlands Stencil 50pk
ST-CC0102V50	3" 60 Mil.Drains to Wetlands Stencil 50pk

Drains to Waterway Stencils

ST-CC0099W	2" 60 Mil.Drains to Waterways
ST-CC0099V	3" 60 Mil.Drains to Waterways
ST-CC0099W10	2" 60 Mil.Drains to Waterways Stencil 10pk
ST-CC0099V10	3" 60 Mil.Drains to Waterways Stencil 10pk
ST-CC0099W50	2" 60 Mil.Drains to Waterways Stencil 50pk
ST-CC0099V50	3" 60 Mil.Drains to Waterways Stencil 50pk

STENCIL ROLLERS & APPLICATORS

Rol-It-On® System Stencil Applicators For All Surfaces



Our most economical stencil applicators system for marking on both porous and non-porous surfaces. Use the refillable Rol-It-On ink pad to ink the roller prior to stenciling.

- For porous surfaces use a latex roller and R ink or use a Type N Roller with SK-1 ink
- For non-porous surfaces order a neoprene Type N roller and S or GS ink.
- Use the GS Kit to meet U.S. Government specifications when stenciling on porous or non-porous surfaces.

ROL-IT-ON KITS

STOCK #	DESCRIPTION	CONTENT
ST-0411300	3" R-1 Black Kit	1qt. Ink, Rol-It-On Assembly, Rol-It-On Roll & Ink Pad
ST-0412301	3" Multi Purpose Black Kit	1qt. Ink, Rol-It-On Assembly, Rol-It-On Roll & Ink Pad

ROL-IT-ON ASSEMBLIES

STOCK #	DESCRIPTION
ST-0408103	1-1/2" Rol-It-On Assembly
ST-0408101	3" Rol-It-On Assembly
ST-0405103	1-1/2" Type "N" Rol-It-On Assembly
ST-0405101	3" Type "N" Rol-It-On Assembly
ST-0603802	3" RIO Cover

ROL-IT-ON ROLLS

STOCK #	DESCRIPTION	QUANTITY
ST-0408104	1-1/2" RIO Roll	6 Per Box
ST-0408102	3" RIO Roll	6 Per Box
ST-0405104	1-1/2" Type "N" RIO Roll	6 Per Box
ST-0405102	3" Type "N" RIO Roll	6 Per Box
ST-0405670	6" Type "N" Roll	

ROL-IT-ON INK PADS

STOCK #	DESCRIPTION	MATERIAL	PAD SIZE
ST-0408201	Rol-It-On Pad, Regular - #3	Metal	4" x 7"
ST-0408202	Rol-It-On Pad	Plastic	Plastic

ROL-FLO ROLLER SYSTEM

STOCK #	DESCRIPTION	QUANTITY
ST-0611300 3"	R-1 Black Rol-Flo Kit	1qt. Ink, Rol-Flo Assembly & Rol-Flo Roll
ST-0601803	3" R-Type Rol-Flo Assy.	
ST-0408102	3" Rol-Flo Roll	6 Per Box

ROL-IT-ON HANDLES

STOCK #	DESCRIPTION
ST-0408112	1-1/2" RIO Handle Assembly
ST-0408300	3" RIO Handle Assembly
ST-0408600	6" RIO Handle Assembly

ROL-FLO PARTS

STOCK #	DESCRIPTION
ST-0609201	3" Rol-Flo Cover
ST-0609147	Rol-Flo Handle
ST-0601800*	Rol-Flo Maintenance Kit

* Contains Washer, Transfer Felt and Ink Check Plug

Awards & Recognition Products

Our Recognition Products help dress up your office & are great for pointing out special achievements. All items are available in a variety of shapes & sizes, and they are engraved to your exact specifications.


Laser Engraving



Laser Marble



Cast Bronze Plaques



Award Plaque



Acrylic Award



Etched Brass

Engraving Custom Signage

Metal Wall Holders are available in three stock colors: Gold, Silver & Black. Special sizes are also available to suit your needs. Please call for quotes.



Metal Wall Holders



Custom Wall Signs

STOCK COLORS

- Black / White
- White / Black
- Gray / White
- Red / White
- Blue / White
- Green / White
- Maroon / White
- Brown / White
- Walnut / White
- Silver / Black
- Yellow / Black
- White / Blue
- White / Red

Engraving

No. CA14
690 1 3/4" x 4 1/8"

No. CA413
MEDICAL RECORDS
4 1/8" x 13 1/8"

No. CA66
HEARING ROOM 4
6 1/8" x 6 1/8"

No. CA19
DAVID MOURY
1 3/4" x 9 1/8"

No. SS210 Slider Sign
IN USE CONFERENCE ROOM
2" x 10"

No. CA99
RADIOLOGY
X-RAYS
201-203
9 1/8" x 9 1/8"

Custom Architectural & ADA Signs

Our engraved Architectural Signage is designed to meet your exacting specifications. All signs are available framed with square or round corners. Frames are available in five stock colors: Black, Brown, Gray, Almond & White. Call for special colors and sizes.

Signage can be made with attached raised braille lettering to comply with the Americans with Disabilities Act. Frames for regular Architectural Signage and ADA Compliant Signage are fully interchangeable.

STOCK COLORS	
	Black / White
	White / Black
	Gray / White
	Red / White
	Blue / White
	Green / White
	Maroon / White
	Brown / White
	Walnut / White
	Silver / Black
	Yellow / Black
	White / Blue
	White / Red

- Important To Remember When Ordering:*
- Plate or Badge Size
 - Plate or Badge Color
 - Letter Color
 - Letter Style
 - Holder or Fastener
 - Logo and Color

Custom Desk Plates & Name Tags

Ultra
ACCOUNTING
TOM F. FISHER
Acrylic Base

Standard Holder
Patricia Haver
Vice President - Marketing
MICHAEL GRESCH
Walnut Block & Card Holder

Wall Mount
Rebecca Young
NEXT WINDOW PLEASE
Double Sided

Full Color Custom Nametags

COLUMBIA St. Mark's Hospital
Terry Marston
Laboratory

Buttons & Bows
Liz

JOHN ADDISON
Director of Marketing

DeWolfe
One stop and go to business
Gerri Chase

GLAMOUR 2000
CYNTHIA JOHNSON
1-1/2" x 3"

San Dimas
LINDA SMITH
VICE PRESIDENT
1-1/4" x 3"

Jim Spaltro, PhD
Clinical Psychologist
1" x 3"

PAT HAUER
a
1" x 3"

BW
BILL MATTHEWS
VICE PRESIDENT
1" x 3"

Engraved Custom Nametags

Engraved Letter Styles

- Helvetica
- Helvetica Bold
- Helvetica Italic
- Times Roman
- News Gothic

Fastener Types

- Clip
- Pin
- Magnet Bar

Ultra
No. UL01 1-3/4" x 9-1/8"

Acrylic or Wood Base

No. AC01 2" x 8"
No. AC02 2" x 10"
No. WD01 2" x 8"
No. WD02 2" x 10"

Standard Holder

No. SH01 2" x 8"
No. SH02 2" x 10"

Walnut Block with Card Holder

No. CB01 2" x 8"
No. WB01 2" x 8"
No. WB02 2" x 10"

Walnut Block

No. WB01 2" x 8"
No. WB02 2" x 10"

Wall Mount

No. WM1 2" x 8"
No. WM2 2" x 10"

Double Sided

No. DS01 2" x 8"
No. DS02 2" x 10"

Mark-Hitt Industrial Ink List



MARK-HITT TWO-PART EPOXY INK

Surfaces: Ceramics, phenolics, polyesters, melamines, silicones, ferrous and non-ferrous metal, glass, electronics.

Drying Time: Air dry from 2-3 hours. Curing time can be speeded up by adding heat. 7 to 10 days required for maximum adhesion, and chemical resistance. Require addition of a catalyst immediately prior to use.

Characteristics: Meets Spec. MIL-I-43553. A two-part epoxy ink with a high degree of adhesion to the most difficult surfaces. Becomes permanent after curing. Excellent resistance to solvents and chemicals.

Colors: Black, White—1/2 oz. packets, quarts available. Other colors available on special order.

Applications: Especially formulated for the electronics industry for use with Markem, Prenco, Rezaik, Jan Tech, Mark & Pack, Eastern and other parts marking machines. May also be applied with a rubber stamp by rolling out a thin film of ink with a brayer on a smooth surface.

MARK-HITT INVISIBLE STAMP INK

Surfaces: Skin—Usually hands.

Drying Time: Instant.

Characteristics: Ink is made so that it will show up only under a Black ultraviolet light. Used for identification purposes at dances, pools, private picnics, etc.

Colors: Blue—when put under light.

MARK-HITT No. 214 STAMP INK

Surfaces: For stamping semi-absorbent and non-absorbent surfaces such as glossy paper, painted surfaces, metal, hardwood, electronic parts.

Drying Time: 30 to 60 seconds.

Characteristics: Good adhesion, non-acid, waterproof...Approved by Dept. of Agriculture for use on food packages.

Colors: Black, Blue, Red, Purple, White, Yellow, Orange, Green and Brown.

MARK-HITT STAMP INK THINNER #141

For: #141, CELLOPHANE, INDELIBLE, A. X., OPAQUE, #628, #214, or any ink used with opaque pads.

Characteristics: These thinners have the same solvents used in each particular ink. Only the color is eliminated. Will rejuvenate the ink or pad and will bring it back to its original state and drying time. Can also be used for cleaning rubber stamps.

MARK-HITT PARACHUTE INK #6903

Surfaces: Nylon parachute cloth, parachute pack cloth and webbing.

Drying Time: Within 10 seconds after stamping on material.

Characteristics: When applied with rubber stamp, will produce a sharp legible impression, indelible. Meets Gov't. Spec. MIL-I-6903.

Colors: Strata Blue, Orange-Yellow, Red, Black.

MARK-HITT METAL MARKING & STENCILING INK

Surfaces: For marking and stenciling iron, steel drums, boilers, sidewalks, and any painted or non-absorbent surface.

Drying Time: Will set to touch in 5 minutes. Will dry in 10 to 15 minutes.

Characteristics: To be used with ordinary pot and stencil brush. Can be prepared for use in fountain brush if order is made to read "Metal F.B.". Ink has good adhesion, is rub resistant and waterproof. Gov't. Spec. TT-I-558 and MIL-I-1795A Type I.

Colors: Black, Red, Blue, Green, White, Yellow, Orange, Brown, Silver. Matched and Gov't. colors can be made to order.

MARK-HITT INDELIBLE INK

Surfaces: Absorbent surfaces, linen, hosiery

Drying Time: Almost immediately, depending on absorbency of material.

Characteristics: Will withstand many washings. Can be used with rubber or metal stamp or stencil if used sparingly.

Colors: Red, Blue, Green, Purple, Yellow, White.

MARK-HITT No. 245 STAMP INK

Surfaces: Any non-absorbent material. Very good for all types of cellophane.

Drying Time: 3 to 5 seconds.

Characteristics: A very fast drying ink that has excellent adhesion on most non-absorbent surfaces. Makes sharp impressions that are very rub resistant. Good for production line work because of its quick drying characteristics and ability to adhere to a wide variety of materials. Approved by Dept. of Agriculture for use on food packages.

MARK-HITT No. 628 POLYETHYLENE STAMP INK

Surfaces: Treated Polyethylene, plastics, metal and most non absorbent surfaces.

Drying Time: 5 to 10 seconds.

Characteristics: Quick drying, waterproof, EXCELLENT ADHESION. Very good on hard to mark polyethylene. Comes in vivid pigmented colors. Will not migrate through plastic. Conforms to Gov't. Spec. Mil-I-16557 a type 1. Approved by Dept. of Agriculture for use on food packages.

Colors: Black, Red, Blue, Green, Yellow, White, Orange, Purple, Brown, RED conforms to Gov't. Spec. TT-I-554A.

141 INDUSTRIAL INK

Surfaces: Porous, Non-Porous, Paper, Corrugated, Plastic, Metal

Application: Hand Stamp

Dry time: 2-4 minute

The 141 ink is a waterproof ink with excellent adhesion. Because of the slow drying time, the ink remains moist on a pad for a longer period of time. It is especially good for inspectors ink pads and is suitable for self-inkers. It is approved by the Department of Agriculture for sue on food packaging. Colors: Black, Blue, Red, Yellow, Green, Orange, Pink, Silver, White.

MARK-HITT INDELIBLE LAUNDRY INK

Surfaces: Used with pen, rubber stamp or stencil for marking linen and clothing.

Drying Time: Almost immediately—Depending on absorbency of material.

Characteristics: Acid base. Will not bleach out, no preparation or hot iron required, can be washed immediately after marking. Not to be used on top of sizing. Gov't. Spec. TT-I-542.

Colors: Black.

MARK-HITT 476 SOLVENT RESISTANT INK

Surfaces: Metal parts, plastic parts, printed circuit boards, glass.

Drying Time: 30 to 60 seconds depending on surface.

Characteristics: Made to resist solvents such as degreasers, alcohol, cleaning fluids, etc. The longer this ink is allowed to dry, the more resistant it will be to solvents.

Colors: Black, White, Yellow, Red, Orange, Green, Blue, Purple.

MARK-HITT No. 1250 INK

Surfaces: All non-absorbent surfaces such as metal, cellophane, foil, resin coated photographic paper, mylar, chrome coated labels, food packaging.

Drying Time: 10 to 15 seconds

Characteristics: The ink specifically formulated for use on the Mark II stamp pad. An excellent all purpose ink. Waterproof, excellent adhesion, USDA approved for food packaging. Conforms to Gov't. Spec. TT-I-1795A, Type I, when a stamping ink is required. Also Meets Spec. MIL-16557A, Type I.

Colors: Black, Blue, Red, Purple, Green, Brown, White, Yellow, Orange, Silver.

NOTICE: While the manufacturer takes utmost care in compounding & manufacturing these inks, we cannot guarantee their performance.

All inks are sold with the understanding that our liability with respect to any defective ink is limited to the replacement of the ink.

Military & Government Specifications Concerning Ink

TT-I-521

INK: COPYING AND RECORD - shall be of blue-black type - suitable for writing permanent records - not recommended for making more than one press copy, nor for use in fountain pens, nor for other ordinary purposes.

TT-I-526a

INK: DRAWING (FOR GLAZED SURFACES) - Drawing inks covered by this specification are intended for use on plastic surfaces, such as celluloid, cellulose acetate, and vinylite and are applied by pen or brush.

TT-I-528B

INK: DRAWING, WATERPROOF, BLACK - This specification covers black, waterproof drawing ink for general drafting use (drawing and tracing).

TT-I-540

NUMBERING MACHINE INK - Ink suitable for use with hand operated, selfinking numbering machines having a felt inking pad and metal type.

TT-I-542

INDELIBLE LAUNDRY INK - indelible ink for marking fabrics, ink suitable for use in a power-operated laundry marking machine, for marking impressions with rubber stamps, and for marking with pen points.

TT-I-544

MARKER, FELT TIP - This specification covers dry marking ink for use with felt tip fountain type markers on porous and non-porous surfaces. - Intended for use in felt tip marking pens for freehand marking, writing, or drawing on materials such as fiberboard, paper, wood, burlap, or metal.

TT-I-545a

MARKING INK, QUICK DRYING, FOR PHOTOGRAPHIC FILM - This ink is intended for marking cellulose acetate base film. - Ink shall not etch the film.

TT-I-547a

NUMBERING MACHINE INK FOR PHOTOGRAPHIC NEGATIVES - The numbering machine ink covered by this specification is intended for use in marking on the uncoated side of photographic negatives.

TT-I-554a

STAMP PAD INK, RED, FOR PHOTOGRAPHIC PRINTS - For stamping from a pad, clear, legible impressions on the face of photographic prints. - Shall be dry in not more than 15 seconds.

TT-I-556d

QUICK DRYING RUBBER STAMP INK - For making impressions on paper or corrugated with a rubber stamp.

TT-I-557

INK: STENCIL, DUPLICATING MACHINE, CLIMATEPROOF, BLACK, CASTOR OIL BASE - The ink shall work satisfactorily in rotary stencil duplicating machines, and shall produce impressions which can be easily read when printed on one or both sides of the specified paper.

TT-I-558c

MARKING STENCIL INK, OPAQUE, FOR NONPOROUS SURFACES (METAL, GLASS, ETC.) - The ink covered by this specification is a light and water resistant, fast drying, flat finish stencil ink for marking metals, glass, stone and similar nonporous surfaces. - It is intended primarily to be used with an ordinary wood handle stencil brush and stencilboard. - It may also be used with a hand lettering brush or may be applied by spray or roller coater.

TT-I-559

STENCIL INK: OPAQUE, FOR MARKING POROUS SURFACES (WOODEN BOXES, FIBER CARTONS) - This specification covers weather-resistant, fast drying, flat finish inks of the type used for marking fiberboard cartons, wooden crates, boxes, bales, sacks and burlap porous materials used as shipping containers and for other purposes. - It is suitable for application through a perforated and/or machine cut metal, plastic, or oiled-paper stencil board, primarily with a brush of either the fountain or ordinary wood handle type.

TT-I-560

INK: STENCIL, DUPLICATING MACHINE, BLACK, FOR USE ON TWIN CYLINDER EXTERNALLY INKED STENCIL DUPLICATING MACHINES - This specification covers mimeograph ink for use on twin-cylinder externally inked duplicating machines in the stencil duplicating process.

TT-I-564

INK: STENCIL, DUPLICATING MACHINE, BLACK

Type I - Oil Base Ink, Climateproof - Intended to give satisfactory operation under all climatic conditions.

Type II - Emulsion-Base Ink - Inks. They are the water-in-Oil emulsion type inks. They are all-purpose inks which dry rapidly with a minimum of offset or strike-through on mimeograph papers and will give impressions with a minimum of offset on hard-sized papers.

Type III - Hard-Set Ink - Are hard-Set Inks which give you clean, clear impressions on hard-sized papers, smudge-proof when dry and are not affected by water.

Type IV - Fast-Drying Ink (Water Soluble) - Inks which dry on contact with the paper. They should operate well on hard-sized papers. This ink will operate satisfactorily only in closed cylinder machines.

TT-I-600a

INKING PAD, RUBBER STAMP - This specification covers fabric, wooden, and foam latex rubber or foam plastic pads, without ink or with ink, in three sizes, for use with rubber stamps in general office use.

TT-I-1795A

INK, MARKING, STENCIL, OPAQUE POROUS & NON-POROUS SURFACES

Type I - non-porous surfaces - Metal Marking Ink

Type II - porous surfaces - OB Ink

Type III - porous & non-porous surfaces in spray cans - Types I & III stencil inks are a light and weather resistant, fast drying, flat finish for marking metals, glass, stone and similar non-porous surfaces intended to be used with stencil brush, hand lettering brush, roller coater, spray and stencil board - Types II & III stencil inks are weather resistant, fast drying, flat finish for marking fiberboard cartons, wood crates and boxes, bales, sacks and burlap and similar porous surfaces. - Intended to be used with same as above.

MIL-I-3218

MEAT STAMPING INK - Specification covers ink to be used for stamping inspected meat.

MIL-I-6903c

INK, MARKING, PARACHUTE - The ink covered by this specification is intended for marking parachutes and other items of cloth construction. - Impressions on nylon shall dry within 5 seconds after stamping.

MIL-M-7911

MARKING, IDENTIFICATION OF AERONAUTICAL EQUIPMENT, ASSEMBLIES AND PARTS - Ink requirements for identification of all equipment, assemblies, and parts for aircraft. - The marking shall be as permanent as the item on which it is placed. - Used on electronic and electrical parts.

MIL-I-15883A

WRITING INK, PERMANENT, SEAWATER AND FUEL OIL RESISTANT - This specification covers the requirements for a permanent type writing ink that is resistant to seawater and fuel oil. - The ink shall be a stable, free flowing, non-corrosive fluid which shall provide permanent written copies unaffected by seawater and fuel oils

MIL-I-16557A

INK, MARKING, QUICK DRYING (FOR NON-POROUS SURFACES)

Type I - Cellulose Base

Type II - Oil Base-quick drying marking inks for metallic or other non-porous surfaces. - Marking ink, as covered by this specification, is a rapid drying, grease, oil, solvent and water resistant material, which is suitable for use with hand or automatic equipment in stenciling.

A-A-208

INK, MARKING, STENCIL, OPAQUE (POROUS AND NON-POROUS SURFACE)

The commercial item description covers four types of opaque stencil ink for marking porous and non-porous surfaces. The opaque stencil inks shall be one of the following types, as specified:

Type I - For use on non-porous surfaces (non-pressurized containers).

Type II - For use on porous surfaces (non-pressurized containers).

Type III - For use on porous surfaces (pressurized containers).

Type IV - For use on porous or non porous surfaces (stencil rollers)

HITT Marking Devices



3231 W. MacArthur Blvd. • Santa Ana, CA 92704

Phone: 714.979.1405 • International: 714.979.1405 • Fax: 714.979.1407

Toll Free Phone: 800.969.6699 • Fax: 888.979.4488

Website: www.HittMarking.com • E-mail: sales@hittmarking.com

Hitt Marking Devices is family owned and operated. Our success is due greatly to our fast, friendly service. Orders are shipped the same day the order is received on all Custom Rubber Stamps or other Marking Devices in stock. We also offer a 2-4 Hour Rush Service.

Hitt Marking Devices is among the very few who offers a **LIFETIME GUARANTEE** on the majority of the products we sell. This is possible because of our commitment to selling only the highest quality products.

We, at Hitt Marking Devices, want you to be satisfied with your new Marking Device. *"If you're not happy, we're not happy."* Please return item for replacement or a full refund.