

# SAFETY DATA SHEET

**SECTION 1: IDENTIFICATION**

**Product Name:** ROLL BLACK L/C 3076B PP T  
**Product Code:** 3167 / 3076B  
**Recommended Use:** Plastisol used for created a gel-matrix containing ink.  
**Manufacturer Name & Address:** Identity Group  
1480 Gould Drive  
Cookeville, TN 38506

**Telephone Number:** 931-432-4000

**Emergency Telephone Number:** Identity Group – 931-432-4000  
Chemtrec – 1-800-424-9300 (Within the Continental US)

**SECTION 2: HAZARD IDENTIFICATION****Classification:**

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitisation	Category 1
Specific Target Organ Toxicity - RE	Category 2
Carcinogenicity	Category 2
Chronic Aquatic Toxicity	Category 1

**Label Elements:****Symbol:**

**Signal Word:** Warning

**Hazard Statements:**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements:****Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/fume/gas/vapors/spray.  
P264 Wash hands/skin thoroughly after handling.

- P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

- P302+352 IF ON SKIN: Wash with plenty of soap and water.  
 P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do-continue rinsing.  
 P308+311 IF exposed or concerned: Call a POISON CENTER/doctor.  
 P333+313 If skin irritation or a rash occurs: Get medical attention/advice.  
 P337+313 If eye irritation persists get medical attention/advice.  
 P314 Get medical advice/attention if you feel unwell.  
 P362+364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage

**Storage:**

- P405 Store locked up.

**Disposal:**

- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazards Not Otherwise Classified (HNOC)**

No additional information identified.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

CAS No.	Component	Percent
68647-14-3	Basic Violet 1	0.2-0.5%
68603-42-9	Cocamide DEA	2-4%
111-42-2	Diethanolamine	0.5-1.0%
1330-78-5	Tricresyl phosphate	15-25%
64742-88-7	Solvent naphtha (petroleum)	0.024%
63148-62-9	Polydimethylsiloxane	0.012%
68609-97-2	Glycidylether	0.012%

**SECTION 4: FIRST AID MEASURES**

- Inhalation:** Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Ingestion:** Seek immediate medical attention/advice. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
- Eye Contact:** Flush eyes with water for at least 15 minutes while holding eyelids open. When symptoms persist or in all cases of doubt, seek medical advice.
- Skin Contact:** Immediately flush with plenty of water, while removing contaminated clothing. When symptoms persist or in all cases of doubt, seek medical advice.
- Notes to the Physician:** Treat symptomatically.

**SECTION 5: FIRE FIGHTING MEASURES**

- Suitable extinguishing media** Dry chemical, foam, carbon dioxide and water fog.  
**Unsuitable extinguishing media**  
**Fire hazards/conditions of flammability** Not a flammable substance.  
**Explosion data** Not sensitive to mechanical impact or static discharge.

<b>Fire-fighting procedure</b>	Wear protective clothing and respiratory protection (SCBA). Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.
<b>Hazardous combustion products</b>	Oxides of carbon and nitrogen, irritating fumes and smoke.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	All persons dealing with clean-up should wear the appropriate protective equipment expressed in Section 8. Do not eat, drink or smoke while participating in clean up.
<b>Environmental precautions</b>	Ensure spilled product does not enter drains, sewers, waterways or confined spaces. For large spills, dike the area to prevent spreading.
<b>Spill Containment/cleanup</b>	Contain and absorb spilled liquid with non-combustible, inert absorbent material such as vermiculite or sand, then place absorbent material into a container for later disposal. Notify the appropriate authorities as required.
<b>Special spill response procedures</b>	In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887.

#### SECTION 7: HANDLING AND STORAGE

<b>Precautions for safe handling</b>	Wear suitable protective equipment during handling. Do not ingest. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.
<b>Conditions for safe storage</b>	Store in a cool, dry, well-ventilated area. Store away from incompatibles, temperature extremes and out of direct sunlight. Inspect periodically for damage or leaks.
<b>Incompatible materials</b>	Strong oxidizing agents; strong reducing agents; acids.
<b>Special packaging materials</b>	Always keep in containers made of the same materials as the supply container.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Component Exposure Limits

No data available for the mixture.

Diethanolamine	111-42-2		
1 mg/m <sup>3</sup>	TWA	ACGIH	
15 mg/m <sup>3</sup>	TWA	NIOSH	
Solvent Naphtha (petroleum)	64742-88-7		
1 mg/m <sup>3</sup>	TWA	ACGIH	
15 mg/m <sup>3</sup>	TWA	NIOSH	

<b>Appropriate engineering controls</b>	Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.
<b>Respiratory protection</b>	If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Confirmation of which type of respirator is most suitable for the intended application should be obtained from respiratory protection suppliers.
<b>Skin protection</b>	Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.
<b>Eye/Face protection</b>	Good industrial hygiene practices should be used when handling this product including preventing eye contact and minimizing skin contact and inhalation.
<b>Other protective equipment</b>	As needed to prevent eye contact and minimizing skin contact and inhalation.
<b>General hygiene measures</b>	Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state/Appearance</b>	Flexible gel structure impregnated with black ink
<b>Odor</b>	Mild
<b>Odor Threshold</b>	Not available
<b>Specific gravity</b>	Not available
<b>pH</b>	Not applicable
<b>Initial Boiling point</b>	>300°F
<b>Melting/Freezing point</b>	Not available
<b>Coefficient of water/oil distribution</b>	Not available
<b>Vapor pressure (mm Hg @ 20°C/68°F)</b>	Not available
<b>Vapor density (Air = 1)</b>	Heavier than air
<b>Evaporation rate (n-Butyl acetate = 1)</b>	Slower than n-Butyl acetate
<b>Solubility in water</b>	Not available
<b>% Volatiles (by weight)</b>	Not available
<b>Flash point</b>	>200°F, TCC
<b>Auto-ignition temperature</b>	Not applicable
<b>Lower flammable limit (% by vol)</b>	Not applicable
<b>Upper flammable limit (% by vol)</b>	Not applicable
<b>Flame projection length</b>	Not available
<b>Flashback observed</b>	Not available

**SECTION 10: STABILITY AND REACTIVITY**

<b>Reactivity</b>	Not reactive.
<b>Chemical Stability</b>	Stable under the recommended storage and handling conditions prescribed.
<b>Possibility of hazardous reactions</b>	None are known.
<b>Conditions to avoid</b>	Avoid heat and open flame.
<b>Incompatible materials</b>	See Section 7 (Handling and Storage) for further details.
<b>Hazardous decomposition products</b>	None known; refer to hazardous combustion products in Section 5.

**SECTION 11: TOXICOLOGICAL INFORMATION**

There is no available data for the mixture itself, only for the ingredients. See below for individual acute toxicity data.

**Routes of Exposure**

Skin Absorption, Eyes, Ingestion

<b>Acute Toxicity</b>									
Component	CAS Number	Oral LD <sub>50</sub>	Oral Units	Oral Animal	Dermal LD <sub>50</sub>	Dermal Units	Dermal Animal	Inhalation LD <sub>50</sub>	Inhalation Units
Butane-1,4-diol	110-63-4	1525	mg/kg	Rat	-	-	-	15000	mg/m <sup>3</sup> /4hr
Cocamide DEA	68603-42-9	-	-	-	2275	mg/kg	Rat	-	-
Tricresyl phosphate	1330-78-5	3000	mg/kg	Rat	10000	mg/kg	Rabbit	-	-
Solvent naphtha	64742-88-7	17100	mg/kg	Rat	-	-	-	-	-
Diethanolamine	111-42-2	1600	mg/kg	Rat	12000	mg/kg	Rabbit	-	-

**Skin Corrosion/Irritation**

Some components of this product are skin irritants

**Serious Eye Damage/Irritation**

Some components of this product are eye irritants.

**Sensitization**

One or more components are a skin sensitizer.

**Germ Cell Mutagenicity**

No data available

**Carcinogenicity**

One of the components in this product is listed as a carcinogen by NTP, IARC, or OSHA

**Reproductive/Developmental Toxicity**

No data available

**Specific Target Organ Toxicity**

Single Exposure No data available.

Repeated Exposure One or more component may cause damage to organs.

**Aspiration Hazard**

The mixture does not pose an aspiration hazard

**SECTION 12: ECOLOGICAL INFORMATION****Ecotoxicity** No data is available on the mixture itself.

Component	Toxicity to Fish	Toxicity to Invertebrates	Toxicity to Algae
Tricresyl Phosphate 1330-78-5	0.6 mg/L 96hr	146 ug/l 48hr	-
Glycidylether	5000 mg/L 96hr	7.2 mg/L 48hr	843 mg/L 72hr

**Persistence**

No data available on the mixture.

**Bioaccumulative potential**

No data available on the mixture.

**Mobility in Soil**

No data available on the mixture.

**Other Adverse Effects**

Not determined.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Disposal Instructions Dispose of in accordance with federal, provincial and local waste regulations.  
Avoid release to the environment.

**SECTION 14: TRANSPORTATION INFORMATION**

DOT	This material is not regulated
UN Proper Shipping Name	This material is not regulated
Hazard Class	N/A
UN Number	N/A
Packing Group	N/A
Marine Pollutant	Yes

**SECTION 15: REGULATORY INFORMATION****SARA Sections 302**

Diethanolamine (111-42-2)

**SARA Section 311 & 312**

Chronic health hazard

Acute health hazard

**SARA Section 313**

The following component is subject to reporting levels established by SARA Title III, Section 313:

Diethanolamine (111-42-2)

**CERCLA**

Diethanolamine (111-42-2)

**TSCA**

All components of this product are either listed or are exempt regarding the TSCA inventory.

The following components of this product are subject to the reporting requirements of Section 12(b) of TSCA:

None

**CAA – Hazardous Air Pollutants (HAPS)**

Component	CAS #
Diethanolamine	111-42-2

Component Analysis – State								
Component	CAS #	CA	MA	MN	PA	RI	NJ	LA
Cocamide DEA	68606-42-9	Y	N	N	N	N	Y	N
Black Polyol Disp	-	Y	N	N	N	N	N	N
Prifer 6813	-	N	N	N	Y	N	Y	N
Tricresyl phosphate	1330-78-5	N	N	N	N	N	N	N
Diethanolamine	111-42-2	Y	N	N	N	N	Y	N

**California Prop 65**

This product contains chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm:

Substance	CAS #	Toxicity
Diethanolamine	111-42-2	Cancer

**SECTION 16: OTHER INFORMATION****Revision Information: 1/7/2019**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.