





HITT Marking Devices

and

COLOP®
MARKING SOLUTIONS **USA**

The Spirit of Innovation







Printer Line

The comprehensive range of self-inking stamps


The Printer Line offers a complete choice of self-inking stamps in a large variety of styles and sizes.




The Printer Line is produced using high quality materials for reliable, regular and comfortable use




We offer a wide range of text-, date- and text-date-stamps and even stamps equipped with stock text



Available in all kinds of formats from rectangular to triangular as well as from round to oval and more. For eye-catching and outstanding imprints



Almost all common sizes are available from very small up to x-large imprints



Bands with individual characters available for various models

COLOP Printer

Unlimited personalization

XXL image window for unique personalization. Whether using the large index window to market your own business or that of your customer's, our Standard Printer Line offers endless options.

Innovative frame design (patent pending)
Gives the user:
Precise guidance
High quality performance
Smooth movement
Gentle sound
Up to 10 % less weight



ImageCard Designer
sophisticated online
personalization software:
www.imagecard.colop.com



Extra fast assembly
– Stand up functionality
– Detached tape liner
– Alignment grid for quick positioning (patent pending)
– TOP identification



Cover for protection and mobile use

- Easy to detach image window
- Backward compatible ink pads
- Transparent base

Unique stock keeping optimisation
1 stamp → 4 imagecard variations and 6 ink colors
= 24 combinations! ImageCards can be customized for endless options



Anti sliding technology

COLOP Printer Compact

Made to impress

Smart size, light weight, high quality. Innovation "Made In Austria"



Available with transparent and opaque base and in popular colors



NEW

Innovative locking system for easy but safe handling (patent pending)



NEW

Raised text plate holder for quick and easy text plate mounting



NEW

Anti sliding technology with two-component injection moulding for long-lasting grip




Rectangular index cards easy to print on, easy to exchange

- Highest quality and document proof ink
- Backward compatible ink pads
- Transparent base



Ribs on the handle for comfortable handling



NEW

Perfectly integrated and self-locking cover makes the stamp mobile and protects against dirt and damage. No additional locking necessary.

PRINTER LINE Standard



GEORGE GREDE
2255 S. HULLWOOD AVE
RIVERDALE, IL 60678

3/8" x 1 1/16"



FRANCIE WERKSMAN
7249 Ninth Ave.
BLOOMFIELD, PA 98726

9/16" x 1 1/2"



PAY TO THE ORDER OF
Yorkville Bank and Trust Co.
North Philadelphia Office
Dr. Peter A. Jacobs
375493603

3/4" x 1 7/8"



FILE COPY

NORTH BURLINGTON CIRCUIT COURT

15 1/16" x 2 3/8"



EASTMAIN FIRE & EMERGENCY
SALES AND SERVICE DEPT.

ROUTE 84 SOUTH, NEWTON-SHORE HIGHWAY
P.O. BOX 7843

NORTH HILLSHIRE, PA 17901

9:00-5:00 Mon-Fri 9:00-12:00 Sat.

1 1/4" x 2 3/4"



All accounts are due and payable by the 10th of the month following the date of invoice. A finance charge of 1.5% per month, which is an annual percentage rate of 18%, is charged by Ace Sales on all past due accounts. There is no grace period.

1 1/2" x 3"

Printer 10 *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer 20 * *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer 30 * *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer 40 * *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer 50 *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer 60 *

	size of imprint		spare pad
	recommended number of lines		case quantity

PRINTER COMPACT LINE



GEORGE GREDE
2255 S. HULLWOOD AVE
RIVERDALE, IL 60678

3/8" x 1 1/16"



FRANCIE WERKSMAN
7249 Ninth Ave.
BLOOMFIELD, PA 98726

9/16" x 1 1/2"



PAY TO THE ORDER OF
Yorkville Bank and Trust Co.
North Philadelphia Office
Dr. Peter A. Jacobs
375493603

3/4" x 1 1/8"



FILE COPY

NORTH BURLINGTON CIRCUIT COURT

15/16" x 2 3/8"



EASTMAIN FIRE & EMERGENCY
SALES AND SERVICE DEPT.

ROUTE 84 SOUTH, NEWTON-SHORE HIGHWAY
P.O. BOX 7843

NORTH HILLSHIRE, PA 17901

9:00-5:00 Mon-Fri 9:00-12:00 Sat.

1 1/4" x 2 3/4"



All accounts are due and payable by the 10th of the month following the date of invoice. A finance charge of 1.5% per month, which is an annual percentage rate of 18%, is charged by Ace Sales on all past due accounts. There is no grace period.

1 1/2" x 3"

Printer C 10 *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer C 20 * *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer C 30 * *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer C 40 * *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer C 50 *

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer C 60 *

	size of imprint		spare pad
	recommended number of lines		case quantity

PRINTER LINE Rectangular



*St. Paul's
Lutheran Church*
Services Sunday
7:00, 9:00 & 11:00 a.m.

3/4" x 1 1/8"

Printer 52

	size of imprint		spare pad
	recommended number of lines		case quantity



MAIL ROOM

- ☐ Change Address as shown
- ☐ Do not mail this individual
- ☐ Individual left company
- ☐ Do not mail this company

1 3/16" x 1 3/4"

Printer 53

	size of imprint		spare pad
	recommended number of lines		case quantity



NCCC

THE NATIONAL CENTER FOR
CONTINUING COMMUNICATION
4672 Wood Dr. Arlington, FL 34156
Supervising Director
AUTHUR W. MAURE

1 9/16" x 1 15/16"

Printer 54

	size of imprint		spare pad
	recommended number of lines		case quantity



DEARBORN & SNEAD
CERTIFIED ACCOUNTANTS
2041 PACIFIC AVE.
SAN FRANCISCO, CA 98554
TELEPHONE (817) 232-0335

1 9/16" x 2 3/8"

Printer 55

	size of imprint		spare pad
	recommended number of lines		case quantity



JONATHAN L. PENDERGAST
Chairman of the Board

3/8" x 2 3/4"

Printer 15

	size of imprint		spare pad
	recommended number of lines		case quantity



Skyler E. Williams M.D.

5/8" x 3"

Printer 25

	size of imprint		spare pad
	recommended number of lines		case quantity



ATTENTION: OFFICE PRODUCTS BUYERS
SEPTEMBER SPECIALS
ENCLOSED

1" x 3 1/4"

Printer 45

	size of imprint		spare pad
	recommended number of lines		case quantity

PRINTER LINE Square



1/2" x 1/2"



5/8" x 5/8"



1" x 1"



1 1/4" x 1 1/4"

**Route To:**

- ☐ Training Director
- ☐ Personnel Director
- ☐ Office Manager
- ☐ Sales Manager

1 5/8" x 1 5/8"



1/2" dia.



5/8" dia.

Printer Q 12

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer Q 17

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer Q 24

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer Q 30

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer Q 43

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer R 12

	size of imprint		spare pad
	recommended number of lines		case quantity

Printer R 17

	size of imprint		spare pad
	recommended number of lines		case quantity



1" dia.



1 1/4" dia.



1 5/8" dia.



1 3/4" dia.



2" dia.

Printer R 24

1" dia.	size of imprint	E/R24	spare pad
4	recommended number of lines	50	case quantity

Printer R 30

1 1/4" dia.	size of imprint	E/R30	spare pad
5	recommended number of lines	50	case quantity

Printer R 40


1 5/8" dia.	size of imprint	E/R40	spare pad
7	recommended number of lines	50	case quantity

Printer R 45

1 3/4" dia.	size of imprint	E/R45	spare pad
9	recommended number of lines	50	case quantity

Printer R 50

2" dia.	size of imprint	E/R50	spare pad
9	recommended number of lines	50	case quantity



3/4" x 1 1/8"

Printer 52-Dater			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		




1 3/16" x 1 3/4"

Printer 53-Dater			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



1 9/16" x 1 15/16"

Printer 54-Dater			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



1 3/8" x 2 3/8"

Printer 55-Dater			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



1 1/2" x 3"

Printer 60-Dater M			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		

Rectangular | Square

PRINTER LINE DATER


 Printer 60 DD 
 Printer 60 L 
 Printer 60 R 

Proj.:	F&E:	Constr.:	Law.	Appr.1
NOV 12 2032		NOV 12 2032		
				Appr.2

1 1/2" x 3"



INSPECTED & CHECKED	NOV 12 2032				Appr.2
	Proj.:	F&E:	Constr.:	Law.	Appr.1

3" x 1 1/2"



CHECKED
NOV 12 32
GEORGE BARET
EXPORT DEPARTMENT

1" x 1"



C	CASH SALE	C
H		H
I	NOV 12 2032	I
C		C
A		A
G	•33•	G
O		O

1 1/4" x 1 1/4"



ALL CHANGES CERTIFIED
NOV 12 2032
Adjustment Department
QUALITY CONTROL
Quaker Oil & Motor

1 5/8" x 1 5/8"




PICKED
NOV 12 2032
Florida Growers Assoc.






1 1/4" dia.

Printer 60-Dater Double Date






Printer 60-Dater L/R

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		

Printer 60-Dater H

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		







Printer Q 24-Dater

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		







Printer Q 30-Dater

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)

Printer Q 43-Dater


	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)

Printer R 30-Dater

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



Round PRINTER LINE DATER



Printer R 40-Dater

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)




Printer R 45-Dater

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



Printer R 50-Dater

	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



Printer S 260

	size of imprint		case quantity
	color of handle		spare pad
	height of date		optional: spare pad (2-color)
	recommended number of lines		optional: Green Line

PRINTER LINE Printer S200



RELEASED FOR
FABRICATION

INSPECTOR

1" x 1 13/16"

Printer S 200

	size of imprint		case quantity
	color of handle		spare pad
	recommended number of lines		



ORIGINAL

AIRMAIL DRAFT
APPROVED FILE COPY
CANCELLED FIRST CLASS
CONFIDENTIAL ORIGINAL
CONFIRMATION SHRED
COPY URGENT!

Printer S 220/W

	color of handle		spare pad
	height of phrase band		optional: Green Line
	case quantity		



NOV 12 2032



1 2 3 4 5 6

Printer S 220/S 226

	color of handle		case quantity
	height of date		spare pad
	height of numbers		optional: Green Line S 226 special characters



RECEIVED
NOV 12 2032
BY: _____

1" x 1 13/16"

L1

L2 PAID
NOV 12 2032
BY: _____

L3 FAXED
NOV 12 2032
BY: _____

Printer S 260/L

	size of imprint		spare pad
	color of handle		spare pad (2-color)
	height of date		optional: Green Line
	case quantity		



POLICY NUMBER
1 2 3 4 5 6
ALLSTATE INS. CO.

1" x 1 13/16"

Printer S 226/P

	size of imprint		case quantity
	color of handle		spare pad
	height of numbers		optional: spare pad (2-color)
	recommended number of lines		optional: special characters



NOV 12 2032

Mini-Dater S 120

	height of date		spare pad
	case quantity		

PRINTER LINE Printer Mini Line

**APPROVED**

AIR MAIL CHECKED
 APPROVED FILE COPY
 CANCELLED FIRST CLASS
 CONFIDENTIAL CREDIT
 CONFIRMATION OVERDUE
 COPY URGENT!

Mini-Info S 120/Wheight of
phrase band

spare pad



case quantity



123456

Mini-Folio S 126height of
numbers

spare pad



case quantity



NOV 12 2032 - NOV 21 2032
 1234567890123

**Mini-Dater S 120/DD
Mini-Folio S 120/13**height of date /
phrase band

spare pad

height of
numbers

case quantity

**URGENT NOV 12 2032**

APPROVED DELIVERED
 URGENT CREDIT
 E-MAILED FAXED
 CANCELLED PAID
 CHARGED RECEIVED
 CHECKED SHIPPED

Mini-Info-Dater S 120/WD*height of date /
phrase band

spare pad



case quantity

optional: spare
pad (2-color)**RECEIVED**

NOV 12 2032

PAID

NOV 12 2032

SCANNED

NOV 12 2032

e-m@iled

NOV 12 2032

S 160 Dater 4 in 1

height of date



spare pad



case quantity

optional: spare
pad (2-color)

George T.Cooper - Managing Director

5/16" x 2 1/16"

Mini-Print S 110

size of imprint



case quantity

recommended
number of lines

spare pad

Printer Mini Line



CHECKED BY
GEORGE BARET NOV 12 2032

3/8" x 1"



1/4" x 1 1/16"
GEORGE BARET
EXPORT DEPARTMENT
NOV 12 2032



1/8" x 1 15/16"
Please note our annual holiday:
NOV 12 2032 - NOV 21 2032

Mini-Dater S 120/P

	size of imprint		case quantity
	height of date		spare pad
	recommended number of lines		optional: spare pad (2-color)

Mini-Dater S 160

	size of imprint		case quantity
	height of date		spare pad
	recommended number of lines		optional: spare pad (2-color)

Mini-Dater S 160/DD

	size of imprint		packaging
	height of date		spare pad
	recommended number of lines		

Heavy Duty

Extremely reliable marking devices for rugged applications

Comprehensive range for every use: from Classic Line and Expert Line for sturdy and heavy use up to the light weight Office Line.




Image window shows imprint and even offers space for further personalization



Band shields for clean handling



Easy to change ink pads




Bands with individual characters available for various models



Rubber feet to avoid sliding

HEAVY DUTY Classic Line




1" x 1 1/8"

2160			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)




1 1/4" x 1 13/16"

2360			
	size of imprint		height of date
	recommended number of lines		spare pad
	optional: Green Line		optional: spare pad (2-color)
	case quantity		



1 1/8" x 2 5/16"

2460			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



1 1/2" x 2 5/16"

2660			
	size of imprint		height of date
	recommended number of lines		spare pad
	optional: Green Line		optional: spare pad (2-color)
	case quantity		




2" x 2 3/4"

2860			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)



1" x 1 5/8"

2100			
	size of imprint		case quantity
	recommended number of lines		spare pad



1 1/4" x 1 13/16"

2300			
	size of imprint		spare pad
	recommended number of lines		optional: Green Line
	case quantity		




1 1/8" x 2 5/16"

2400			
	size of imprint		case quantity
	recommended number of lines		spare pad



1 1/2" x 2 5/16"

2600			
	size of imprint		spare pad
	recommended number of lines		optional: Green Line
	case quantity		



Initials & Date	Dept.
Initials & Date	Dept.
Initials & Date	Dept.

2" x 2 3/4"

2800			
	size of imprint		packaging
	recommended number of lines		spare pad

HEAVY DUTY Classic Line



1 3/4" dia.



1 3/4" dia.



1 5/8" dia. - "12-Hours"



3/8" x 1"



1" x 1 1/2"

R 2045

	size of imprint		case quantity
	recommended number of lines		spare pad

R 2045 6

	size of imprint		case quantity
	height of date		spare pad
	recommended number of lines		optional: spare pad (2-color)

R 2045 UZ

	size of imprint		case quantity
	height of date		spare pad
	recommended number of lines		optional: spare pad (2-color)

2000/P

	size of imprint		case quantity
	height of date		spare pad
	recommended number of lines		

2106/P

	size of imprint		spare pad
	height of numbers		optional: spare pad (2-color)
	recommended number of lines		optional: special characters
	case quantity		



Classic Line HEAVY DUTY



1 1/8" x 2 5/16"

2008/P			
	size of imprint		case quantity
	height of numbers		spare pad
	recommended number of lines		optional: special characters






1 1/8" x 2 5/16"

2010/P			
	size of imprint		case quantity
	height of numbers		spare pad
	recommended number of lines		optional: special characters



NOV 12 2032

2100/4			
	height of date		spare pad
	case quantity		



NOV 12 2032

2000/5			
	height of date		spare pad
	case quantity		



123456

2106			
	height of numbers		spare pad
	case quantity		optional: special characters



Classic Line HEAVY DUTY



1 2 3 4 5 6 7 8 2008
1 2 3 4 5 6 7 8 9 0 2010


2008	2010
	height of numbers
	case quantity

Classic Line



BILLED NOV 12 2032
ANSWERED DELIVERED
BACK ORDERED ENTERED
BILLED FAXED
CANCELLED P A I D
CHARGED RECEIVED
CHECKED SHIPPED

2000/WD	
	height of date / phrase band
	case quantity




1 1/4" x 1 13/16"



S 360 Green Line

	size of imprint		case quantity
	height of date		spare pad
	recommended number of lines		optional: spare pad (2-color)



1 1/2" x 2 5/16"



S 660 Green Line

	size of imprint		case quantity
	height of date		spare pad
	recommended number of lines		optional: spare pad (2-color)



1 1/4" x 1 13/16"



S 300 Green Line

	size of imprint		case quantity
	recommended number of lines		spare pad




1 1/2" x 2 5/16"




S 600 Green Line

	size of imprint		case quantity
	recommended number of lines		spare pad


HEAVY DUTY Expert Line



1" x 1 5/8"



1 1/4" x 1 13/16"



1 1/2" x 2 5/16"



2" x 2 3/4"



2 1/8" x 4 1/8"

3160			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)

3360			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)

3660			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)

3860			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)


3960			
	size of imprint		height of date
	recommended number of lines		spare pad
	case quantity		optional: spare pad (2-color)

HEAVY DUTY Expert Line



1" x 1 5/8"

3100			
	size of imprint		case quantity
	recommended number of lines		spare pad



1 1/4" x 1 13/16"

3300			
	size of imprint		spare pad
	recommended number of lines		case quantity



1 1/2" x 2 5/16"

3600			
	size of imprint		spare pad
	recommended number of lines		case quantity



ALL DIMENSIONS ARE CERTIFIED
AS ON ORIGINAL DRAFT
REVISIONS MADE ARE RECORDED
AND FILED BY THE FOLLOWING:

Initials & Date	Dept.
Initials & Date	Dept.
Initials & Date	Dept.

2" x 2 3/4"

3800			
	size of imprint		case quantity
	recommended number of lines		spare pad



British Cargo Overseas
International Transport LTD
Office Department: Jack-Nick Olsen

North London Freight Centre
York Way, Kings Cross, London N3 8BB
Tel: 020 / 659 2132-15, Fax: 020 / 659 2132 -781
E-Mail: office@britishcargooverseas.co.uk
Homepage: www.britishcargooverseas.com

Signature & Order Number: _____

3900			
	size of imprint		case quantity
	recommended number of lines		spare pad

2 1/8" x 4 1/8"

Pocket Stamps

The essential companions

Multifunctional and always with you - on your desk in the office.
or "on the road" in a pocket, or even around your neck.




Pocket Stamp Plus:
open - stamp - close
with just one hand



Easy and flexible
to use - effortless
and clean



Small, smart and
portable - with a clip
it goes everywhere





Pocket Stamp Plus POCKET STAMPS



FRANCIE WERKSMAN
7249 Ninth Ave.
BLOOMFIELD, PA 98726

9/16" x 1 1/2"



PAY TO THE ORDER OF
Yorkville Bank and Trust Co.
North Philadelphia Office
Dr. Peter A. Jacobs
375493603

3/4" x 1 1/8"



FILE COPY

NORTH BURLINGTON CIRCUIT COURT

1 5/16" x 2 3/8"

Pocket Stamp Plus 20

	size of imprint		case quantity
	recommended number of lines		spare pad
	optional: Green Line		

Pocket Stamp Plus 30

	size of imprint		case quantity
	recommended number of lines		spare pad
	optional: Green Line		

Pocket Stamp Plus 40

	size of imprint		case quantity
	recommended number of lines		spare pad
	optional: Green Line		

Stamp Mouse



THOMAS JERRY
Mouse Avenue 115
Mice City, MC 194058
e-mail: thomas@jerry.com

9/16" x 1 1/2"



THOMAS A. JERRY
Mouse Avenue 123
Mice City, MC 191087
e-mail: thomas@jerry.com
www.thomas-a-jerry.com

3/4" x 1 1/8"



1 5/8" dia.



Stamp Mouse 20

	size of imprint		case quantity
	recommended number of lines		



Stamp Mouse 30

	size of imprint		case quantity
	recommended number of lines		



Stamp Mouse R 40

	size of imprint		case quantity
	recommended number of lines		

Green Line

Responsibility with style



The Green Line self-inking stamp range is predominantly made from sustainable and recycled material. These stamps are comprised of between 65 % and 80 % recycled plastic. The already significantly reduced but unavoidable CO₂ emissions are compensated by means of investment in climate protection projects based on the system boundary “cradle to gate”.



Evaluated according to ISO 14044, verified by C7 Consult an independent institute and based on the system boundary “cradle to gate”



The Classic Green Line handles are FSC® certified (Forest Stewardship Council®)



The Green Line range was audited during the ISO 14001 accreditation process



1 Stamp =
2 ImageCard™
designs



The Austrian Eco-Label is awarded by the Republic of Austria as represented by the Federal Ministry of Environment *



Bands with individual characters available for various models

* Valid for articles with ink pad colors black, red and green. Packaging: carton box.

3231 W. MacArthur Blvd., Santa Ana, CA 92704 Phone 714-979-1405 - www.HittMarking.com



Classic Line GREEN LINE



SOLD BY
**PAUL'S
PLUMBING SHOP**
418 HILLSIDE AVENUE
TAMPA, FLORIDA 94836
PHONE: 348-9762

1 1/4" x 1 13/16"



Inspected & Checked
JOHN STEVENS
NOV 12 2032
FORD MOTOR CO.
DEPARTMENT OF MOTOR VEHICLES

1/4" x 1 13/16"



FRAGILE
HANDLE WITH CARE
SHIPMENT
CONTAINS GLASS

1 1/2" x 2 5/16"



SOUTH CENTRAL DIVISION
UNITED FOOD & COMMERCIAL
WORKERS UNIONS AND EMPLOYEES

NOV 12 2032

HEALTH AND WELFARE TRUST
3200 EAST HIGHWAY 66
PHOENIX, AZ 75150

1/2" x 2 5/16"



FRANCIE WERKSMAN
7249 Ninth Ave.
BLOOMFIELD, PA 98726

9/16" x 1 1/2"



PAY TO THE ORDER OF
Yorkville Bank and Trust Co.
North Philadelphia Office
Dr. Peter A. Jacobs
375493603

3/4" x 1 7/8"



FILE COPY

NORTH BURLINGTON CIRCUIT COURT

15/16" x 2 3/8"

2300 Green Line			
	1 1/2" x 1 13/16"	size of imprint	25 case quantity
	7	recommended number of lines	E/2300 spare pad

2360 Green Line			
	1 1/2" x 1 13/16"	size of imprint	25 case quantity
	5/32"	height of date	E/2300 spare pad
	5*	recommended number of lines	E/2300/2 optional: spare pad (2-color)

2600 Green Line			
	1 1/2" x 2 5/16"	size of imprint	25 case quantity
	8	recommended number of lines	E/2600 spare pad

2660 Green Line			
	1 1/2" x 2 5/16"	size of imprint	packaging
	5/32"	height of date	E/2600 spare pad
	7*	recommended number of lines	E/2600/2 optional: spare pad (2-color)

	9/16" x 1 1/2"	size of imprint	E/20 spare pad
	4	recommended number of lines	50 case quantity

	3/4" x 1 7/8"	size of imprint	E/30 spare pad
	5	recommended number of lines	50 case quantity

	15/16" x 2 3/8"	size of imprint	E/40 spare pad
	6	recommended number of lines	50 case quantity

Spare Pads

Quality parts that make the difference

COLOP spare pads are developed and produced to fit exactly for COLOP self-inking stamps – a perfect combination for perfect imprints.



Clean and simple exchange of spare pad



Sharp and clean imprints only with the original COLOP spare pads




Available in 5 standard colors



High quality ink used:

- Document proof
- Non toxic
- Anti dry out formula




Also available: 2-colored imprints in red and blue





SPARE PADS



COLOP Spare Pads



The inks used in COLOP® pads for self-inking stamps are tested and certified as permanent, document-proof ink according to DIN (Deutsche Industrie Norm) ISO 14145-2.










Do not reink













packaging

Spare Pads



	Printer 10 Printer C 10 Mini-Dater S 120 Mini-Folio S 126 Mini-Info S 120/W Mini-Dater S 160
	Mini-Print S 110 Mini-Folio S 120/13 Mini-Info-Dater S 120/WD Mini-Dater S 120/DD Mini-Dater S 120/P Mini-Dater S 160/DD
	Printer 15
	Printer 20 Printer C 20
	Printer 25
	Printer 30 Printer C 30
	Printer 40 Printer C 40
	Printer 45
	Printer 50 Printer C 50

	Printer 52 Printer 52-Dater
	Printer 53 Printer 53-Dater
	Printer 54 Printer 54-Dater
	Printer 55 Printer 55-Dater
	Printer 60 Printer C 60 Printer 60-Dater
	Printer R 12
	Printer R 17
	Printer R 24 Printer R 24-Dater
	Printer R 30 Printer R 30-Dater
	Printer R 40 Printer R 40-Dater Printer R 40-Dater - "12/24-Hours"

	Printer R 45 Printer R 45-Dater Classic R 2045 Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"
	Printer R 50 Printer R 50-Dater
	Printer Q 12
	Printer Q 17
	Printer Q 20
	Printer Q 24 Printer Q 24-Dater
	Printer Q 30 Printer Q 30-Dater
	Printer Q 43 Printer Q 43-Dater
	Printer S 200 Printer S 260 Printer S 220 Printer S 220/W Printer S 226 Printer S 226/P

SPARE PADS



Spare Pads



E/R 2040	Expert R 3040 Expert R 3040-Dater
E/2100	Classic 2100 Classic 2100/3 Classic 2100/4 Classic 2100/W Classic 2106 Classic 2106/P Classic 2160 Expert 3100 Expert 3160
E/2300	Classic 2300 Classic 2360 Classic 2000/5 Classic 2006 Expert 3300 Expert 3360 Office S 300 Office S 360
E/3400	Expert 3400
E/2600	Classic 2400 Classic 2460 Classic 2008 Classic 2010 Classic 2000/P Classic 2000/WD Classic 2600 Classic 2660 Classic 2008/P Classic 2010/P Expert 3600 Expert 3660 Office S 600 Office S 660
E/2800	Classic 2800 Classic 2860 Expert 3800 Expert 3860
E/3900	Expert 3900 Expert 3960 Expert 3960 S3 / S4 Expert 3960 Double Date

E/Pocketstamp 20*	Pocket Stamp 20
E/Pocketstamp 30*	Pocket Stamp 30 Pocket Stamp Oval 30
E/PSP 20*	Pocket Stamp Plus 20
E/PSP 30*	Pocket Stamp Plus 30
E/PSP 40*	Pocket Stamp Plus 40

2-Color Ink Pads



E/200/2	Printer S 260 Printer S 260/L Printer S 260/RL Printer S 226/P
E/R 30/2	Printer R 30
E/R 30 Dater/2	Printer R 30-Dater
E/R 40/2	Printer R 40
E/R 40/1 Dater/2	Printer R 40-Dater
E/R 45 Dater/2	Printer R 45-Dater Classic R 2045 6 Classic R 2045 UZ - "12/24-Hours"
E/Q 43/2	Printer Q 43-Dater
E/R 50/2	Printer R 50
E/R 50 Dater/2	Printer R 50-Dater
E/53/2	Printer 53-Dater
E/54/2	Printer 54-Dater
E/55/2	Printer 55-Dater
E/Q 30 Dater/2	Printer Q 30-Dater

2-Color Ink Pads



E/R 2040/2	Expert R 3040-Dater
E/2100/2	Classic 2160 Classic 2160/RL Classic 2106/P Expert 3160
E/2300/2	Classic 2360 Classic 2006/P Expert 3360 Office S 360 Office S 360/RL
E/2600/2	Classic 2460 Classic 2660 Expert 3660 Office S 660
E/2800/2	Classic 2860 Expert 3860
E/3900/2	Expert 3960

2-Color Ink Pads



E/10/2	Mini-Dater S 160 Mini-Dater S 160/L
--------	--

2-Color Ink Pads



E/12/2	Mini-Dater S 120/WD Mini-Dater S 120/P
--------	---

2-Color Ink Pads



E/20/S6	Printer 20
E/30/S6	Printer 30
E/40/S6	Printer 40
E/50/S6	Printer 50

Refill Ballpoint pen

D1	StampWriter Pen Stamp Alu Magnet Touch
----	---

Felt Pads

Spare pads are also available as felt pads, with the exception of those marked with *. Felt pads are used for special inks like oil or solvent based inks, i.e. COLOP Quick Drying Ink 802.

Ink Pads for Other Models

COLOP offers a wide range of ink pads for stamp devices from other manufacturers. Further details are available upon request.



Text & Band Stamps

Tradition in reliable quality



Traditional rubber stamps for use with a separate stamp pad. Available as date stamps, numbering stamps, and elegant wooden text stamps.



Economical and functional – available in many different sizes and character measures



A sturdy metal frame makes this band stamp a long-lasting marking device



Special character bands are available for the majority of the models



Elegant pre-assembled wooden stamps, simply add a stamp die and ready to go.

BAND STAMPS



Nov 12 2032
02400

Nov 12 2032
03000

Nov 12 2032
04000

Nov 12 2032
05000

02400 Line Dater



height of date



case quantity

03000 Line Dater



height of date



case quantity

04000 Line Dater



height of date



case quantity

05000 Line Dater



height of date



case quantity



FAXED Nov 12 2032

15/16" x 2 3/4"

ANSWERED DELIVERED
BACK ORDERED ENTERED
BILLED FAXED
CANCELLED PAID
CHARGED RECEIVED
CHECKED SHIPPED

04000/WD



height of date /
phrase band



case quantity



Morris Savings & Loan
Wheeling, IL

JAN 12 '26

TELLER #

1 1/4" x 1 1/4"

TRANSFER
NOT NECESSARY

JAN 12 '26

County Auditor

1 1/4" x 1 1/2"

401 1/4



size of imprint



case quantity



height of date

401 1/2



size of imprint



case quantity



height of date



BAND STAMPS | SWING STAMP



P 700/11
1 3/8" x 2"

NOV 12 2032

P 700



height of date



case quantity

Plate sizes

P 700/11	1 3/8" x 2"
P 700/32	2" x 2"
P 700/15	1 9/16" x 2 1/8"
P 700/18	2" x 2 3/4"
P 700/19	2" dia.

P 700/32
2" x 2"

NOV 12 2032

P 700/15
1 9/16" x 2 1/8"

NOV 12 2032

P 700/19 - 2" dia.

NOV 12 2032

P 700/18
2" x 2 3/4"

NOV 12 2032



Swing Stamp



Swing Stamp
140/200:
size of imprint



Swing Stamp
200/260:
size of imprint



case quantity

VINTAGE PRO

Marking pin, which indicates the direct of the stamp dieple beech wood Wooden stamp



2 mm high quality self-adhesive foam rubber

Each stamp is made from high quality European beech wood.



Eliminate safety concerns- throw away your mount strips and leave the cutting and assembly to us!

Each Vintage Pro stamp comes completely assembled with a 2mm thick cushioning, no cutting or drilling necessary!


Simply apply your dies and ship like a Pro!



100% MADE
IN EUROPE



Vintage Pro	
Vintage Pro 1540	1/2" x 1 1/2"
Vintage Pro 2050	3/4" x 1 7/8"
Vintage Pro 3065	1" x 2 1/2"
Vintage Pro 3085	1" x 3 1/4"
Vintage Pro 4545	1 11/16" x 1 11/16"
Vintage Pro 5580	2 1/8" x 3 1/8"
Vintage Pro 5595	2 1/8" x 3 3/4"
Vintage Pro 7095	2 3/4" x 3 3/4"
Vintage Pro 8100	3 1/8" x 3 7/8"
Vintage Pro 20RD	3/4" dia.
Vintage Pro 40RD	1 1/2" dia.
Vintage Pro 50RD	1 7/8" dia.
Vintage Pro 52RD	2" dia.





New Vintage Pro Band Stamps

Standard Numbering Stamps

Vintage Pro Numbering Stamps come in sizes ranging from 1/8" up to 3/4" character height to cover your numbering needs

Vintage Roman Numbering Stamps

These classic numbering stamps are available to two popular sizes, #1 (5/32") and #2 (3/16")

Vintage "American Style" Date Stamps

Vintage "American Style" Date stamps use traditional Roman style day bands and condensed style Month and Year band. Available in 6 popular sizes.

Condensed Abbreviated Year Daters

Vintage "American Style" Date stamps use traditional condensed font style and abbreviated Year band. Available in 7 popular sizes.

Extra Large Date Stamps

Extra Large Date stamps cover your larger dating needs.



BAND LAYOUTS FOR SPECIAL ASSEMBLY

Band "Standard"	Band "Dollar"	Band "%"	Band "C"	Band "x"	Band "1/4"	Band "A-M"	Band "N-Z"
1	1	1	1	1	1	A	N
2	2	2	2	2	2	B	O
3	3	3	3	3	3	C	P
4	4	4	4	4	4	D	Q
5	5	5	5	5	5	E	R
6	6	6	6	6	6	F	S
7	7	7	7	7	7	G	T
8	8	8	8	8	8	H	U
9	9	9	9	9	9	I	V
/	№	kg	,	/	¼	J	W
-	€	%	F	-	½	K	X
.	#	/	¢	x	¾	L	Y
	\$					M	Z

For special bands, call for a quote.

VINTAGE PRO NUMBERING STAMPS



1 2 3 4 | 5 6 | 7 8 | 9 0 | 1 2
0300 4 0300 6 0300 8 030 10 030 12

height of numbers: 1/8"

1 2 3 4 | 5 6 | 7 8 | 9 0 | 1 2
0400 4 0400 6 0400 8 040 10 040 12

height of numbers: 5/32"

1 2 3 4 | 5 6 | 7 8 | 9 0 | 1 2
0500 4 0500 6 0500 8 050 10 050 12

height of numbers: 3/16"

1 2 3 4 | 5 6 | 7 8 | 9 0 | 1 2
0700 4 0700 6 0700 8 070 10 070 12

height of numbers: 1/4"

1 2 3 4 | 5 6 | 7 8 | 9 0 | 1 2
0900 4 0900 6 0900 8 090 10 090 12

height of numbers: 3/8"



Sample Image

Numbering Stamp Gothic 1/8"



height of numbers

Numbering Stamp Gothic 5/32"



height of numbers

Numbering Stamp Gothic 3/16"



height of numbers

Numbering Stamp Gothic 1/4"



height of numbers

Numbering Stamp Gothic 3/8"



height of numbers



VINTAGE PRO NUMBERING STAMPS



Sample Image

Numbering Stamp 15/32"



height of numbers

Numbering Stamp 5/8"



height of numbers

Numbering Stamp 3/4"



height of numbers

1 2 3 4 | 5 6 7 8 | 9 0 | 1 2

12004

12006

12008

12010

12012

height of numbers: 15/32"

1 2 3 4 | 5 6 7 8 | 9 0 | 1 2

15004

15006

15008

15010

15012

height of numbers: 5/8"

1 2 3 4 | 5 6 7 8 | 9 0 | 1 2

18004

18006

18008

18010

18012

height of numbers: 3/4"

VINTAGE PRO NUMBERING & DATE STAMPS



04006
4 Band Stamp

1111 111111
2222 222222
3333 333333
4444 444444
5555 555555
6666 666666
7777 777777
8888 888888
9999 999999
0000 000000
\$ 1/4 1/2 ¢ \$ 1/4 - . 1/2 ¢
1/2 3/4 # # 1/2 X / 3/4

04006
6 Band Stamp

05006
4 Band Stamp

1111 111111
2222 222222
3333 333333
4444 444444
5555 555555
6666 666666
7777 777777
8888 888888
9999 999999
0000 000000
\$ 1/4 1/2 ¢ \$ 1/4 - . 1/2 ¢
1/2 3/4 # # 1/2 X / 3/4

05006
6 Band Stamp

Numbering Stamp Roman 5/32"



height of numbers

Numbering Stamp Roman 3/16"



height of numbers



Sample Image

FAXED JAN 12 2032

15/16" x 2 3/8"

ANSWERED	DELIVERED
BACK ORDERED	ENTERED
BILLED	FAXED
CANCELLED	PAID
CHARGED	RECEIVED
CHECKED	SHIPPED

04000/WD



height of date /
phrase band



case quantity

JAN 12 2032
01590

JAN 12 2032
02400

JAN 12 2032
03000


JAN 12 2032
04000

JAN 12 2032
05000


01590 Line Dater



04000 Line Dater




02400 Line Dater




04000/WD



03000 Line Dater



05000 Line Dater



Sample Image

JAN 11 '32
01590

JAN 12 '32
02400

JAN 12 '32
03000


JAN 12 '32
04000

JAN 12 '32
05000


JAN 12 '32
07000

JAN 12 '32
09000

01590 Abbreviated Year Dater



05000 Abbreviated Year Dater



02400 Abbreviated Year Dater




07000 Abbreviated Year Dater



03000 Abbreviated Year Dater



09000 Abbreviated Year Dater



04000 Abbreviated Year Dater



VINTAGE PRO DATE STAMPS



Sample Image

NOV 1 2 2032
07000

NOV 1 2 2032
09000

NOV 1 2 2032
12000

NOV 1 2 2032
15000

NOV 1 2 2032
18000

07000 Line Dater



height of date



case quantity

09000 Line Dater



height of date



case quantity

12000 Line Dater



height of date



case quantity

15000 Line Dater



height of date



case quantity

18000 Line Dater



height of date



case quantity



Inks and Stamp Pads

Only the original guarantees the best quality



Ideal for hand stamps and band stamps - COLOP inks for different materials and the suitable ink pads in numerous variations and sizes.



COLOP's standard inks are document proof. The range also includes UV inks, archival and quick drying inks



COLOP's stamp pads are sturdy



Extra-large formats for all kind of stamp inks available. Especially suitable for quick drying inks



Numerous stamp inks for various materials



Embossing press

Modern and practical design




COLOP embossing presses leave an impressive imprint - a combination between balanced design and optimized functionality.



Intuitive usability for effortless embossing of paper - also for small hands



The locking mechanism provides absolute reliability as well as easy operation



The handle and base are equipped with soft rubber. This enables comfortable embossing and guarantees stability



COLOP embossing presses can be equipped either with plastic or metal die plates



The construction and the special shape of the chrome plated parts deliver high quality and sturdiness



An attractive and compact hard protecting case is included for protection when being transported

EMBOSSING PRESSES



1 1/8" dia.

Embossing Press Kit 1 1/8" dia.			
	size of imprint		case quantity
	* inclusive case 1 15/16" x 5 3/8" x 3 9/16"		



2" dia.

Embossing Press Kit 2" dia.			
	size of imprint		case quantity
	* inclusive case 1 15/16" x 5 3/8" x 3 9/16"		



1" x 2"

Embossing Press Kit 1 x 2"			
	size of imprint		case quantity
	* inclusive case 1 15/16" x 5 3/8" x 3 9/16"		

Embossing Press Kits include; Frame and die holder.

EMBOSSING PRESSES



Laser Engravable Die Material for Embossing Presses




A5



1/16"



case quantity



Embossing Press Labels



2 3/16" dia.



250 pcs. / roll



colors



case quantity



EOS Line

Complete range of Flash Pre-Inked

The EOS Line is a modern and ergonomically designed flash stamp.
 This technology allows an optimized handle size also for large text plate sizes.
 Black EOS Standard and XL stamps are made of minimum 80% recycled plastics.



X-Large image window for full size imprint and personalization



Dust cover for protection and transportation



Easy and clean re-inking



Also very large imprint sizes are possible



1) Flash



2) Assemble



3) Stamp






FLASH W. GORDON
e-mail: flash@w.gordon.com

mobile: 555 290 311
tel: 555 290 310

5 1/16" x 2 1/2"

EOS 12




	size of imprint		recommended number of lines
	case quantity		



PAUL A. JACOBS
NINETH AVENUE 247
DENVER, CO 75060
TEL: 555 290 410

9 1/16" x 1 1/2"

EOS 20

	size of imprint		recommended number of lines
	case quantity		






FLASH W. GORDON

5160 East Highway 99
Phoenix, AZ 85063
tel: 555 290 310
fax 555 290 311

1 1/16" x 2"

EOS 30

	size of imprint		recommended number of lines
	case quantity		






WAYNE INDUSTRIES

390 Gotham Lane 99
Gotham City, GC 10086
tel: 555 490 310
fax 555 490 311
e-mail: wayne@industries.net

1 3/16" x 2"

EOS 35

	size of imprint		recommended number of lines
	case quantity		






REDWOOD

market garden
Seaside Avenue 347/348
Hill Valley, CA 90104
tel: 555 - 490 710 208
fax 555 - 490 710 209

7/8" x 2 5/16"




EOS 40

	size of imprint		recommended number of lines
	case quantity		



1" x 3 1/4"


EOS 45

	size of imprint		recommended number of lines
	case quantity		






BOB'S GARAGE

34 Glendale Ave. 99
Phoenix, AZ 85063
mobile: 0555 230 219
tel: 555 240 227
fax 555 240 228
e-mail: bob@garage.net



13/16" x 2 3/4"




EOS 50

	size of imprint		recommended number of lines
	case quantity		



1 9/16" x 2 1/2"

EOS 55

	size of imprint		recommended number of lines
	case quantity		






FLASH W. GORDON

5160 East Highway 99
Phoenix, AZ 85063
mobile: 555 290 311
tel: 555 290 310
fax 555 290 311
e-mail: flash@w.gordon.com
www.flashwgordon.com

1 1/2" x 3"




EOS 60


	size of imprint		recommended number of lines
	case quantity		



5/8" dia.




EOS R 17

	size of imprint		recommended number of lines
	case quantity		



1 5/8" dia.

EOS R 40

	size of imprint		recommended number of lines
	case quantity		



EOS LINE



1 3/4" dia.

EOS R 45		
	size of imprint	recommended number of lines
	case quantity	



2" dia.

EOS R 50		
	size of imprint	recommended number of lines
	case quantity	



ALL DIMENSIONS ARE CERTIFIED
ON ORIGINAL DRAFT
DIMENSIONS MADE ARE RECORDED
FILED BY THE FOLLOWING

Date Dept.

1 7/8" x 3 7/8"

EOS 110		
	size of imprint	recommended number of lines
	case quantity	



11 5/16" x 2 15/16"

EOS 112		
	size of imprint	recommended number of lines
	case quantity	



EOS LINE



Proj.:		
F & E:		
Constr.:		
Law.		
Appr. 6		

2 3/8" x 3 1/8"

EOS 115



size of imprint



recommended number of lines



case quantity



Proj.:		
F & E:		
Constr.:		
Appr. 5		
Appr. 6		

2 3/4" x 3 3/4"

EOS 120



size of imprint



recommended number of lines



case quantity

**ALL DIMENSIONS ARE CERTIFIED
AS ON ORIGINAL DRAFT**

*REVISIONS MADE ARE RECORDED
AND FILED BY THE FOLLOWING*

▼ Initials & Date

Dept.



3 1/2" x 4 1/2"

EOS 130



size of imprint



recommended number of lines



case quantity



PAUL A. JACOBS
NINETH AVENUE 247
DENVER, CO 75060
TEL: 555 290 410

9/16" x 1 1/2"

EOS Pocket Stamp 20

	size of imprint		recommended number of lines
	case quantity		



FLASH W. GORDON
5160 East Highway 99
Phoenix, AZ 85063
tel: 555 290 310
fax 555 290 311

1 1/16" x 2"

EOS Pocket Stamp 30

	size of imprint		recommended number of lines
	case quantity		



REDWOOD
market garden
Seaside Avenue 347/348
Hill Valley, CA 90104
tel: 555 - 490 710 208
fax 555 - 490 710 209

7/8" x 2 5/16"

EOS Pocket Stamp 40

	size of imprint		recommended number of lines
	case quantity		