RIDGE BUILDER

AL PRODUCT AND COMPANY IDENTIFICATION

SECTION 1 - CHEMIC

TRADE NAME: Ridge Builder

DATE: 31 February 2019

SUPERSEDES DATE: 31 July 2014

PRODUCT NUMBER: FS-LCRB

MANUFACTURED FOR: ID Technologies & Forensics

ADDRESS: 3231 W. MacArthur Blvd. Santa Ana. CA 92704

Ph. 714-979-1405 www.IDTechnologies.com

The intended uses of the chemical(s): This product is used in forensics. Standard industrial

classification (SIC): 2835

The public cannot use the chemical; trained professionals use the chemical only.

24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-

3500

24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

SECTION 2 - HAZARDS IDENTIFICATION



GHS:

SIGNAL WORD: DANGER

Avoid contact with eyes and skin. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

POTENTIAL HEALTH EFFECTS:

CODE OF HAZARD STATEMENTS:

Physical hazards.

H228-Flammable liquid.

Health Hazards.

H315-Causes skin irritation.

H320-Causes eye irritation.

H333-May be harmful if inhaled.

Environmental hazards.

H402-Harmful to aquatic life.

CODE OF PRECAUTIONARY STATEMENTS:

General.

P101-Keep out of reach of children.

P103-Read label before use.

Prevention statements.

P202-Do not handle until all safety precautions have been read and un derstood.

P261-Avoid breathing fume/gas/mist/vapor spray.

P262-Do not get in eyes, on skin or on clothing.

P264-Wash thoroughly after handling.

P270-Do not eat, drink or smoke when using this product.

P280-Wear protective gloves/protective clothing/eye protection/face protection.

Response statements.

P312-Call a POISON CENTER or doctor/physician if you feel unwell.

P331-DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362. Take off contaminated clothing and wash before reuse.

Storage.

P403-Store in a well-ventilated area.

ROUTES OF ENTRY: Eye contact, skin adsorption, ingestion and inhalation.

CARCINOGENICITY: None.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS				
CHEMICAL NAME	CAS #	EINECS #	%	REACH Reg. #
Isopropanol	67-63-0	200-661-7	NA	Yes
Glycerine	56-81-5	200-289-5	NA	Yes
Methylene blue dye	61-73-4	231-791-2	NA	No
Water	7732-18-5	203-550-1	NA	Yes

Note the individual percentages are proprietary. See section 8 for PPE.

SECTION 4 - FIRST AID MEASURES

INHALATION: Move to fresh air free from risk of further exposure. If person not breathing call 9-1-1, then apply rescue breathing. Seek medical attention as soon as possible.

EYE CONTACT: Flush with clean, lukewarm water raising upper and lower eyelids at low pressure for 15 minutes. Remove contact lenses, if present, after the first five minutes and continue to rinse the eyes. Seek medical attention if no relief.

SKIN CONTACT: Rinse area with clean water for 15-20 minutes. Call poison control center or doctor for treatment advice.

INGESTION: Call a poison control center or doctor immediately for treatment advise. DO NOT INDUCE VOMITING. Lower the head when person is vomiting to minimize entry into throat and lungs.

SECTION 5 - FIREFIGHTING MEASURES

FLASHPOINT AND METHOD: 53°F (11.7°C)

FLAMMABLE LIMITS: LEL = 6% UEL = 36%

EXTINGUISHING METHOD: Use dry chemicals, carbon dioxide and foam.

FIRE OR EXPLOSION HAZARDS: Avoid open flames, sparks, ignition sources or static

discharge. This material under complete combustion will form oxides of carbon.

SPECIAL FIREFIGHTING PROCEDURES: Keep upwind of fire. Full emergency equipment with self-contained breathing apparatus and full protective clothing to be worn by firefighters

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES:

Wear PPE; product is flammable. Keep away from sources of ignition. Avoid breathing vapor or mist. Isolate the area and prevent material from getting into waterways.

Absorb liquid with vermiculite, sand or other inert absorbent and place the collected material in a closed container. Use non-sparking tools.

Finish cleaning the area with small amounts of soap and water on the spill area.

SECTION 7 - HANDLING AND STORAGE

STORAGE TEMPERATURE:

Keep container tightly closed and keep in cool dry area. Provide a cool well-ventilated area.

SPECIAL SENSITIVITY: Avoid contact with skin and eyes, wear PPE (in section 8).

HANDLING AND STORAGE PRECAUTIONS: Avoid breathing the vapor or mist. Use normal safety procedures and good personal hygiene. Wash thoroughly after use and before eating, drinking, chewing gum or using tobacco.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Use safety glasses or goggles (EN 166), there is potential for vapor or mist exposure to cause injury to the eyes.

SKIN PROTECTION: Wear chemical resistant glove (Nitrile.) Wear long sleeve shirts, long pants and shoes and socks.

RESPIRATORY PROTECTION: Wear respirator if the airborne conditions result in an aerosol forming ((NIOSH/MSHA TC 23C).

OCCUPATIONAL EXPOSURE LIMITS: OSHA PEL TWA; Ispropanol, 980 mg/m³.

ENGINEERING CONTROLS: Provide adequate ventilation when product is used. Eyewash and shower should be provided in mixing and loading areas.

RIDGE BUILDER

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear blue liquid Odor: Mild odor. Solubility: Soluble in water

Specific gravity (water=1) <1

Boiling point: 180 °F (71.1 °C)

V.O.C. of material: 100%

Note: These physical data are typical values based on material tested but may vary

from sample to sample

SECTION 10 - REACTIVITY

STABILITY: This product is stable material under normal conditions of storage and handling.

HAZARDOUS POLYMERIZATION: Will not polymerize. CONDITIONS TO AVOID: Avoid all ignition sources.

INCOMPATIBLES: Avoid strong oxidizing agents and metals.

DECOMPOSITION PRODUCTS: Product will burn and the products of complete combustion are oxides of carbon. Avoid contact with aluminum and mild stel to avoid production of hydrogen.

SECTION 11 - TOXICOLOGICAL/ECOLOGICAL INFORMATION

Oral $LD_{50 (rat)} = NE$ $LC_{50 (rat)} = NE$

The significant routes of exposure are eyes, skin, ingestion and inhalation.

SECTION 12 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: The product is a flammable liquid, wear PPE as outlined in Section 8. Dispose according to the regulations of local, state and Federal regulatory agencies.

SECTION 13 - TRANSPORTATION INFORMATION

US DOT (ground) PROPER SHIPPING NAME:

UN1993, Flammable liquid, N.O.S., (Isopropanol), 3, I

IATA (air) PROPER SHPPING NAME: CARGO AIRCRAFT ONLY

UN1993, Flammable liquid, N.O.S., (Isopropanol), 3, I

Use packing instruction 303. The maximum capacity is 30 L (7.93 gals)

IMO (water) PROPER SHIPPING NAME:

UN1993, Flammable liquid, N.O.S., (Isopropanol), 3, I

Use packing instruction P001.

IATA-DGR PROPER SHIPPING NAME:

Shipping Name: Flammable liquid, N.O.S., (Isopropanol)

Hazard Class: 3 UN #: UN1993 Label: Flammable

CARGO ONLY: 30 liters (7.93 gallons)

Packing Instruction: P001

SECTION 14 - REGULATORY INFORMATION

OSHA STATUS: Flammable. TSCA STATUS: None.

CERCLA REPORTABLE QUANTITY: None. CALIFORNIA PROPOSITION 65: None.

RCRA STATUS: F003, None.

SARA 311/312 HAZARD NOTIFICATION/REPORTING

IMMEDIATE Y FIRE Y SUDDEN RELEASE OF PRESSURE N

DELAYED Y REACTIVE Y

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS: None. SECTION 311/312 HAZARD CATEGORIES: None. SECTION 313 TOXIC CHEMICALS: Isopranol.

RIGHT TO KNOW: All listed ingredients are found in MA, NJ and PA.

SAFETY DATA SHEET

ITY:

EUROPEAN COMMUN





WHMIS:

SECTION 15 - OTHER INFORMATION/APPROVALS

National Fire Protection Association (NFPA) Hazardous Materials Identification System (HMIS)

0 Least

2 Health 2 Health 1 Slight Flammability 4 2 Moderate Flammability 4 Instability 3 High 1 Reactivity 4 Severe **PPE**

SECTION 16 - ABBREVIATIONS /DISCLAIMER

REASON FOR ISSUE: This SDS added IATA/ADR regulations (Section 13).

APPROVAL DATE: 1 November 2014

ABBREVIATIONS

EINECS European Inventory of existing CAS Chemical Abstract Service Number Commercial Chemical Sales oC Celsius temperature scale Fahrenheit temperature scale Proprietary PΕ Personal Protective Equipment Prop. TLV Threshold Limit Value TWA Time Weighted Average Permissible Exposure Limit STEL Short-term Exposure Limit PEL OSHA Occupational Safety & Health NIOSH National Institute of Safety & Health WHMIS Workplace Hazardous Materials NFPA National Fire Protection Agency Information System NTP National Toxicology Program IARC Int. Agency for Research on Cancer RCRA Resource Conservation Recovery **TSCA** Tox Substance Control EC_{50} Effective Dose LC_{50} Lethal Inhalation Concetration Lethal Dose CAS Chemical Abstract Service Number LD_{50} Lower explosive limit UEL Upper explosive limit LEL NDA No Data Available ND Not Determined Not Applicable ΝE None established NA > Greater Than or Equal To Less Than or Equal To **CNS** Central Nervous System CI China Canada Korean Existing Chemical List DSL **ECL EEC European Economic Commission ENCS** Japanese Existing and New Chemical List EU **European Union** MAC Netherlands MAK Germany MITI Japan PICCS Philippines SWISS Giftliste 1

United Kindom VOC Volatile organiontent

ACGIH American Conference of Government Industrial Hygienists SARA Superfund Amendments and Re-authorization Act AICS Australian Inventory of Chemical Substances International Agency for Research on Cancer IARC

Taiwan List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086

USA

United States

Disclaimer:

UK

This information is furnished without warranty expressed or implied except that it is accurate to the best knowledge of ID Technologies. (Company). The data and information on the Safety Data Sheet relates only to the specific material designated herein. Company assumes no legal responsibility for use or reliance upon the data.