

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name: ROLL - RED L/C 3076R PPT

Product Code: 3124

Recommended Use: Industrial Marking
Manufacturer Name & Address Identity Group
1480 Gould Drive

1480 Gould Drive Cookeville, TN 38506

Telephone Number: 931-432-4000

Emergency Telephone Number: Identity Group – 931-432-4000

Chemtrec – 1-800-424-9300 (Within the Continental US)

SECTION 2: HAZARD IDENTIFICATION

Classification:

Skin Corrosion/Irritation Category 2 Category 2A Serious Eye Damage/Eye Irritation Skin Sensitisation Category 1 Specific Target Organ Toxicity - RE Category 2 Reproductive Toxicity Category 1B Carcinogenicity Category 2 Acute Aquatic Toxicity Category 1 Chronic Aquatic Toxicity Category 1

Label Elements:

Symbol:







Signal Word: Danger

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H360 May damage fertility or the unborn child.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/vapors/spray.

P264 Wash hands/skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present

and easy to do-continue rinsing.

P308+311 IF exposed or concerned: Call a POISON CENTER/doctor.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P333+313 If skin irritation or rash occurs: Get medical attention/advice.

P337+313 If eye irritation persists: get medical attention/advice.

P362+364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards Not Otherwise Classified (HNOC)

No additional information identified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No.	Percent
Solvent Red 160	69899-69-9	3-7%
Cocamide DEA	68603-42-9	2-4%
Glyceryl Monoricinoleate	1323-38-2	15-20%
Tricresyl phosphate	1330-78-5	5-10%
Benzyl Butyl Phthalate	85-68-7	20-30%
Solvent naphtha (petroleum)	64742-88-7	0.024%
Polydimethylsiloxane	63148-62-9	0.012%
Glycidylether	68609-97-2	0.012%
Diethanolamine	111-42-2	0.5-1%

SECTION 4: FIRST AID MEASURES

Inhalation: Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If

breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical

attention/advice.

3124 RED INK ROLL

Ingestion: Seek immediate medical attention/advice. DO NOT induce vomiting. Never give anything by mouth

to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward)

to reduce the risk of aspiration.

Eye Contact: Flush eyes with water for at least 15 minutes while holding eyelids open. When symptoms persist or

in all cases of doubt, seek medical advice.

Skin Contact: Immediately flush with plenty of water, while removing contaminated clothing. When symptoms

persist or in all cases of doubt, seek medical advice.

Notes to the Physician: Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

Fire hazards/conditions of flammability Not a flammable substance.

Explosion data Not sensitive to mechanical impact or static discharge.

Fire-fighting procedure Wear protective clothing and respiratory protection (SCBA). Move containers from

fire area if safe to do so. Water spray may be useful in cooling equipment exposed

to heat and flame.

Hazardous combustion products Oxides of carbon and nitrogen, irritating fumes and smoke.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautionsAll persons dealing with clean-up should wear the appropriate protective equipment

expressed in Section 8. Do not eat, drink or smoke while participating in clean up.

Environmental precautions Ensure spilled product does not enter drains, sewers, waterways or confined spaces. For

large spills, dike the area to prevent spreading.

Spill Containment/cleanup Contain and absorb spilled liquid with non-combustible, inert absorbent material such as

vermiculite or sand, then place absorbent material into a container for later disposal.

Notify the appropriate authorities as required.

Special spill response procedures In case of a transportation accident, in the United States contact CHEMTREC at 1-800-

424-9300 or International at 1-703-527-3887.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Wear suitable protective equipment during handling. Do not ingest. Avoid contact with skin,

eyes and clothing. Wash thoroughly after handling.

Conditions for safe storage Store in a cool, dry, well-ventilated area. Store away from incompatibles, temperature

extremes and out of direct sunlight. Inspect periodically for damage or leaks.

Incompatible materials Strong oxidizing agents; strong reducing agents; acids.

Special packaging materials Always keep in containers made of the same materials as the supply container.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Component Exposure Limits

Benzyl Butyl Phthalate 85-68-7

5 mg/m3 TWA ACGIH

Diethanolamine 111-42-2

1 mg/m3 TWA ACGIH 15 mg/m3 TWA NIOSH Solvent Naphtha (petroleum) 64742-88-7 400 mg/m3 TWA OSHA

exposure limits.

Respiratory protection If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Confirmation of

which type of respirator is most suitable for the intended application should be obtained

from respiratory protection suppliers.

Skin protection Impervious gloves must be worn when using this product. Advice should be sought from

glove suppliers.

Eye/Face protection Good industrial hygiene practices should be used when handling this product including

preventing eye contact and minimizing skin contact and inhalation.

Other protective equipment As needed to prevent eye contact and minimizing skin contact and inhalation.

General hygiene measures Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat,

drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash

contaminated clothing before re-use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state/Appearance Red, viscous slurry

OdorMildOdor ThresholdN/AvSpecific gravity0.9

pH Not applicable
Initial Boiling point >300°F
Melting/Freezing point Not available
Coefficient of water/oil distribution Not available
Vapor pressure (mm Hg @ 20°C/68°F) Not available
Vapor density (Air = 1) Heavier than air

Evaporation rate (n-Butyl acetate = 1) Slower than n-Butyl acetate

Solubility in water Not available % Volatiles (by weight) Not available Flash point >200°F, TCC **Auto-ignition temperature** Not applicable Lower flammable limit (% by vol) Not applicable Not applicable **Upper flammable limit (% by vol)** Flame projection length Not available Flashback observed Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Not reactive.

Chemical Stability Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions None are known.

Conditions to avoid Avoid heat and open flame.

Incompatible materials See Section 7 (Handling and Storage) for further details.

Hazardous decomposition products None known; refer to hazardous combustion products in Section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

There is no available data for the mixture itself, only for the ingredients. See below for individual acute toxicity data.

Routes of Exposure

Skin Absorption, Eyes, Ingestion,

Acute Toxicity									
Component	CAS Number	Oral LD ₅₀	Oral Units	Oral Animal	Dermal LD ₅₀	Dermal Units	Dermal Animal	Inhalation LD ₅₀	Inhalation Units
Solvent Red 160	69899-69-9	2000	mg/kg	Rat	-	-	-	-	-
Cocamide DEA	111-42-2	-	-	-	2275	mg/kg	Rat	-	-
Tricresyl phosphate	1330-78-5	3000	mg/kg	Rat	10000	mg/kg	Rabbit	-	-
Benzyl Butyl Phthalate	85-68-7	20400	mg/kg	Rat	10000	mg/kg	Rabbit	6.7	mg/L
Polydimethylsiloxane	63148-62-9	17100	mg/kg	Rat	ı	ı	1	-	1

Skin Corrosion/Irritation

Some components of this product are skin irritants

Serious Eye Damage/Irritation

Some components of this product are eye irritants.

Sensitization

Some components cause skin sensitization

Germ Cell Mutagenicity

No data available

Carcinogenicity

One or more of the components are listed as carcinogens by NTP, IARC, or OSHA

Reproductive/Developmental Toxicity

One or more of the components are known reproductive toxicants.

Specific Target Organ Toxicity

Single Exposure No data available Repeated Exposure No data available

Aspiration Hazard

The mixture does not pose an aspiration hazard

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity No data is available on the mixture itself.

Component	Toxicity to Fish	Toxicity to Invertebrates	Toxicity to Algae
Benzyl Butyl Phthalate	10.0 mg/L 96hr (L.	1.1 mg/L 48hr	0.4 mg/L 96hr
	macrochirus		
Glycidylether	5000 mg/L 96hr	7.2 mg/L 48hr	843 mg/L 72hr

Persistence

No data available on the mixture.

Bioaccumulative potential

No data available on the mixture.

Mobility in Soil

No data available on the mixture.

Other Adverse Effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Instructions Dispose of in accordance with federal, provincial and local waste regulations.

Avoid release to the environment.

SECTION 14: TRANSPORTATION INFORMATION

DOT This material is not regulated UN Proper Shipping Name This material is not regulated

Hazard Class N/A
UN Number N/A
Packing Group N/A
Marine Pollutant Yes

SECTION 15: REGULATORY INFORMATION

SARA Sections 302

No Extremely Hazardous Substances are present in this mixture.

SARA Section 311 & 312

Chronic health hazard

SARA Section 313

The following component is subject to reporting levels established by SARA Title III, Section 313: Diethanolamine (111-42-2)

CERCLA

Diethanolamine (111-42-2) 100 lbs. Benzyl Butyl Phthalate (85-68-7) 100 lbs.

TSCA

All components of this product are either listed or are exempt on the TSCA inventory.

The following components of this product are subject to the reporting requirements of Section 12(b) of TSCA:

None

CAA - Hazardous Air Pollutants (HAPS)

Component CAS # Diethanolamine 111-42-2

Component Analysis – State								
Component	CAS#	CA	MA	MN	PA	RI	NJ	LA
Solvent Red 160	69899-69-9	N	N	N	N	N	N	N
Cocamide DEA	68603-42-9	Y	N	N	N	N	Y	N
Glyceryl Monoricinoleate	1323-38-2	N	N	N	N	N	N	N
Tricresyl phosphate	1330-78-5	N	N	N	N	N	N	N
Benzyl Butyl Phthalate	85-68-7	Y	N	N	Y	N	Y	N

California Prop 65

This product contains chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Substance	CAS #	Toxicity
Diethanolamine	111-42-2	Cancer
Benzyl butyl phthalate	85-68-7	Developmental

SECTION 16: OTHER INFORMATION

Revision Information: 2/2/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.